

REGULAR STRENGTH PAIN RELIEF- acetaminophen capsule, liquid filled

Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Regular Strength Pain Relief

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 softgels (3,250 mg) in 24 hours for adults or 5 softgels (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see Overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> • take 2 softgels every 4 to 6 hours while symptoms last • do not take more than 10 softgels in 24 hours • do not use for more than 10 days unless directed by a doctor
children 6-11 years	<ul style="list-style-type: none"> • take 1 softgel every 4 to 6 hours while symptoms last • do not take more than 5 softgels in 24 hours • do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

- store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink

Questions or comments?

Call toll free: **1-888-423-0139**

PRINCIPAL DISPLAY PANEL - Bottle Label

TopCare REGULAR STRENGTH Pain Relief

Acetaminophen 325 mg 40 SOFTGELS

NDC 36800-435-25

* Compare to the active ingredient in TYLENOL® Regular Strength

TopCare health™

NDC 36800-435-25

***COMPARE TO TYLENOL® REGULAR STRENGTH ACTIVE INGREDIENT**

REGULAR STRENGTH Pain Relief

ACETAMINOPHEN 325 mg PAIN RELIEVER • FEVER REDUCER

actual size 

40 SOFTGELS**
**Liquid-Filled Capsules

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active ingredient (in each softgel)
Acetaminophen 325 mg.....Pain reliever/fever reducer

Purpose
Temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches ■ backache
 ■ minor pain of arthritis ■ the common cold
 ■ toothache ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 softgels (3,250 mg) in 24 hours for adults or 5 softgels (1,625 mg) in 24 hours for children. Severe liver damage may occur if:
 ■ adult takes more than 4,000 mg of acetaminophen in 24 hours
 ■ child takes more than 5 doses in 24 hours, which is the maximum daily amount
 ■ taken with other drugs containing acetaminophen
 ■ softgel has 5 or more alcoholic drinks every day while using this product
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if the user has liver disease

Drug Facts (continued under label)

**This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., Medical Consumer Health Care Division, owner of the registered trademark TYLENOL® Regular Strength. DISTRIBUTED BY TOPCO ASSOCIATES, LLC, ELK GROVE VILLAGE, IL 60007 © TOPCO PARTNERS. QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com

QUALITY GUARANTEED

Made in China
TOP08-01

Lot No.: 036800007147
no varnish

PEEL HERE Exp. Date:

Reseal Area

Drug Facts (continued)
Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days in adults
 ■ pain gets worse or lasts more than 5 days in children under 12 years
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur ■ redness or swelling is present
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
 Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
do not take more than directed (see Overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 softgels every 4 to 6 hours while symptoms last do not take more than 10 softgels in 24 hours unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children 6 years to under 12 years	<ul style="list-style-type: none"> take 1 softgel every 4 to 6 hours while symptoms last do not take more than 5 softgels in 24 hours do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information
 ■ Store at 15° to 30°C (59°F to 86°F) and avoid excessive heat.

Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white ink

Questions or Comments?
Call toll free: 1-888-423-0139

Hinge

REGULAR STRENGTH PAIN RELIEF

acetaminophen capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-435
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	red (clear)	Score	no score
Shape	capsule (oblong)	Size	20mm
Flavor		Imprint Code	PC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-435-25	40 in 1 BOTTLE; Type 0: Not a Combination Product	07/11/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/11/2016	

Labeler - Topco Associates LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(36800-435) , analysis(36800-435)

Revised: 11/2019

Topco Associates LLC