

NIGHTTIME SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled
TopCo Associates LLC

TOPCARE NIGHTTIME SLEEP-AID

Drug Facts

Active ingredient
(in each softgel)

Diphenhydramine HCL 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.
1(800)222-1222

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Inactive ingredients

FD&C Blue#1, gelatin, glycerin, polyethylene glycol-400, propylene glycol, sorbitol, titanium dioxide, water

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL - 96 ct BOTTLE LABEL

TOPCARE HEALTH™

Compare to UNISOM® SLEEPGELS® active ingredient*

NIGHTTIME MAXIMUM STRENGTH

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg

NIGHTTIME SLEEP-AID

- Fall Asleep Fast
- Sleep Soundly
- Wake Refreshed
- Safe/Non-Habit Forming

96 SOFTGELS**

**LIQUID-FILLED CAPSULES



NIGHTTIME SLEEP AID

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-654
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	206
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-654-96	96 in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	10/10/2019	

Labeler - TopCo Associates LLC (006935977)

Revised: 12/2023

TopCo Associates LLC