

**MUCUS RELIEF GUAIFENESIN EXTENDED-RELEASE 600 MG- guaifenesin tablet
YYBA CORP**

**YYBA (as PLD) - WELMATE - MUCUS RELIEF (GUAIFENESIN EXTENDED-
RELEASE) TABLETS, 600 MG (73581-401)**

Active ingredient (in each extended-release tablet)

GUAIFENESIN 600 MG

PURPOSE

EXPECTORANT

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer homopolymer type B, hypromellose, magnesium stearate, microcrystalline cellulose, sodium starch glycolate.

Questions?

call toll-free 1-866-933-6337

200 EXTENDED-RELEASE TABLETS

12 HOUR

#1 PHARMACIST RECOMMENDED

Relieves Chest Congestion
Thins and Loosens Mucus
Immediate and Extended Release

Drug Facts

Active ingredient (in each extended-release tablet)
Guaifenesin 600 mg.....Expectorant

Purpose
Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings
Do not use ■ for children under 12 years of age
Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus)
Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.
if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for the timing of meals ■ **adults and children 12 years of age and over:** 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
■ **children under 12 years of age:** do not use

Other information
■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients
carbomer homopolymer type B, hypromellose, magnesium stearate, microcrystalline cellulose, sodium starch glycolate.

Questions? call toll-free 1-866-933-6337

*This product is not manufactured or distributed by the owner of the registered trademark, Mucinex® Extended-Release 600 mg Tablets

Distributed by: **WellSpring**
Almont, NY 10952, U.S.A. **1-866-933-6337**

Why pay more?
we.lspringmeds.com
L7763-200-103-0

70 EXTENDED-RELEASE TABLETS

12 HOUR

#1 PHARMACIST RECOMMENDED

Relieves Chest Congestion
Thins and Loosens Mucus
Immediate and Extended Release

Drug Facts

Active ingredient (in each extended-release tablet)
Guaifenesin 600 mg.....Expectorant

Purpose
Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings
Do not use ■ for children under 12 years of age
Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus)
Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.
if pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for the timing of meals ■ **adults and children 12 years of age and over:** 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
■ **children under 12 years of age:** do not use

Other information
■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients
carbomer homopolymer type B, hypromellose, magnesium stearate, microcrystalline cellulose, sodium starch glycolate.

Questions? call toll-free 1-866-933-6337

*This product is not manufactured or distributed by the owner of the registered trademark, Mucinex® Extended-Release 600 mg Tablets

Distributed by: **WellSpring**
Almont, NY 10952, U.S.A. **1-866-933-6337**

Why pay more?
we.lspringmeds.com
L7763-200-103-0

MUCUS RELIEF GUAIFENESIN EXTENDED-RELEASE 600 MG

guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-401
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	G;600
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-401-02	200 in 1 BOTTLE; Type 0: Not a Combination Product	03/02/2022	
2	NDC:73581-401-70	70 in 1 BOTTLE; Type 0: Not a Combination Product	01/02/2025	
3	NDC:73581-401-20	20 in 1 BOTTLE; Type 0: Not a Combination Product	11/27/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA213420	03/02/2022	

Labeler - YYBA CORP (006339772)

Revised: 11/2025

YYBA CORP