

**SUN LOGIC LAIT SOLAIRE CORPS SPF 20- avobenzone, homosalate, octocrylene lotion**  
**Guinot**

-----  
**Sun Logic Lait Solaire Corps SPF 20**

***Drug Facts***

***Active ingredients***

Avobenzone 2.90%

Homosalate 12.00%

Octocrylene 2.70%

***purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

- For external use only

***Do not use***

on damaged or broken skin

***When using this product***

keep out of eyes. Rinse with water to remove

***Stop use and ask***

a doctor if rash occurs

***Keep out of reach of children.***

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor.

***Other information***

- Protect this product from excessive heat and direct sun
- Store below 30°C/86°F

***Inactive ingredients***

Water/Eau (Aqua), Dibutyl Adipate, Ethylhexyl Palmitate, Caprylyl Methicone, Diethylhexyl 2,6-Naphthalate, Polyethylene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Squalane, Caprylyl Glycol, Propylene Glycol, Sodium Stearoyl Glutamate, Tocopheryl Acetate, Fragrance (Parfum), Glycerin, Polysorbate 60, Butylene Glycol, Betaine, Hydrolyzed Enteromorpha Compressa, Limonene, Sorbitan Isostearate, Citric Acid, Pectin, Sucrose, Alpha-Isomethyl Ionone, Glyceryl Acrylate/Acrylic Acid Copolymer, Ethylhexylglycerin, Oleoyl Tyrosine, Capryloyl Glycine, Sodium Hyaluronate, Oleic Acid, Copper Gluconate. 01

**Package Labeling:**



GUINOT  
INSTITUT • PARIS

SUN LOGIC



LAIT SOLAIRE  
CORPS  
SUNSCREEN  
LOTION  
BODY

e 150 ml - NET WT 4.4 OZ

**Information sur le médicament (suite)**

**Mode d'emploi**

- Appliquer généreusement 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Mesures de protection contre le soleil: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un F.P.S à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que :
  - limiter le temps passé au soleil, notamment entre 10 et 14 heures; et
  - porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.
- Pour les enfants âgés de moins de 6 mois, consulter un professionnel de la santé.

**Autres renseignements**

- Protéger ce produit de la chaleur excessive et du contact direct avec le soleil.
- Conserver à une température inférieure à 30°C.

**Ingédients inactifs**

Voir Inactive Ingredients



Réf. 0514584  
Guinot, 120 av. Charles de Gaulle  
92200 Neuilly-sur-Seine  
Made in France - 77190 Dammarie

**Information sur le médicament**

Ingédients actifs	Utilité
Voir Active Ingredients	Ecrans solaires

**Usages**

- Aide à prévenir les coups de soleil.
- Si le produit est utilisé selon les instructions et avec d'autres mesures de protection contre le soleil [voir le Mode d'emploi], le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil est réduit.

**Mise en garde**

- Pour usage externe seulement.
- Ne pas utiliser sur la peau endommagée ou présentant des lésions.
- Eviter tout contact avec les yeux. Rincer à l'eau le cas échéant.
- En présence d'une éruption cutanée, cesser l'utilisation et consulter un professionnel de la santé.
- Garder hors de portée des enfants. En cas d'ingestion, consulter un médecin immédiatement ou appeler un centre anti-poison.



Imported by LACHMAN IMPORTS  
(800) 523-1030

L: XXXXXXXX

EXP MM YYYY

**Drug Facts**

Active ingredients	purpose
Avobenzone 2.90%	Sunscreen
Homosalate 12.00%	Sunscreen
Octocrylene 2.70%	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor.

**Other information**

- Protect this product from excessive heat and direct sun
- Store below 30°C/86°F

**Inactive ingredients**

Water/Eau (Aqua), Dibutyl Adipate, Ethylhexyl Palmitate, Caprylyl Methicone, Diethylhexyl 2,6-Naphthalate, Polyethylene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Squalane, Caprylyl Glycol, Propylene Glycol, Sodium Stearoyl Glutamate, Tocopheryl Acetate, Fragrances (Parfum), Glycerin, Polysorbate 60, Butylene Glycol, Betaine, Hydrolyzed Enteromorpha Compressa, Limonene, Sorbitan Isostearate, Citric Acid, Pectin, Sucrose, Alpha-Isomethyl Ionone, Glyceryl Acrylate/Acrylic Acid Copolymer, Ethylhexylglycerin, Oleoyl Tyrosine, Capryloyl Glycine, Sodium Hyaluronate, Oleic Acid, Copper Gluconate. 01

**GUINOT**  
INSTITUT • PARIS

SUN LOGIC



LAIT SOLAIRE  
CORPS  
SUNSCREEN  
LOTION  
BODY

**Usage**

- Aide à prévenir les coups de soleil.

**Mode d'emploi**

- Appliquer généreusement 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Pour les enfants âgés de moins de 6 mois, consulter un professionnel de la santé.

**Use**

- Helps prevent sunburns

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months: ask a doctor

**Active ingredients / Ingrédients actifs**

Avobenzone 2.90%  
Homosalate 12.00%  
Octocrylene 2.70%

Imported by LACHMAN IMPORTS  
(800) 523-1030

L. XXXXXXXX  
EXP MM YYYY

e 150 ml - NET WT 4.4 OZ

Guinot, 120 av. Charles de Gaulle, 92200 Neuilly-sur-Seine  
Made in France - 77190 Dammarie

**SUN LOGIC LAIT SOLAIRE CORPS SPF 20**

avobenzone, homosalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54181-010
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	29 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	27 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)	

<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>BETAINE</b> (UNII: 3SCV180C9W)
<b>HYDROLYZED ULVA COMPRESSA PROTEIN (ACID; 300-5000 MW)</b> (UNII: Q04O53779D)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>PECTIN</b> (UNII: 89NA02M4RX)
<b>SUCROSE</b> (UNII: C151H8M554)
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>OLEOYL TYROSINE</b> (UNII: 131P1BQX1U)
<b>CAPRYLOYL GLYCINE</b> (UNII: 8TY5YO42NJ)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54181-010-00	1 in 1 BOX	12/23/2017	
1		150 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/23/2017	

**Labeler** - Guinot (763667185)

### Establishment

Name	Address	ID/FEI	Business Operations
Guinot		763667185	manufacture(54181-010)

