

MUCINEX CHILDRENS COUGH AND CONGESTION- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride suspension RB Health (US) LLC

Mucinex® Children's Cough & Congestion

Drug Facts

<i>Active ingredients (in each 5 mL)</i>	<i>Purposes</i>
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- store at 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate ¹, xanthan gum

¹ may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 201 mL Bottle Carton

VALUE SIZE

Pediatrician Recommended †

NDC 63824-947-11

Mucinex®

Children's

**COUGH &
CONGESTION**

Dextromethorphan HBr 5 mg - Cough Suppressant

Guaifenesin 100 mg - Expectorant

Phenylephrine HCl 2.5 mg - Nasal Decongestant

- **Relieves Chest Congestion**
- **Breaks up Mucus**
- **Relieves Stuffy Nose**
- **Controls Cough**

Ages

4+

yrs

Very Berry

Flavor Liquid

6.8 FL OZ (201 mL)

Tamper evident: Do not use if neckband on bottle cap is broken or missing.



COUGH & CONGESTION

Dextromethorphan HBr 5 mg - Cough Suppressant
Guaifenesin 100 mg - Expectorant
Phenylephrine HCl 2.5 mg - Nasal Decongestant

VALUE SIZE

*Pediatrician Recommended**

NDC 63824-947-11



COUGH & CONGESTION

Dextromethorphan HBr 5 mg - Cough Suppressant
Guaifenesin 100 mg - Expectorant
Phenylephrine HCl 2.5 mg - Nasal Decongestant

- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus
- ✓ Relieves Stuffy Nose
- ✓ Controls Cough

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate*, xanthan gum
*may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4639)
You may also report side effects to this phone number.

*as an OTC brand in the Children's Cough/Cold category (AlphalmpactRxProVoice Survey)

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Also look for



CHEST CONGESTION

mini-melts™



Great-tasting chest-congestion relief in fun-to-take, convenient granule packets!

Keep carton for full information.

Ages 4+ yrs

Very Berry Flavor Liquid

6.8 FL OZ (201 mL)



LOT CODE:

EXP. DATE:

3091844



Drug Facts

Active ingredients (in each 5 mL)	Purposes
Dextromethorphan HBr 5 mg.....	Cough suppressant
Guaiifenesin 100 mg.....	Expectorant
Phenylephrine HCl 2.5 mg.....	Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep
 - nasal congestion due to a cold

COUGH & CONGESTION

Each dose of Very Berry flavored
Mucinex Children's
Cough & Congestion Liquid:

- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus
- ✓ Relieves Stuffy Nose
- ✓ Controls Cough



Dosing Cup Included

Questions or comments?
1-866-Mucinex (1-866-682-4639)
or www.mucinex.com

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224
©2019 RB Health
Made in England
021119 3091844



HEALTH ▾ HYGIENE ▾ HOME

- stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

MUCINEX CHILDRENS COUGH AND CONGESTION

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-947
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
PROPYL GALLATE (UNII: 8D45NN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-947-11	1 in 1 CARTON	03/30/2018	
1		201 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/30/2018	

Labeler - RB Health (US) LLC (081049410)