

**CHILDRENS ALLERGY RELIEF- diphenhydramine hcl solution**  
**Rite Aid Corporation**

-----  
**Rite Aid Corporation Children's Allergy Relief Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itching of the nose or throat
  - runny nose
  - itchy, watery eyes

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## Other information

- **each 5 mL contains:** sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- **do not use if printed neckband is broken or missing**

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

## Questions or comments?

**1-800-719-9260**

## Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy

FREE FROM | GLUTEN FREE ALCOHOL FREE

AGES 6-11

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl ORAL SOLUTION 12.5 mg / 5 mL ANTIHISTAMINE

relieves:

sneezing ● runny nose  
 itchy, watery eyes  
 itching of the nose or throat  
 CHERRY FLAVOR  
 DOSAGE CUP INCLUDED  
 4 FL OZ (118 mL)



AGES 6-11

**CHILDREN'S  
 ALLERGY RELIEF**  
 DIPHENHYDRAMINE HCl  
 ORAL SOLUTION  
 12.5 mg / 5 mL  
 ANTIHISTAMINE

NDC 11822-0379-0

Compare to the active ingredient in  
 Children's Benadryl® Allergy\*

**FREE** | **GLUTEN FREE**  
 F R M | **ALCOHOL FREE**

AGES 6-11

**CHILDREN'S  
 ALLERGY RELIEF**

**DIPHENHYDRAMINE HCl  
 ORAL SOLUTION**  
 12.5 mg / 5 mL  
**ANTI-HISTAMINE**  
 relieves:  
 sneezing • runny nose  
 itchy, watery eyes  
 itching of the nose or throat



**CHERRY  
 FLAVOR**  
 DOSAGE CUP INCLUDED  
 4 FL OZ (118 mL)



NDC 11822-0379-0

Compare to the active ingredient in  
 Children's Benadryl® Allergy\*

**FREE** | **GLUTEN FREE**  
 F R M | **ALCOHOL FREE**

AGES 6-11

**CHILDREN'S  
 ALLERGY RELIEF**

**DIPHENHYDRAMINE HCl  
 ORAL SOLUTION**  
 12.5 mg / 5 mL  
**ANTI-HISTAMINE**  
 relieves:  
 sneezing • runny nose  
 itchy, watery eyes  
 itching of the nose or throat



**CHERRY  
 FLAVOR**  
 DOSAGE CUP INCLUDED  
 4 FL OZ (118 mL)



**Drug Facts (continued)**  
**Other information**  
 ■ each 5 mL contains: sodium 15 mg  
 ■ store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.  
 ■ do not use if printed neckband is broken or missing  
**Inactive ingredients**  
 anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution  
**Questions or comments?**  
 1-800-719-9260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Children's Benadryl® Allergy.



DISTRIBUTED BY: RITE AID,  
 200 NEWBERRY COMMONS  
 ETTES, PA 17319  
 www.riteaid.com

**SATISFACTION  
 GUARANTEE**  
 If you're not satisfied, we'll  
 happily refund your money.

**Drug Facts**  
**Active ingredient (in each 5 mL)** Diphenhydramine HCl 12.5 mg.....Antihistamine  
**Purpose**  
**Uses**  
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ sneezing  
 ■ itching of the nose or throat  
 ■ runny nose  
 ■ itchy, watery eyes  
**Warnings**  
**Do not use**  
 ■ with any other product containing diphenhydramine, even one used on skin  
 ■ to make a child sleepy  
**Ask a doctor before use if the child has**  
 ■ a breathing problem such as chronic bronchitis  
 ■ glaucoma  
 ■ a sodium-restricted diet  
**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers**  
**When using this product**  
 ■ marked drowsiness may occur  
 ■ excitability may occur, especially in children  
 ■ sedatives and tranquilizers may increase drowsiness  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).  
**Directions**  
 ■ find right dose on chart below  
 ■ mL = milliliter  
 ■ take every 4 to 6 hours, or as directed by a doctor  
 ■ do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.



37926 83 C5

# CHILDRENS ALLERGY RELIEF

diphenhydramine hcl solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0379
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	RED (Bluish-Red)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0379-0	1 in 1 CARTON	04/05/2023	01/31/2027
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0379-1	1 in 1 CARTON	04/05/2023	05/31/2025
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/05/2023	01/31/2027

**Labeler** - Rite Aid Corporation (014578892)

Revised: 10/2025

Rite Aid Corporation