

**CAREALL NON ASPIRIN EXTRA STRENGTH- acetaminophen tablet**  
**New World Imports, Inc**

-----  
**Drug Facts**

Acetaminophen 500 mg

Pain reliever / Fever reducer

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs of symptoms.

Temporary relieves minor aches and pains due to: the common cold, headache, toothache, muscular aches, backache, minor pains of arthritis, menstrual and premenstrual cramps, and temporarily reduces fever.

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include skin reddening, blisters, rash.

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you** are taking the blood thinning drug warfarin

**Stop use and ask a doctor if:**

- Pain gets worse or lasts for more than 10 days
- Fever gets worse or lasts for more than 3 days
- New symptoms occur
- Redness or swelling is present

These could be signs of a serious condition.


**If pregnant or breast-feeding,** ask a health professional before use.

**Do not take more than directed (see overdose warnings)**

**Adults and children 12 years of age and older:** Take 2 caplets every 4 to 6 hours while symptoms last. Do not take more than 6 caplets in 24 hours. Do not use more than 10 days unless directed by a doctor.

**Children under 12 years of age:** ask a doctor

povidone, pregelatinized starch, sodium starch glycolate, stearic acid



## CAREALL NON ASPIRIN EXTRA STRENGTH

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-087
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength

<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	white (White)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Oval)	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	M2A4;57344
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-087-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/18/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/18/2021	

**Labeler** - New World Imports, Inc (075372276)

Revised: 12/2025

New World Imports, Inc