

ANTIBACTERIAL BANDAGES- benzalkonium chloride dressing
Guangdong Comfort Medical Products Co., Ltd.

ANTIBACTERIAL BANDAGES

ACTIVE INGREDIENTS

Benzalkonium Chloride 0.13%

Purpose

Antiseptic

USE

First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

WARNINGS

For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use longer than 1 week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. if swallowed get medical help or contact Poison control Center right away.

Other Information

Not intended for use on delicate or sensitive skin.

DIRECTIONS

Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

INACTIVE INGREDIENT

Water

Keep out of reach of children

Keep out of reach of children. if swallowed get medical help or contact Poison control Center right away.

Dosage and administration

Apply a sterile bandage on the affected area 1 to 3 times daily.

Label principal display panel

NDC 71584-0111-1

ANTIBACTERIAL BANDAGES

Drug Facts

ACTIVE INGREDIENTS

Benzalkonium Chloride 0.13%

Purpose

Antiseptic

USE

First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

WARNINGS For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. if swallowed get medical help or contact Poison control Center right away.

DIRECTIONS

Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information: not intended for use on delicate or sensitive skin.

INACTIVE INGREDIENT

Water

ANTIBACTERIAL
BANDAGES

BANDAGES
ANTIBACTERIAL

BANDAGES
ANTIBACTERIAL

BANDAGES
ANTIBACTERIAL

BANDAGES
ANTIBACTERIAL

BANDAGES
ANTIBACTERIAL

NDC71584-0111-1

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

- SHEER MATERIAL LESS VISIBLE ON THE SKIN
- MEDICATED, NON-STICK PAD HELPS PREVENT INFECTION
- ADHESIVE STRIP FOR LASTING PROTECTION

x30
All one size
0.75 in. x 3 in.
(19 mm x 76 mm)



x30
All one size
0.75 in. x 3 in.
(19 mm x 76 mm)

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED.

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-2



x 20000

All one size
0.75 in x 3 in.
(19 mm x 76 mm)

00BAN01317ANTIEQU
BANDAGE BULK-EQUATE /
SHEER ANTIBAC /3/4 X 3

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-3



X 20000

All one size
2 in x 4 in.
(50.8mm x 101.6mm)

00BAN01316ANTIEQU
BANDAGE BULK-EQUATE /
SHEER ANTIBAC /2X 4

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-4



X 20000

All one size
1 in. x 3 in.
(25.4mm x 76.2mm)

00BAN01315ANTIEQU
-BANDAGE BULK-EQUATE/
SHEER ANTIBAC /1X3

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-5



X 20000

All one size
0.625in. x 2.25in.
(1.6mm x 57mm)

00BAN01318ANTIEQU
BANDAGE BULK-EQUATE /
SHEER ANTIBAC / 5/8 X 2 1/4

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Stop use and consult a doctor if the condition persists or gets worse.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-6



x 20000

All one size
0.75 in x 3 in.
(19 mm x 76 mm)

00BAN01319ANTIEQU
BANDAGE BULK-EQUATE /
WATERPROOF ANTIBAC / 3/4 X 3

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient	Purpose
Benzalkonium Chloride 0.13%	Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-7



X 20000

All one size
1.5 in. x 3 in.
(38 mm x 76 mm)

00BAN01323ANTIEQU –
KNUCKLE BANDAGES
FABRIC

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED

BANDAGES

ANTIBACTERIAL

BANDAGES

ANTIBACTERIAL

ANTIBACTERIAL
BANDAGES

ANTIBACTERIAL
BANDAGES

BANDAGES

ANTIBACTERIAL

Drug Facts

Active ingredient Benzalkonium Chloride 0.13% **Purpose** Antiseptic

Use first aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings For external use only.

Do not use

■ longer than one week unless directed by a physician. In case of deep or puncture wounds, animal bites, or serious burn, consult a physician.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Other Information Not intended for use on delicate or sensitive skin.

Inactive ingredient water

BANDAGES

ANTIBACTERIAL

NDC71584-0111-8



X 20000

All one size
2 in. x 4 in.
(50.8 mm x 101.6 mm)

00BAN01322ANTIEQU –
2" X 4"

STORAGE: Store in a cool, dry place.

STERILE EO UNLESS INDIVIDUAL WRAPPER IS OPENED OR DAMAGED



BANDAGES

ANTIBACTERIAL


BANDAGES

ANTIBACTERIAL



3/4 x 3 inch




5/8 x 2 1/2 inch



Waterproof 3/4x3 inch



1 x 3
inch






2x 4 inch



1.5" * 3"



2" X 4"

ANTIBACTERIAL BANDAGES

benzalkonium chloride dressing

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71584-0111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71584-0111-1	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	
2	NDC:71584-0111-2	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	
3	NDC:71584-0111-3	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	

4	NDC:71584-0111-4	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	
5	NDC:71584-0111-5	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	
6	NDC:71584-0111-6	0.5 g in 1 POUCH; Type 0: Not a Combination Product	10/15/2021	
7	NDC:71584-0111-7	0.578 g in 1 POUCH; Type 0: Not a Combination Product	09/22/2022	
8	NDC:71584-0111-8	1.29 g in 1 POUCH; Type 0: Not a Combination Product	09/22/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/15/2021	

Labeler - Guangdong Comfort Medical Products Co., Ltd. (544507534)

Registrant - Guangdong Comfort Medical Products Co., Ltd. (544507534)

Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Comfort Medical Products Co., Ltd.		544507534	manufacture(71584-0111)

Revised: 3/2025

Guangdong Comfort Medical Products Co., Ltd.