

**DAYTIME NIGHTTIME SEVERE COLD AND FLU MAXIMUM STRENGTH-
acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl /
acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine
hcl
Walgreens**

627T Walgreens 0363-0746 Daytime Nighttime Severe Cold & Flu

DRUG FACTS - Nighttime Severe Cold & Flu

Active ingredients (in each softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Doxylamine succinate 6.25 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Antihistamine
Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- minor aches & pains
- headache
- fever
- sore throat
- runny nose & sneezing
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

Warnings

Liver warning : This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 8 softgels per 24 hours

adults & children 12 years & over	2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- do not exceed 25°C (77°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

Questions or Comments? Call **1-877-290-4008**

DRUG FACTS - Daytime Severe Cold & Flu

NIGHTTIME SEVERE COLD & FLU SOFTGELS

Active ingredients (in each softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purposes

Pain reliever/fever reducer
Cough suppressant
Expectorant
Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- sinus congestion & pressure

- cough due to minor throat & bronchial irritation
- minor aches & pains
- headache
- fever
- sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 8 softgels per 24 hours

adults & children 12 years & over	2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- do not exceed 25°C (77°F)

Inactive ingredients FD&C red #40, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

Questions or Comments? Call **1-877-290-4008**

DAYTIME NIGHTTIME SEVERE COLD AND FLU MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl / acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl kit

Product Information

DAYTIME Severe Cold & Flu
Maximum Strength
16 SOFTGELS (ROUND-FILED CAPSULES)

WALGREENS
DAYTIME Severe Cold & Flu
Maximum Strength
16 SOFTGELS (ROUND-FILED CAPSULES)

ITEM 787451 W00000-0000-0
1191713476

LOT NO: EXP DATE:

NIGHTTIME Severe Cold & Flu
Maximum Strength
8 SOFTGELS (ROUND-FILED CAPSULES)

WALGREENS
NIGHTTIME Severe Cold & Flu
Maximum Strength
8 SOFTGELS (ROUND-FILED CAPSULES)

ITEM 787451 W00000-0000-0
1191713476

LOT NO: EXP DATE:

DO NOT TAKE THESE PRODUCTS AT THE SAME TIME

DAY & NIGHT PACK

DAYTIME SEVERE COLD AND FLU SOFTGELS

NIGHTTIME SEVERE COLD AND FLU SOFTGELS

WARNING: THIS PRODUCT CONTAINS SODIUM BIPHENYLACETATE. SERIOUS RISK OF HEAVY METAL EXPOSURE FROM THIS PRODUCT. THIS PRODUCT CONTAINS SODIUM BIPHENYLACETATE, WHICH IS A HEAVY METAL. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS.

Directions: See the back of the box for complete directions. Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Warnings: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Interactions: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Side Effects: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Contraindications: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Other Information: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

How to Use: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Storage: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Expiration Date: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Lot Number: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Exp. Date: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

DAYTIME Severe Cold & Flu
Maximum Strength
32 SOFTGELS (ROUND-FILED CAPSULES)

WALGREENS
DAYTIME Severe Cold & Flu
Maximum Strength
32 SOFTGELS (ROUND-FILED CAPSULES)

ITEM 787451 W00000-0000-0
1191713476

LOT NO: EXP DATE:

NIGHTTIME Severe Cold & Flu
Maximum Strength
16 SOFTGELS (ROUND-FILED CAPSULES)

WALGREENS
NIGHTTIME Severe Cold & Flu
Maximum Strength
16 SOFTGELS (ROUND-FILED CAPSULES)

ITEM 787451 W00000-0000-0
1191713476

LOT NO: EXP DATE:

DO NOT TAKE THESE PRODUCTS AT THE SAME TIME

DAY & NIGHT PACK

DAYTIME SEVERE COLD AND FLU SOFTGELS

NIGHTTIME SEVERE COLD AND FLU SOFTGELS

WARNING: THIS PRODUCT CONTAINS SODIUM BIPHENYLACETATE. SERIOUS RISK OF HEAVY METAL EXPOSURE FROM THIS PRODUCT. THIS PRODUCT CONTAINS SODIUM BIPHENYLACETATE, WHICH IS A HEAVY METAL. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS. THIS PRODUCT IS NOT INTENDED FOR USE IN CHILDREN UNDER THE AGE OF 12 YEARS.

Directions: See the back of the box for complete directions. Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Warnings: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Interactions: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Side Effects: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Contraindications: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Other Information: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

How to Use: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Storage: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Expiration Date: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Lot Number: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

Exp. Date: Do not take more than the recommended dose. Do not take more than the recommended dose. Do not take more than the recommended dose.

DAYTIME NIGHTTIME SEVERE COLD AND FLU MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl / acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0746
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0746-24	3 in 1 CARTON	06/01/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0746-48	6 in 1 CARTON	06/01/2022	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	8
Part 2	1 BLISTER PACK	4

Part 1 of 2

DAYTIME COLD AND FLU MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr,guaifenesin, phenylephrine hcl capsule, liquid filled

Product Information

Item Code (Source)	NDC:0363-0109
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SHELLAC (UNII: 46N107B71O)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL (OBLONG)	Size	21mm
Flavor		Imprint Code	73
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2022	

Part 2 of 2

NIGHTTIME COLD AND FLU MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl capsule, liquid filled

Product Information

Item Code (Source)	NDC:0363-1011
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE -	DOXYLAMINE SUCCINATE	6.25 mg

UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	0.25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
SHELLAC (UNII: 46N107B71O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL (OBLONG)	Size	21mm
Flavor		Imprint Code	72
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/23/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2022	

Labeler - Walgreens (008965063)

Registrant - TIME CAP LABORATORIES INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LTD		925822975	manufacture(0363-0746)

Revised: 3/2024

Walgreens