

COLDCALM- onion, apis mellifera, atropa belladonna, eupatorium perfoliatum flowering top, gelsemium sempervirens root, potassium dichromate, strychnos nux-vomica seed, phytolacca americana root, pulsatilla vulgaris whole pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ColdCalm Pellets

Active ingredients (in each pellet)**

Allium cepa 3C HPUS (0.05 mg)

Apis mellifica 6C HPUS (0.05 mg)

Belladonna 6C HPUS (0.05 mg)(contains less than 10^{-15} mg atropine alkaloids)

Eupatorium perfoliatum 3C HPUS (0.05 mg)

Gelsemium sempervirens 6C HPUS (0.05 mg)

Kali bichromicum 6C HPUS (0.05 mg)

Nux vomica 3C HPUS (0.05 mg) (contains less than 10^{-8} mg strychnine alkaloids)

Phytolacca decandra 6C HPUS (0.05 mg)

Pulsatilla 6C HPUS (0.05 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves Cold Symptoms: Sneezing, Runny Nose, Occasional Minor Sore Throat, and Congestion

Uses*

temporarily relieves cold symptoms such as:

■ sneezing ■ runny nose ■ nasal congestion ■ occasional minor sore throat **t**

Do not use if you are allergic to Apis.

Ask a doctor before use if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 4 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, dissolve 5 pellets under the tongue every 6 hours. Decrease frequency with improvement.
- Children under 4 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose

lactose, sucrose

Questions or comments?

1-800-264-7661

Made in France

Distributed by

Boiron Inc.

Newtown Square, PA

19073

2 PORTABLE TUBES

APPROX. 80 PELLETS EACH

TOTAL 160 PELLETS

Multi-Symptom Cold Relief*

No Known Drug Interactions

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts**Active ingredients** (in each pellet)**

Allium cepa 3C HPUS (0.05 mg)
 Apis mellifica 6C HPUS (0.05 mg)
 Belladonna 6C HPUS (0.05 mg)
 (contains less than 10⁻⁶ mg atropine alkaloids)
 Eupatorium perfoliatum 3C HPUS (0.05 mg)
 Gelsemium sempervirens 6C HPUS (0.05 mg)
 Kali bichromicum 6C HPUS (0.05 mg)
 Nux vomica 3C HPUS (0.05 mg)
 (contains less than 10⁻⁶ mg strychnine alkaloids)
 Phytolacca decandra 6C HPUS (0.05 mg)
 Pulsatilla 6C HPUS (0.05 mg)

Purpose*

Relieves Cold Symptoms:
Sneezing,
Runny Nose,
Occasional
Minor Sore
Throat, and
Congestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- occasional minor sore throat

Warnings

Do not use if you are allergic to Apis.

Ask a doctor before use if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

* CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details

Drug Facts

(continued)

Directions

■ Adults and children 4 years of age and older:
 At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, dissolve 5 pellets under the tongue every 6 hours. Decrease frequency with improvement.
 ■ Children under 4 years of age:
 Ask a doctor.

Other**information**

■ do not use if glued carton end flaps are open or if pellet dispenser seal is broken
 ■ contains 0.25 g of sugar per dose

Inactive

ingredients
 lactose, sucrose

Questions or

comments?
 1-800-264-7661

MULTI-SYMP TOM
COLD RELIEF*

Help Your Body
 the Natural Way

ColdCalm®
ON THE GO

HOMEOPATHIC MEDICINE

- Phenylephrine-Free
- Non-Drowsy

2 PORTABLE TUBES
 APPROX. 80 PELLETS EACH
 TOTAL 160 PELLETS



BOIRON®

World Leader in
 Homeopathic Medicines

COLD RELIEF

NDC 0220-8098-41

ColdCalm
ON THE GODistributed by
Boiron Inc.
Made in France1-800-264-7661
BoironUSA.com**HOMEOPATHIC MEDICINE****Easy Dispensing Tube**

ET 1107

Do not use if pellet dispenser seal is broken.
Peel for Drug Facts and Directions.ColdCalm[®] On the Go Contains approx. 80 pellets, 3.8 g (0.13 oz)**BOIRON** Turn tube upside down & twist cap.**Drug Facts****Active ingredients**

Arum cernu 3C HPUS
Apis mellifica 6C HPUS
Belladonna 6C HPUS
 (contains less than 10^{μg} mg
 atropine alkaloids)
Eupatorium perfoliatum 3C HPUS
Gelsemium sempervirens 6C HPUS
Kali bichromicum 6C HPUS
Nux vomica 3C HPUS
 (contains less than 10^{μg} mg
 strychnine alkaloids)
Phytolacca decandra 6C HPUS
Pulsatilla 6C HPUS

Purpose

Relieves
 Cold Symptoms:
 Sneezing, Runny
 Nose, Occasional
 Minor Sore Throat,
 and Congestion

Uses temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion

■ occasional minor sore throat

Warnings

Do not use if you are allergic to Apis. **Ask a doctor before use** if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting. **Stop use and ask a doctor if** ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur **if pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 4 years of age and older:

At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, dissolve 5 pellets under the tongue every 6 hours. Decrease frequency with improvement.

■ Children under 4 years of age: Ask a doctor.

Other information contains 0.25 g of sugar per dose
inactive ingredients lactose, sucrose

Drug Facts

Active ingredients* (in each pellet)

Alum cepa 3C HPUS (0.05 mg)
Apis mellifica 6C HPUS (0.05 mg)
Belladonna 6C HPUS (0.05 mg)
 (contains less than 10⁻¹⁰ mg atropine alkaloids)
Eupatorium perfoliatum 3C HPUS (0.05 mg)
Gelsemium sempervirens 6C HPUS (0.05 mg)
Kali bichromicum 6C HPUS (0.05 mg)
Nux vomica 3C HPUS (0.05 mg)
 (contains less than 10⁻⁴ mg strychnine alkaloids)
Phytolacca decandra 6C HPUS (0.05 mg)
Pulsatilla 6C HPUS (0.05 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves Cold Symptoms: Sneezing, Runny Nose, Occasional Minor Sore Throat, and Congestion

Uses* temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- occasional minor sore throat

Warnings

Ask a doctor before use if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur.

■ **pregnant or breast-feeding**, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

* CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

■ Adults and children 4 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, take 5 pellets every 6 hours. Decrease frequency with improvement.
 ■ Children under 4 years of age: Ask a doctor.

Other information

■ do not use if glued carton end flaps are open or if pellet dispenser seal is broken
 ■ contains 0.25 g of sugar per dose

Inactive ingredients

lactose, sucrose

Questions or comments?

1-800-264-7661

MULTI-SYMPOM COLD RELIEF*

Help Your Body the Natural Way

ColdCalm[®]

ON THE GO

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Non-Drowsy

2 PORTABLE TUBES
 APPROX. 80 PELLETS EACH
 TOTAL 160 PELLETS

BOIRON[®]

World Leader in Homeopathic Medicines



COLD RELIEF NDC 0220-9098-41
 Distributed by Boiron Inc. Made in France
ColdCalm™ ON THE GO 1-800-264-7861 BoironUSA.com
HOMEOPATHIC MEDICINE

Easy Dispensing Tube

Turn tube upside down. Tilt until 5 pellets are dispersed. Remove cap and your pellets under the tongue.

Do not use if pellet dispenser seal is broken. **Peel for Drug Facts and Directions.**

BIOERON™ Turn tube upside down & twist cap.
ColdCalm™ On the Go Contains approx. 80 pellets, 5.8 g (0.13 oz)

Drug Facts

Active ingredients	Purpose
Allium cepa 3C HPUS	Relieves sneezing and runny nose
Apo mellifica 6C HPUS	Relieves nasal congestion
Belladonna 6C HPUS	Relieves colds with a sudden onset
Eupatorium perfoliatum 3C HPUS	Relieves body aches associated with colds
Galbanum sempervirens 6C HPUS	Relieves headaches associated with colds
Kali bichromicum 6C HPUS	Relieves nasal discharge
Nux vomica 3C HPUS	Relieves sneezing attacks
Phytolacca decandra 6C HPUS	Relieves occasional minor sore throat associated with cold
Pulsatilla 6C HPUS	Relieves colds with a loss of taste and smell

Uses temporarily relieves cold symptoms such as:
 ■ sneezing ■ runny nose ■ nasal congestion ■ occasional minor sore throat

Warnings

Ask a doctor before use if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting. **Stop use and ask a doctor if** ■ sore throat worsens or persists for more than 2 days ■ nasal congestion worsens or lasts more than 5 days in children under 12 years of age or 7 days in adults ■ new symptoms occur. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 4 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, take 5 pellets every 6 hours. Decrease frequency with improvement. ■ Children under 4 years of age: Ask a doctor.

Other information contains 0.25 g of sugar per dose
Inactive ingredients lactose, sucrose

Drug Facts

Active ingredients** (in each pellet)

Allium cepa 3C HPUS (0.049 mg)
 Apis mellifica 6C HPUS (0.049 mg)
 Belladonna 6C HPUS (0.049 mg)
 (contains less than 10⁻¹⁰ mg atropine alkaloids)
 Eupatorium perfoliatum 3C HPUS (0.049 mg)
 Gelsemium sempervirens 6C HPUS (0.049 mg)
 Kali bichromicum 6C HPUS (0.049 mg)
 Nux vomica 3C HPUS (0.049 mg)
 (contains less than 10⁻⁶ mg strychnine alkaloids)
 Phytolacca decandra 6C HPUS (0.049 mg)
 Pulsatilla 6C HPUS (0.049 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves Cold Symptoms:
 Sneezing,
 Runny Nose,
 Minor Sore
 Throat, and
 Congestion

Uses* temporarily relieves cold symptoms such as:

- sneezing
- runny nose
- nasal congestion
- minor sore throat

Warnings

Ask a doctor before use if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting.

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen, or if new symptoms occur.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

* CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts

(continued)

Directions

■ Adults and children 3 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 15 minutes for 1 hour. Then, take 5 pellets every 6 hours. Decrease frequency with improvement.
 ■ Children under 3 years of age: Ask a doctor.

Other information

■ do not use if glued carton end flaps are open or if pellet dispenser seal is broken
 ■ contains 0.25 g of sugar per dose

Inactive ingredients

lactose, sucrose

Questions or comments?

1-800-264-7661

NDC 0220-9098-42

MULTI-SYMP TOM COLD RELIEF*

Help Your Body
the Natural Way

ColdCalm®

ON THE GO

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Non-Drowsy

2 PORTABLE TUBES
 APPROX. 80 PELLETS EACH
 TOTAL 160 PELLETS

BOIRON®

World Leader in
Homeopathic Medicines



COLDCALM

onion, apis mellifera, atropa belladonna, eupatorium perfoliatum flowering top, gelsemium sempervirens root, potassium dichromate, strychnos nux-vomica seed, phytolacca americana root, pulsatilla vulgaris whole pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9098
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	6 [hp_C]
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_C]
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_C]
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	3 [hp_C]
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C]
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	6 [hp_C]
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	3 [hp_C]
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_C]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	3 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9098-42	2 in 1 BOX	03/15/2022	
1	NDC:0220-9098-41	80 in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-9098-41	80 in 1 TUBE; Type 0: Not a Combination Product	03/15/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/15/2022	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9098)

Revised: 4/2025

Boiron