ACME SMALL CUTS AND BURNS - benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfate Acme United Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACME Small Cuts and Burns

Active Ingredients:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for

the temporary relief of pain and itching associated with:

minor cuts, scrapes, burns

Warning: For external use only.

Do not use: in eyes, in large quantities, over raw blistered areas,

or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

LOT/EXP: Made in CHINA

20130301

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

Genuine **First Aid Burn Cream**

Antiseptic Pain Relief With Aloe

ACTIVE INGREDIENTS: Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Net Wt 0.9g · (1/32 oz)



Active Ingredient: Purpose

Benzalkonium Chloride 0.40%... First Aid Antiseptic

Use: For Professional and Hospital use. Helps

prevent infection. Antiseptic cleansing of face,

hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help

or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of

the body.

Directions: Tear open packet, unfold towelette

and use to cleanse desired skin area. Discard

Drug Facts

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: • minor cuts

scrapes • burns

Warnings:

For external use only Do not use • in eyes • in large

quantities · over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week Keep out of reach of children. If ingested, contact a Poison

Control Center right away. Directions: • clean affected area

 apply small amount not more than 3 times daily • may be covered with a sterile bandage

Other information: Store at room temperature

LOT 600609



2015/01

towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID

Made in CHINA Inactive ingredient: Purified water. towelette appropriately after single use. and use to cleanse desired skin area. Discard Directions: Tear open packet, unfold towelette Do not use: In the eyes, or over large areas of the occur, consult a physician immediately. If unusual redness, swelling or other symptoms or contact a Poison Control Center right away. reach of children. If swallowed, get medical help Warnings: For external use only. Keep out of hands and body without soap and water. brevent intection. Antiseptic cleansing of face, Use: For Professional and Hospital use. Helps Benzalkonium Chloride 0.40%.. First Aid Antiseptic Purpose: Active Ingredient:

DRUG FACTS - Antiseptic Towelette



Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base) Polymyxin B Sulfate 5000 units Uses: To help prevent infection in: minor cuts; scrapes; burns Warnings: For external use only. Do not use: in eyes; over large areas of the body; If allergic to any of the ingredients; for more than one week unless directed by a physician. Stop use and consult a doctor: if the condition persists or gets worse; a rash or other allergic reaction develops Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage Other information: Store at room temperature. Genuine Triple Antibiotic First Aid Ointment To Help Prevent Infection Each Gram Contains: Bacitracin Zinc 400 units Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin base) Polymyxin B Sulfate 5000 units Net Wt. 0.5g; (1/64 oz)

GENUINE FIRST AID.



First Aid Ointment
To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)

Polymyxin B Sulfate 5000 units
Net Wt 0.5g · (1/64 oz)



Small Cuts and Burns

10 Adhesive Plastic Bandages 3/4"x3"

10 Junior Plastic Bandages 3/8"x1-1/2"

5 Adhesive Plastic Bandages 1"x3"

1 Knuckle Fabric Bandage

10 Adhesive Spot Bandages 7/8"x7/8"

1 Fingertip Fabric Bandage

1 Elbow/Knee Adhesive Bandage

1 Burn Cream

5 Antiseptic Towelettes

1 Antibiotic Ointment

2 Sterile Gauge Pads 2"x2"

10 Cotton Tipped Applicators

Manufactured in China for:

Acme United Corporation 60 Round Hill Road

Drug Facts

Uses: To help prevent infection in • minor cuts • scrapes • burns Warnings:

For external use only

Do not use • in eyes • over large areas of the body • if allergic to any of the ingredients • for more than one week unless directed by a physician

Stop use and consult a doctor

 if the condition persists or gets worse • a rash or other allergic reaction develops

Keep out of reach of children. If ingested, contact a Poison Control Center right away.

Directions: • clean affected area

 apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage

Other information: Store at room temperature



600609



2015/01

Fairfield, CT 06824

www.acmeunited.com

© 2009 Acme United Corporation PhysiciansCare® and are registered Trademarks of Acme United Corporation

Physicians CARE

Copyright C 2009 Genuine First Aid LLC. All rights reserved.



ACME SMALL CUTS AND BURNS

Item Code

benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit

Package Description

Product Informat	ion		
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-1805
Packaging			

Marketing Start Date

Marketing End Date

1	NDC:0924-1805-01	1 in 1 KIT

Quan	tity of Parts	
Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKAGE	0.9 g
Part 2	5 PACKAGE	4 mL
Part 3	1 TUBE	0.5 g

Part 1 of 3

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information	
Item Code (Source)	NDC:52124-0004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDO CAINE (UNII: 98PI200987) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKAGE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part345	04/30/2010		

Part 2 of 3

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information	
Item Code (Source)	NDC:52124-0001

Route	۸f	۸d	mini	etw	tion
KOIIIE	a i	AII	mını		4 I I A II

TOPICAL

Active Ingredient/Active Moiety	Active	Ingredien	t/Active	Moiety
--	--------	-----------	----------	--------

reave ingredient/reave wrotety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.40 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

Packaging

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/30/2010	

Part 3 of 3

GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

	Item Code (Source)	NDC:52124-0003
- 1		

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO52I) BACITRACIN ZINC 400 [iU] in 1 g

NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)

POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)

POLYMYXIN B SULFATE

S mg in 1 g

POLYMYXIN B SULFATE

S000 [iU] in 1 g

-	1			•	
.,	20	70	~	110	
	acl	\mathbf{n}	,		,,,

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-1	0.5 g in 1 TUBE		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part333	04/30/2010				
Marketing Info	rmation					
Marketing Info	rmation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			

Labeler - Acme United Corp. (001180207)

Establishment				
Name	Address	ID/FEI	Business Operations	
GFA Production (Xiamen) Co., Ltd		421256261	manufacture	

Revised: 6/2010 Acme United Corp.