

ARNICARE ARTHRITIS- arnica montana, harpagophytum procumbens root, harpagophytum zeyheri root cream

Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Arthritis Cream

Active ingredients**

Arnica montana 1X HPUS 7%

Harpagophytum 1X HPUS 3%

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arnica montana 1X HPUS 7% ... Relieves minor muscle pain and stiffness, discoloration from bruises

Harpagophytum 1X HPUS 3% ... Relieves minor joint discomfort and stiffness

Uses*

temporarily relieves minor joint and muscle pain and stiffness due to:

arthritis

minor injuries

overexertion

falls

repetitive motions

For external use only.

- if you are allergic to Arnica montana, Harpagophytum or to any of this product's inactive ingredients
- with other topical products for pain
- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- conditions persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.
- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77° F (25° C)
- do not use if pouch is torn or open
- dispose of 1 day after opening

acrylamide/sodium acryloyldimethyltaurate copolymer , alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Made in France

Distributed by Boiron, Inc.

Newtown Square, PA 19073

0.18 oz (5 g)

0.5 oz (14 g)

2.5 oz (70 g)

4.2 oz (120 g)

Joint & Arthritis Pain Relief*

Quickly-Absorbed

Fragrance-Free

No Known Drug Interactions

Dual Action Pain Relief*

4.2 oz (120g) Pump:

HOW TO OPEN

1 Pull to remove safety clip from pump.

2 Twist top clockwise to open.

3 Pump until cream dispense.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

JOINT & ARTHRITIS PAIN RELIEF *
NDC 0220-9077-93

**Arnicare®
- ARTHRITIS CREAM**
HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Quickly Absorbed
- Fragrance-Free

NET WT.
0.18 oz (5 g)

BOIRON®
World Leader in Homeopathic Medicines

Drug Facts

Active ingredients*

Arnica montana 1X HPUS 7% _____ Relieves minor muscle pain and stiffness, discoloration from bruises

Harpagophytum 1X HPUS 3% _____ Relieves minor joint discomfort and stiffness

Purpose*

Uses* temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only. Do not use ■ if you are allergic to any of this product's ingredients ■ with other topical products for pain

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area **Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days

■ **pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of cream to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying cream. ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if pouch is torn or open ■ dispose of 1 day after opening ■ store below 77°F (25°C)

Inactive ingredients acrylamide/sodium acrylate dimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?
Arnicare.com • 1-800-264-7661
Made in France Distributed by Boiron Inc., Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE NOT FDA EVALUATED.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

3 06969 07793 1
ALLU1K1ET

Easy to Open
and Close



Scientifically
Formulated



Quickly Absorbed



Suitable for Use
on All Joints



No Known Drug
Interactions



Fragrance-Free

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073



VALUE
SIZE

NDC 0220-9077-42

JOINT &
ARTHRITIS
PAIN RELIEF*

Arnicare®
—ARTHRITIS
CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Quickly Absorbed
- Fragrance-Free
- Easy Open Cap



NET WT.
4.2 oz (120 g)

BOIRON®
World Leader in
Homeopathic Medicines

Plant-Powered Ingredients for Dual Action Relief

Nature provides us
with the best resources
for ingredients.
Arnicare® Arthritis
Cream combines
pain-relieving Arnica
with healing
Harpagophytum for
relief where you
need it most.



The Boiron Promise

Your health deserves
the greatest respect.
That's why we're
committed to your
satisfaction. Please visit
BoironUSA.com/promise
for details.



Drug Facts

Active Ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves minor muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves minor joint discomfort and stiffness

*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

Temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

Warnings

For external use only.

Do not use

- if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton and flaps are open or if the tube seal is broken
- store below 77°F (25°C)

Inactive ingredients: acrylamide/sodium acrylate dimethylsiloxane copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com | 1-800-831-0104 (1-800-264-7681)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

VALUE SIZE

NDC 0220-9077-82

JOINT & ARTHRITIS PAIN RELIEF*

Arnicare® — ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Quickly Absorbed
- Fragrance-Free
- Easy Open Cap



NET WT.
4.2 oz (120 g)

BOIRON[®]
World Leader in
Homeopathic Medicines



Drug Facts

Active ingredients*

Arnica montana Relieves minor muscle pain and stiffness, discoloration from bruises
 1X HPUS 7%
 Harpagophytum Relieves minor joint discomfort and stiffness
 1X HPUS 3%

Purpose*

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only.

Do not use ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
 - symptoms clear up and occur again within a few days
 - pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide/sodium acryloyldimethylaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com | info@Boiron.com
 1-800-BOIRON-1 (1-800-264-7661)

Made in France
 Distributed by Boiron Inc., Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

TUA, KWEN - 02/25

Easy to Open
and Close



EASY OPEN CAP

NDC 0220-9077-63

JOINT & ARTHRITIS PAIN RELIEF


Scientifically Formulated


Quickly Absorbed


Suitable for Use on All Joints


No Known Drug Interactions


Fragrance-Free

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

 please recycle

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Quickly Absorbed
- Fragrance-Free



NET WT.
2.5 oz (70 g)

BOIRON®
World Leader in Homeopathic Medicines

Plant-Powered Ingredients for Dual Action Relief

Nature provided us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Drug Facts

Active Ingredients*	Purpose*
Arnica montana	Relieves minor muscle pain and stiffness, discoloration from bruises
TX HPUS 7%	
Harpagophytum	Relieves minor joint discomfort and stiffness
TX HPUS 3%	

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves minor joint and muscle pain and stiffness due to: arthritis minor injuries overexertion falls repetitive motions

Warnings

For external use only.

Do not use

if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients with other topical products for pain

When using this product

avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

condition persists for more than 7 days or worsens symptoms clear up and occur again within a few days **If pregnant or breast-feeding, ask a health professional before use.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected areas as soon as possible at the onset of symptoms up to 4 times a day. Heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. Children under 12 years of age: Ask a doctor.

Other information

do not use if glass carton end flaps are open or if the tube seal is broken store below 77°F (25°C)

Inactive ingredients

acrylate/sodium acrylate dimethylacrylate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylate #1, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com | info@boiron.com
1-800-808-0804 (1-800-264-7981)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*G, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

NDC 0220-9077-63

JOINT & ARTHRITIS PAIN RELIEF

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief
- Quickly Absorbed
- Fragrance-Free



NET WT.
2.5 oz (70 g)

BOIRON®
World Leader in Homeopathic Medicines

Drug Facts

Active ingredients	Purpose
Arnica montana	Relieves minor muscle pain and stiffness, discoloration from bruises
TX HPUS 7%	
Harpagophytum	Relieves minor joint discomfort and stiffness
TX HPUS 3%	

Uses temporarily relieves minor joint and muscle pain and stiffness due to: arthritis minor injuries overexertion falls repetitive motions

Warnings

For external use only. Do not use if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients with other topical products for pain

When using this product avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin

use only as directed dryness or irritation may occur do not tightly wrap or bandage the treated area

do not apply heat or ice to the treated area immediately before or after use **Stop use and ask a doctor if**

condition persists for more than 7 days or worsens symptoms clear up and occur again within a few days **If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected areas as soon as possible

at the onset of symptoms up to 4 times a day. Heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.

Children under 12 years of age: Ask a doctor.

Other information

do not use if glass carton end flaps are open or if the tube seal is broken store below 77°F (25°C)

Inactive ingredients acrylate/sodium acrylate dimethylacrylate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylate #1, purified water, sorbitan oleate, sweet almond oil

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-808-0804 (1-800-264-7981)

TUJUHEN - 3024

Easy to Open
and Close



Scientifically
Formulated



Quickly Absorbed



Suitable for Use
on All Joints



No Known Drug
Interactions



Fragrance-Free

Made in France
Distributed by Boiron Inc,
Newtown Square, PA 19073



VALUE
SIZE

MDC 0220-9077-82

ARTHRITIS PAIN RELIEF*

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Fragrance-Free
- Powered by Plants
- Easy Open Cap



NET WT.
4.2 oz (120 g)

BOIRON®
World Leader in
Homeopathic Medicines

Plant-Powered Ingredients for Dual Action Relief

Nature provides us
with the best resources
for ingredients.
Arnicare® Arthritis
Cream combines
pain-relieving Arnica
with healing
Harpagophytum for
relief where you
need it most.



The Boiron Promise

Your health deserves
the greatest respect.
That's why we're
committed to your
satisfaction. Please visit
BoironUSA.com/promise
for details.



3 06969 07782 5

Drug Facts

Active Ingredients**
Arnica montana Relieves muscle pain and stiffness,
discoloration from bruises
TX HPUS 7N
Harpagophytum Relieves joint discomfort and stiffness
TX HPUS 9N
The letters "HPUS" indicate that the components in this
product are officially monographed in the Homeopathic
Pharmacopoeia of the United States.

Purpose*

Uses*
temporarily relieves minor joint and muscle pain and
stiffness due to: ■ arthritis ■ minor injuries
■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only.

Do not use

- if you are allergic to Arnica montana, Harpagophytum,
or to any of this product's inactive ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes,
wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area.
- do not apply heat or ice to the treated area immediately
before or after use

Step use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

■ if pregnant or breastfeeding, ask a health
professional before use.

Keep out of reach of children. If swallowed, get medical
help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply
a thin layer of Arnicare Arthritis to affected area as
soon as possible at the onset of symptoms up to 4
times a day. If heat or ice is applied, wait 5 minutes
before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if dated carton end flaps are open or if the
tube seal is broken
- store below 77°F (25°C)

Inactive ingredients acrylamide/sodium
acrylate/methylacrylate copolymer, alcohol, citric acid/sodium
dihydrogen phosphate, glycerin, isobutylacrylate, polyacrylate 10,
purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com | 1-800-808-0961 (1-800-284-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC
PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE.
NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions;
see BoironUSA.com/info for details.

VALUE SIZE NDC 0226-9077-82

ARTHRITIS PAIN RELIEF*

Arnicare®
—**ARTHRITIS**
CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Fragrance-Free
- Powered by Plants
- Easy Open Cap



NET WT.
4.2 oz (120 g)

BOIRON®
World Leader in
Homeopathic Medicines



Drug Facts

Active Ingredients*

Arnica montana..... Relieves muscle pain and stiffness, discoloration from bruises
 1X HPUS 7%
 Harpagophytum..... Relieves joint discomfort and stiffness associated with arthritis pain
 1X HPUS 3%

The letters "HPUS" indicate that the components in this product are officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only.

Do not use ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children. If swallowed**, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if sealed carton and caps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide/acetone, acrylonitrile, acryloyl dimethyl laurate copolymer, alcohol, citric acid, citric acid sodium salt, digluconate, glycerin, isohexadecane, polyacrylate 18, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com | Info@Boiron.com
 1-800-808-0808-1 (1-800-864-7881)

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19079

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 *C, K, CX, and X are homeopathic dilutions; see BoironUSA.com/info for details.

TMA-082-12/23

NDC 0220-9077-63

ARTHRITIS PAIN RELIEF

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief
- Fragrance-Free
- Powered by Plants



NET WT.
2.5 oz (70 g)

BOIRON®
World Leader in
Homeopathic Medicines



Drug Facts

Active Ingredients

Arnica montana Relieves muscle pain and stiffness,
1X HPUS 7% discoloration from bruises
Harpagophytum Relieves joint discomfort and stiffness
1X HPUS 3% associated with arthritis pain

Purpose

Uses temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries
■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only. Do not use ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed ■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use **Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
■ Children under 12 years of age: Ask a doctor.

Other information

■ do not use if glued carton end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide/sodium acryloyldimethylsulfate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-BOIRON-1 (1-800-264-7661)

TUA, J.J.Z. - 10/23

Easy to Open and Close



EASY OPEN CAP NDC 0220-9077-63

ARTHRITIS PAIN RELIEF*

Scientifically Formulated

Quickly Absorbed

Suitable for Use on All Joints

No Known Drug Interactions

Fragrance-Free

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle

Boiron®
World Leader in Homeopathic Medicines

**ARNICARE®
-ARTHRITIS CREAM**

HOMEOPATHIC MEDICINE

- Dual Action Pain Relief*
- Fragrance-Free
- Powered by Plants

TAKES PAIN AWAY

NET WT. 2.5 oz (70 g)

Plant-Powered Ingredients for Dual Action Relief

Nature provided us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.

BOIRON®

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06969 07763 4

Drug Facts

Active Ingredients*

Active Ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

Warnings
For external use only.

Do not use

- if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued cap or end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide/sodium acryloyldimethyltaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?
Arnicare.com | BoironUSA.com | Info@Boiron.com
1-800-828-0194 (1-800-824-2661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, DK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

NDC 0220-9077-93

ARTHRITIS PAIN RELIEF*

**ARNICARE®
-ARTHRITIS CREAM**

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free

TAKES PAIN AWAY

NET WT. 0.18 oz (5 g)

Boiron®
World Leader in Homeopathic Medicines

Not labeled for individual sale

Drug Facts

Active Ingredients*

Active Ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

Uses* temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

Warnings
For external use only. Do not use

- if you are allergic to any of this product's ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of cream to affected area at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying cream. ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if pouch is torn or open ■ dispose of 1 day after opening ■ store below 77°F (25°C)

Inactive ingredients acrylamide/sodium acryloyldimethyltaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?
Arnicare.com • 1-800-264-7661
Made in France Distributed by Boiron Inc.
Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, DK, and X are homeopathic dilutions; see BoironUSA.com/info for details.



3 06969 07793 1

ALLU198

NDC 0220-9077-63

ARTHRITIS PAIN RELIEF

Arnicare[®] —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
2.5 oz (70 g)

BOIRON[®]

World Leader in
Homeopathic Medicines



220714 - 020/1/11

Drug Facts

Active ingredients

Arnica montana Relieves muscle pain and stiffness,
1X HPUS 7% discoloration from bruises
Harpagophytum Relieves joint discomfort and
1X HPUS 3% stiffness associated with arthritis pain

Purpose

Uses temporarily relieves minor joint and muscle pain
and stiffness due to: ■ arthritis ■ minor injuries
■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only. Do not use ■ if you are
allergic to Arnica montana, Harpagophytum, or to any of
this product's inactive ingredients ■ with other topical
products for pain. **When using this product**

■ avoid contact with eyes, mucous membranes, wounds,
damaged or irritated skin ■ dryness or irritation may
occur ■ do not tightly wrap or bandage the treated
area ■ do not apply heat or ice to the treated area
immediately before or after use. **Stop use and ask a
doctor if** ■ condition persists for more than 7 days
or worsens ■ symptoms clear up and occur again
within a few days. **Keep out of reach of children.**
If swallowed, get medical help or contact a Poison
Control Center right away.

Directions ■ Adults and children 12 years of
age and older: Apply a thin layer of Arnicare Arthritis
to affected area as soon as possible at the onset of
symptoms up to 4 times a day. If heat or ice is applied,
wait 5 minutes before applying Arnicare Arthritis.
■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued
carton end flaps are open or if the tube seal
is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide,
alcohol, chlorhexidine digluconate, glycerin,
isohexadecane, polysorbate 80, purified water,
sodium acryloyldimethyltaurate copolymer,
sweet almond oil

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

1-800-BOIRON-1 (1-800-264-7661)

By the **#1**
homeopathic
pain relief
brand



Suitable for Use
on All Joints



No Known Drug
Interactions



No Harsh
Ingredients



No Burning
or Stinging

Made in France
Distributed by Boiron Inc.,
Newtown Square, PA 19073



NEW!

NDC 0220-9077-63

ARTHRITIS PAIN RELIEF*

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
2.5 oz (70 g)

BOIRON®
World Leader in
Homeopathic Medicines

Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines the pain-relieving Arnica plant with the healing Harpagophytum herb for relief where you need it most.



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Drug Facts

Active ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

Warnings

For external use only.

Do not use

- If you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77°F (25°C)

Inactive ingredients

acrylamide, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sodium acrylate/methylacrylate copolymer, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com | Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts

Active ingredients* **Purpose***
Arnica montana Relieves muscle pain and stiffness,
1X HPUS 7% discoloration from bruises
Harpagophytum Relieves joint discomfort and stiffness
1X HPUS 3% associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
temporarily relieves minor joint and muscle pain and stiffness due to:
■ arthritis ■ minor injuries ■ overexertion
■ falls ■ repetitive motions

Warnings
For external use only.

Do not use
■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
■ with other topical products for pain

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if
■ condition persists for more than 7 days or worsens
■ symptoms clear up and occur again within a few days
If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and children 12 years of age and older: Apply a thin layer of Arnica Arthritis Cream to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnica Arthritis Cream.
■ Children under 12 years of age: Ask a doctor.

Other information
■ do not use if glued carton end flaps are open
■ store below 77°F (25°C)

Inactive ingredients
acrylamide/sodium acryloyldimethyltaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?
Arnicare.com | BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Arnicare®
—**ARTHRITIS**
PUMP



Scientifically Formulated

Suitable for Use on All Joints

No Known Drug Interactions

Fragrance-Free

No Burning or Stinging

HOW TO OPEN

- 1 Pull to remove safety clip from pump.
- 2 Twist top clockwise to open.
- 3 Pump until cream dispenses.



Made in France
Distributed by Boiron Inc.,
Newtown Square, PA 19073



VALUE SIZE NDC 0220-8077-83

ARTHRITIS PAIN RELIEF*

Arnicare®
—**ARTHRITIS**
PUMP

HOMEOPATHIC MEDICINE

- Quick-Absorbing Cream
- Fragrance-Free
- Powered by Plants

TAKES PAIN AWAY



NET WT.
4.2 oz (120 g)

BOIRON®

World Leader in Homeopathic Medicines

Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnica® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.

BOIRON®

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06969 07783 2

Drug Facts (continued)

Warnings (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnica Arthritis Cream to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnica Arthritis Cream.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open
- store below 77°F (25°C)

Inactive ingredients
acrylamide/sodium acryloyldimethyltaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?
Arnicare.com | BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073

ETH117Y

VALUE SIZE NDC 0220-8077-83

ARTHRITIS PAIN RELIEF*

Arnicare®
—**ARTHRITIS**
PUMP

HOMEOPATHIC MEDICINE

- Quick-Absorbing Cream
- Fragrance-Free
- Powered by Plants

TAKES PAIN AWAY

NET WT.
4.2 oz (120 g)

BOIRON®

World Leader in Homeopathic Medicines

Drug Facts

Active ingredients* **Purpose***
Arnica montana Relieves muscle pain and
1X HPUS 7% stiffness, discoloration from bruises
Harpagophytum Relieves joint discomfort
1X HPUS 3% and stiffness associated
with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to:
■ arthritis ■ minor injuries ■ overexertion
■ falls ■ repetitive motions

Warnings
For external use only.

Do not use
■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
■ with other topical products for pain

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if
■ condition persists for more than 7 days or worsens
■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.



Scientifically Formulated



Suitable for Use on All Joints



No Known Drug Interactions



Fragrance-Free



No Burning or Stinging

Made in France
Distributed by Boiron Inc.,
Newtown Square, PA 19073



please recycle

VALUE SIZE

NDC 0220-9077-82

ARTHRITIS PAIN RELIEF*

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
4.2 oz (120 g)

BOIRON®

World Leader in Homeopathic Medicines



Plant-Powered Ingredients

Nature provides us with the best resources for ingredients.

Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06969 07782 5

Drug Facts

Active ingredients**

Arnica montana.....	Relieves muscle pain and stiffness, discoloration from bruises	Purpose*
1X HPUS 7%		
Harpagophytum.....	Relieves joint discomfort and stiffness associated with arthritis pain	
1X HPUS 3%		

The letters "HPUS" indicates that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves minor joint and muscle pain and stiffness due to:

- arthritis
- minor injuries
- overexertion
- falls
- repetitive motions

Warnings

For external use only.

Do not use

- if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77°F (25°C)

Inactive ingredients

alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylamide and sodium acryloyldimethyl taurate copolymers, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com | 1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

VALUE
SIZE

NDC 0220-8077-82

ARTHRITIS PAIN RELIEF*

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
4.2 oz (120 g)

BOIRON®
World Leader in
Homeopathic Medicines



Drug Facts

Active Ingredients*

Arnica montana Relieves muscle pain and stiffness,
1X HPUS 7% discoloration from bruises
Heparapophytum Relieves joint discomfort and stiffness
1X HPUS 3% associated with arthritis pain

Purpose*

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only.

Do not use ■ if you are allergic to Arnica montana, Heparapophytum, or to any of this product's inactive ingredients ■ with other topical products for pain

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued carton and flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polyacrylamide and sodium acryloyldimethyl taurate copolymers, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?

Arnicare.com | BoironUSA.com | info@boiron.com
1-800-BOIRON-1 (1-800-264-7661)

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

TUA,1HRN

Drug Facts (continued)

Stop use and ask a doctor if ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis. ■ Children under 12 years of age: Ask a doctor.

Drug Facts (continued)

Other information ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients acrylamide, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sodium acryloyldimethyltaurate copolymer, sweet almond oil

Questions or comments? 1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
"C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

By the **#1** homeopathic **pain relief** brand



Suitable for Use on All Joints



No Harsh Ingredients



No Known Drug Interactions



No Burning or Stinging



3

SAMPLE NOT FOR SALE

ARTHRITIS PAIN RELIEF*

NDC 0220-9077-69



Arnicare[®] ARTHRITIS CREAM

Quickly Absorbed ■ Fragrance-Free ■ Powered by Plants



BOIRON[®]

World Leader in Homeopathic Medicines

HOMEOPATHIC MEDICINE

NET WT. 0.5 oz (14 g)

Drug Facts

Active ingredients*

Arnica montana 1X HPUS 7%Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%Relieves joint discomfort and stiffness associated with arthritis pain

Purpose*

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves minor joint and muscle pain and stiffness due to:
■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Drug Facts (continued)

Warnings

For external use only.

Do not use ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain.

When using this product ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use.

2202720 - 66H1VNL

NDC 0220-9077-69

ARTHRITIS PAIN RELIEF

Arnicare® -ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
0.5 oz (14 g)

BOIRON®
World Leader in
Homeopathic Medicines

Drug Facts

Active Ingredients: Arnica montana 1X HPUS 7%, Harpagophytum 1X HPUS 3%

Uses: temporarily relieves minor joint and muscle pain and stiffness

Warnings: For external use only. Do not use if you are allergic to any of this product's ingredients

or if you are using other topical products for pain. When using this product

avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin. Stop use and ask a doctor if

condition persists for more than 7 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying.

Other information: do not use if glued carton end flaps are open or if the tube seal is broken

store below 77°F (25°C)

Made in France 1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc., Newtown Square, PA 19073



Scientifically Formulated



Suitable for Use on All Joints



No Known Drug Interactions



Fragrance-Free



No Burning or Stinging

Made in France
Distributed by Boiron Inc.,
Newtown Square, PA 19073



please recycle

NDC 0220-9077-63

ARTHRITIS PAIN RELIEF*

Arnicare® —ARTHRITIS CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants



NET WT.
2.5 oz (70 g)

BOIRON®
World Leader in Homeopathic Medicines

Plant-Powered Ingredients

Nature provides us with the best resources for ingredients. Arnicare® Arthritis Cream combines pain-relieving Arnica with healing Harpagophytum for relief where you need it most.



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06969 07763 4

Drug Facts

Active ingredients*	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, discoloration from bruises
Harpagophytum 1X HPUS 3%	Relieves joint discomfort and stiffness associated with arthritis pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* Temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries ■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only.

Do not use

- if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients
- with other topical products for pain

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed. ■ dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 7 days or worsens
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store below 77°F (25°C)

Inactive ingredients

acrylamide/sodium acrylate dimethylacrylate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Questions or comments?


Arnicare.com | BoironUSA.com | Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NDC 0220-9077-63

ARTHRITIS PAIN RELIEF



Arnicare[®]
—**ARTHRITIS**
CREAM

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Powered by Plants

NET WT.
2.5 oz (70 g)

BOIRON[®]
World Leader in Homeopathic Medicines



Drug Facts

Active Ingredients

Arnica montana.....Relieves muscle pain and stiffness, 1X HPUS 7% discoloration from bruises
HarpagophytumRelieves joint discomfort and 1X HPUS 3% stiffness associated with arthritis pain

Purpose

Uses temporarily relieves minor joint and muscle pain and stiffness due to: ■ arthritis ■ minor injuries
■ overexertion ■ falls ■ repetitive motions

Warnings

For external use only. Do not use ■ if you are allergic to Arnica montana, Harpagophytum, or to any of this product's inactive ingredients ■ with other topical products for pain **When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use **Stop use and ask a doctor if** ■ condition persists for more than 7 days or worsens ■ symptoms clear up and occur again within a few days **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 12 years of age and older: Apply a thin layer of Arnicare Arthritis to affected area as soon as possible at the onset of symptoms up to 4 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Arthritis.

■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued carton and flaps are open or if the tube seal is broken ■ store below 77°F (25°C)

Inactive ingredients

acrylamide/sodium acryloyldimethyltaurate copolymer, alcohol, chlorhexidine digluconate, glycerin, isohexadecane, polysorbate 80, purified water, sorbitan oleate, sweet almond oil

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

1-800-BOIRON-1 (1-800-264-7661)

TUJL1119-11/22

ARNICARE ARTHRITIS

arnica montana, harpagophytum procumbens root, harpagophytum zeyheri root cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9077
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HARPAGOPHYTUM PROCUMBENS ROOT (UNII: 1OYM338E89) (HARPAGOPHYTUM PROCUMBENS ROOT - UNII:1OYM338E89)	HARPAGOPHYTUM PROCUMBENS ROOT	1 [hp_X] in 1 g
HARPAGOPHYTUM ZEYHERI ROOT (UNII: 1CTB7R80VI) (HARPAGOPHYTUM ZEYHERI ROOT - UNII:1CTB7R80VI)	HARPAGOPHYTUM ZEYHERI ROOT	1 [hp_X] in 1 g
ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S) (UNII: 5F4963KLHS)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ACRYLAMIDE (UNII: 20R035KLCI)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
ALMOND OIL (UNII: 66YXD4DKO9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9077-63	1 in 1 BOX	03/17/2022	
1		70 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-9077-69	1 in 1 BOX	03/17/2022	
2		14 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0220-9077-83	1 in 1 BOX	03/28/2023	
3		120 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:0220-9077-93	5 g in 1 POUCH; Type 0: Not a Combination Product	06/09/2023	
5	NDC:0220-9077-82	1 in 1 BOX	07/17/2023	
5		120 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/17/2022	

Labeler - Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9077)

