CLEARLAX- polyethylene glycol powder, for solution Rebel Distributors Corp

Drug Facts

Active ingredient

Polyethylene Glycol

Purpose

Use(s)

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Keep Out of Reach of Children

Uses

Use(s)

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools.

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

- do not take more than directed unless advised by your doctor
- adults and children 17 years of age and older:
- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor
- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information


- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil pouch is open or broken (Pouch Carton Only)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken (Label Only)

Inactive ingredients

Inactive ingredients

none

Package/Label Principal Display Panel



CLEARLAX

polyethylene glycol powder, for solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21695-566(NDC:0113-0306)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
ı	DOLLYFELDY FAR OLYGOL BOLD (INH COMEDITIES) (DOLLFELDY FAR OLYGOL BOLD	DOLLERS ENE CLUCOL	

POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)

POLYETHYLENE GLYCOL 3350 - POLYETHYLENE GLYCOL 3350 - 3350

Packaging

ı	1 deluging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:21695-566-10	10 in 1 BOX			

Marketing Information

Marketing Category Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

Labeler - Rebel Distributors Corp (118802834)

Establishment					
Name	Address	ID/FEI	Business Operations		
Rebel Distributors Corp		118802834	RELABEL, REPACK		

Revised: 1/2011 Rebel Distributors Corp