

**ASPERCREME WITH LIDOCAINE FOOT PAIN CREME- lidocaine hydrochloride cream**  
**Chattem, Inc.**

-----  
**Aspercreme with Lidocaine Foot Pain Cream**

***ASPERCREME LIDOCAINE FOOT CREAM***

***Drug Facts***

***Active ingredient***

Lidocaine HCl 4%

***Purpose***

***Use***

for the temporary relief of pain

***Warnings***

**For external use only**

**Do not use**

- in large quantities
- on wounds or on irritated or damaged skin
- with a heating pad

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was

applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

■ adults and children 12 years of age and older:

■ apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily

■ massage until thoroughly absorbed into skin

■ wash hands thoroughly with soap and water after each use

■ children under 12 years of age: ask a doctor

***Inactive ingredients***

water, cetearyl alcohol, alcohol denat., ceteth-20 phosphate, dimethicone, caprylyl methicone, dicetyl phosphate, C30-45 alkyl cetearyl dimethicone crosspolymer, triethyl citrate, glyceryl stearate, potassium hydroxide, aloe barbadensis leaf juice, hydroxyacetophenone, fragrance, acrylates/C10-30 alkyl acrylate crosspolymer, ethylhexylglycerin, panthenol, tocopheryl acetate, magnesium ascorbyl phosphate

**Child-resistant packaging. Close cap tightly after use.**

**PRINCIPAL DISPLAY PANEL**

MAX STRENGTH

Aspercreme

WITH 4% LIDOCAINE

PAIN RELIEF CREAM

NET WT 4 OZ (113 g)



## ASPERCREME WITH LIDOCAINE FOOT PAIN CREME

lidocaine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0586
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>DIHEXADECYL PHOSPHATE</b> (UNII: 2V6E5WN99N)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)	
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0586-2	1 in 1 CARTON	03/01/2018	
1		113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2018	

**Labeler** - Chattem, Inc. (003336013)

Revised: 12/2025

Chattem, Inc.