

**ASPERCREME WITH LIDOCAINE FOOT PAIN CREME- lidocaine hydrochloride cream
Chattem, Inc.**

Aspercreme with Lidocaine Foot Pain Creme

ASPERCREME LIDOCAINE FOOT CREME

Drug Facts

Active ingredient

Lidocaine HCl 4%

Purpose

Use

for the temporary relief of pain

Warnings

For external use only

Do not use

- in large quantities
- on wounds or on irritated or damaged skin
- with a heating pad

When using this product

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was

applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 12 years of age and older:

■ apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily

■ massage until thoroughly absorbed into skin

■ wash hands thoroughly with soap and water after each use

■ children under 12 years of age: ask a doctor

Inactive ingredients

water, cetearyl alcohol, alcohol denat., ceteth-20 phosphate, dimethicone, caprylyl methicone, dicetyl phosphate, C30-45 alkyl cetearyl dimethicone crosspolymer, triethyl citrate, glyceryl stearate, potassium hydroxide, aloe barbadensis leaf juice, hydroxyacetophenone, fragrance, acrylates/C10-30 alkyl acrylate crosspolymer, ethylhexylglycerin, panthenol, tocopheryl acetate, magnesium ascorbyl phosphate

Child-resistant packaging. Close cap tightly after use.

PRINCIPAL DISPLAY PANEL

MAX STRENGTH

Aspercreme

WITH 4% LIDOCAINE

PAIN RELIEF CREAM

NET WT 4 OZ (113 g)



ASPERCREME WITH LIDOCAINE FOOT PAIN CREME

lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0586
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

CETETH-20 PHOSPHATE (UNII: 921FTA1500)
DIMETHICONE (UNII: 92RU3N3Y1O)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
PANTHENOL (UNII: WV9CM0067Z)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
METHYLPARABEN (UNII: A2I8C7HI9T)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0586-2	1 in 1 CARTON	03/01/2018	
1		113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2018	

Labeler - Chattem, Inc. (003336013)