

**GOOD NEIGHBOR PHARMACY COLD AND COUGH- brompheniramine maleate,
dextromethorphan hbr, phenylephrine hcl solution
Amerisource Bergen**

Amerisource Bergen Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 10 mg

Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease

- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Children's Dimetapp® Cold & Cough active ingredients

FOR AGES 6 YRS & OVER

children's

Cold & Cough

antihistamine, brompheniramine maleate

cough suppressant, dextromethorphan HBr

nasal decongestant, phenylephrine HCl

Dibromm

Relieves Nasal Symptoms

Stuffy Nose

Runny Nose

Sneezing

Plus Other Symptoms


Itchy, Watery Eyes

Cough

Alcohol Free

Grape Flavor

4 fl oz (118 mL)



NDC 24385-519-26

Compare to Children's Dimetapp® Cold & Cough active ingredients*



children's Cold & Cough

antihistamine, brompheniramine maleate cough suppressant, dextromethorphan HBr nasal decongestant, phenylephrine HCl



Dibromm

Relieves Nasal Symptoms
Stuffy Nose
Runny Nose
Sneezing
Plus Other Symptoms
Itchy, Watery eyes
Cough

Alcohol Free

Grape Flavor

4 fl oz (118 mL)



NDC 24385-519-26

Compare to Children's Dimetapp® Cold & Cough active ingredients*



children's Cold & Cough

antihistamine, brompheniramine maleate cough suppressant, dextromethorphan HBr nasal decongestant, phenylephrine HCl

Dibromm

Relieves Nasal Symptoms
Stuffy Nose
Runny Nose
Sneezing
Plus Other Symptoms
Itchy, Watery eyes
Cough

Alcohol Free

Grape Flavor

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org



NDC 24385-519-26

children's Cold & Cough

antihistamine, brompheniramine maleate cough suppressant, dextromethorphan HBr nasal decongestant, phenylephrine HCl


Relieves Nasal Symptoms
Stuffy Nose
Runny Nose
Sneezing
Plus Other Symptoms
Itchy, Watery eyes
Cough

Alcohol Free
Grape Flavor

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org



LOT NO.
EXP.
: 98726 29 C4



NDC 24385-519-26

children's Cold & Cough

antihistamine, brompheniramine maleate cough suppressant, dextromethorphan HBr nasal decongestant, phenylephrine HCl

Relieves Nasal Symptoms
Stuffy Nose
Runny Nose
Sneezing
Plus Other Symptoms
Itchy, Watery eyes
Cough

Alcohol Free
Grape Flavor

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Drug Facts

Active Ingredients (in each 10 mL)
Brompheniramine maleate, USP 2 mg.....Antihistamine
Dextromethorphan HBr, USP 10 mg.....Cough suppressant
Phenylephrine HCl, USP 5 mg.....Nasal decongestant

Purposes

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Drug Facts (continued)

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?
1-800-719-9260

*Good Neighbor Pharmacy® Cold & Cough is not manufactured or distributed by Pfizer, distributor of Children's Dimetapp® Cold & Cough.

GLUTEN FREE



Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087
Questions or Concerns? www.mygnp.com

GOOD NEIGHBOR PHARMACY COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-519
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	PURPLE (Clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-519-26	1 in 1 CARTON	09/11/2006	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/11/2006	

Labeler - Amerisource Bergen (007914906)