

VIADERMA CARE FIRST AID- bacitracin zinc ointment
ViaDerma Distribution, Inc.

Viaderma Care First Aid Ointment

DRUG FACTS

Active ingredients

Bacitracin Zinc (500 units Bacitracin in 1 g)

Purposes

First aid antibiotic

Uses

- First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Clean the skin thoroughly before applying this product

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- Store between 68-77°F (20-25°C)
- may stain cloth

Other ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.

Questions?

Report any serious adverse events
to: Viaderma Distribution Inc. or call:
1-800-585-8685.
Email: www.viadermainc.com

Package Labeling:

TAMPER EVIDENT: Do Not Use This Product If The Imprinted Foil Seal Over The Mouth Of The Bottle Is Cut, Torn, Broken Or Missing.

DRUG FACTS

Active ingredients *Purposes*
Bacitracin Zinc (500 units Bacitracin in 1g)....First aid antibiotic

Uses

- First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the skin thoroughly before applying this product

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

DRUG FACTS (Cont)

Other information

- Store between 68-77°F (20-25°C)
- may stain cloth

Other ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.

Questions?

Report any serious adverse events to: Viaderma Distribution Inc. or call: 1-800-585-8685.
Email: www.viadermainc.com

Viaderma™

Distributed by: Viaderma Distribution Inc.
1050 E Flamingo Rd Suite 107,
Las Vegas, NV 89119 **MADE IN USA**



Care

by Viaderma™

First Aid Ointment

Bacitracin Zinc
(500 units in 1g)

Fast-acting & trusted infection protection when you need it most.



SKINPASS™
Patented Fast Absorption Technology

Net Wt. 0.5 oz (15 g)

Care

by Viaderma™

First Aid Ointment

Bacitracin Zinc
(500 units in 1g)

Powered by
SKINPASS™

Essential first aid care at home or "on-the-go!" Infection-fighting power of our formula helps protect minor cuts scrapes, & burns from harmful bacteria.



CONTAINS
NO ALCOHOL



NO ANIMAL
INGREDIENTS



LOT#

EXP:



SKINPASS
Patented Fast Absorption Technology

Care
by Viaderma™

First Aid Ointment

Bacitracin Zinc
(500 units in 1 g)

Net Wt. 0.5 oz (15 g)

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. IN THE EVENT OF OVERUSE, RASHES OF THE BODY, ASK A DOCTOR BEFORE USE IF YOU HAVE OPEN OR UNCLEAN WOUNDS, ANIMAL BITES, OR SERIOUS WOUNDS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER. IF IN CONTACT WITH EYES, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS: CLEAN THE SKIN THOROUGHLY BEFORE APPLYING THIS PRODUCT. CLEAN THE FEET CAREFULLY. APPLY A SMALL AMOUNT OF THIS PRODUCT TO AN AFFECTED AREA TO THE SURFACE AREA OF THE FINGER OR THE AREA 3 TO 5 TIMES A DAY. MAY BE COMBINED WITH A STERILIZATION DISINFECTANT. VIADERMA DISTRIBUTION, INC. REPORT ANY SERIOUS ADVERSE EVENTS TO: VIADERMA DISTRIBUTION, INC., TEL: 1-800-895-8085 WWW.VIADERMA.COM MADE IN THE USA

VIADERMA CARE FIRST AID

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-015-15	1 in 1 CARTON	10/17/2025	
1		15 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	10/17/2025	

Labeler - ViaDerma Distribution, Inc. (081113521)

Registrant - ViaDerma Distribution, Inc. (081113521)

Revised: 10/2025

ViaDerma Distribution, Inc.