

**DR. RECKEWEG R7 HEPAGALEN COMBINATION PRODUCT- carduus marianus 2x, chelidonium majus, radix 2x, cinchona 3x, cholesterinum 6x, colocynthis 6x, lycopodium clavatum 4x, nux vomica 4x liquid
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DR. RECKEWEG R7 Hepagalen

Active ingredients

Carduus marianus 2X, Chelidonium majus, radix 2X, Cinchona 3X, Cholesterinum 6X, Colocynthis 6X, Lycopodium clavatum 4X, Nux vomica 4X, 1 g each in 10 g.

Purpose

Relieves digestive sluggishness, constipation, flatulence

Uses

For the temporary relief of:

- Digestive sluggishness
- Constipation
- Flatulence

Warnings

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor before use

- in children younger than 12 years.

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement after use of a laxative occurs because this may indicate a serious condition
- symptoms persist over a period of more than 1 week.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults and children \geq 12 years 10-15 drops 1-3 times daily; acute cases: 10-15 drops 3-6 times daily in a little water or undiluted or as recommended.

Not recommended for children under 12 years of age except under the advice of a health care professional.

Other information

Tamper resistant: Do not use if safety ring at base of cap is broken.

Retain outer carton for full product instructions.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1-800-361-7872 or email questions@reckeweg.com

R7



US
GELB
V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

Distributed by:
Dr. Reckeweg America Inc.
QC Canada H9P 2T8

Drug Facts

Active ingredients (in 10 g)
Carduus marianus 2X, Chelidonium majus, radix 2X, Cinchona 3X, Cholesterinum 6X, Colocynthis 6X, Lycoodium clavatum 4X, Nux vomica 4X, 1 g each.

Purpose

Relieves digestive sluggishness, constipation, flatulence

Uses

For the temporary relief of:

- Digestive sluggishness
- Constipation
- Flatulence

Warnings

Ask a doctor before use if you have ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor before use ■ in children younger than 12 years.

Stop use and ask a doctor if ■ rectal bleeding or failure to have a bowel movement after use of a laxative occurs because this may indicate a serious condition



Made in Germany

NDC# 53346-1307-5

R7

Hepagalen

Homeopathic preparation for the temporary relief of:

- Digestive sluggishness
- Constipation
- Flatulence

1.68 fl oz
(50 ml)



Manufactured by:
Dr. Reckeweg & Co. GmbH
D-64626 Bensheim • Germany

Dr. Reckeweg®

Drug Facts (continued)

■ symptoms persist over a period of more than 1 week.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and over	10-15 drops 1-3 times daily
---------------------------------------	--------------------------------

- In a little water or undiluted or as recommended
- In acute cases 10-15 drops 3-6 times daily
- Not recommended for children under 12 years of age except under the advice of a health care professional.

Other information

- Tamper resistant: Do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1.800.361.7872 or email questions@reckeweg.com



NDC# 53346-1307-5

Dr. Reckeweg R7 Hepagalen

Homeopathic preparation for the temporary relief of:

- Digestive sluggishness
- Constipation
- Flatulence

Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz
(50 ml)**

DR. RECKEWEG R7 HEPAGALEN COMBINATION PRODUCT

carduus marianus 2x, chelidonium majus, radix 2x, cinchona 3x, cholesterinum 6x, colocynthis 6x, lycopodium clavatum 4x, nux vomica 4x liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1307
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SILYBUM MARIANUM SEED (UNII: U946SH95EE) (SILYBUM MARIANUM SEED - UNII:U946SH95EE)	SILYBUM MARIANUM SEED	2 [hp_X] in 50 mL
CHELIDONIUM MAJUS ROOT (UNII: FLT36UCF0N) (CHELIDONIUM MAJUS ROOT - UNII:FLT36UCF0N)	CHELIDONIUM MAJUS ROOT	2 [hp_X] in 50 mL
CINCHONA BARK (UNII: 292E43P4I9) (CINCHONA BARK - UNII:292E43P4I9)	CINCHONA BARK	3 [hp_X] in 50 mL
CHOLESTEROL (UNII: 97C5T2UQ7J) (CHOLESTEROL - UNII:97C5T2UQ7J)	CHOLESTEROL	6 [hp_X] in 50 mL
CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17)	CITRULLUS COLOCYNTHIS FRUIT PULP	6 [hp_X] in 50 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	4 [hp_X] in 50 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	4 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1307-5	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

Labeler - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)

Establishment

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1307)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO