

**TYLO EXTRA- acetaminophen tablet, delayed release**  
**America Medic & Science, LLC**

-----  
**Tylo Extra 500 mg**

**Tylo Extra 500 mg**

**Drug Facts**

**Active Ingredient**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- backache
- minor pain of arthritis
- temporarily reduces fever
- the common cold
- toothache
- menstrual cramps
- muscular aches

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Do not use**

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease

**Ask your doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms appear
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**do not take more than directed (see overdose warning).**

**Adults and children 12 years and over:**

- take 2 caplets every 4 to 6 hours
- Do not take more than 8 caplets of this product in 24 hours.

**Children under 12 years:**

- do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

**Inactive ingredients**

CARNAUBA WAX  
HYPROMELLOSES  
POLYETHYLENE GLYCOL, UNSPECIFIED ( POVIDONE  
CROSPVIDONE  
STEARIC ACID  
TITANIUM DIOXIDE  
STARCH, CORN

## Other information

- store at 25°C (77°F)
- see end panel for lot number and expiration date

## Questions or comments?

call toll free 1-855-470-6722

## Package Labeling:

**TYLO Extra Strength 500mg**  
FAST RELIEF  
30 CAPLETS  
ACETAMINOPHEN 500mg  
Pain Reliever • Fever Reducer  
Contains No Aspirin

**TYLO Extra Strength 500mg**  
FAST RELIEF  
LASTS UP TO 8 HOURS  
30 CAPLETS  
ACETAMINOPHEN 500mg  
Pain Reliever • Fever Reducer  
Contains No Aspirin

**Drug Facts** (continued)

- if you have ever had an allergic reaction to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask your doctor or pharmacist before use if you are taking the blood thinning drug warfarin or any other blood thinner.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms appear
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children. Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Drug Facts** (continued)

**Directions**

do not take more than directed (see overdose warning).

**Adults and children 12 years and over:**

- take 2 caplets every 4 to 6 hours
- Do not take more than 8 caplets of this product in 24 hours.

**Children under 12 years:**

- do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

**Other information**

- store at 25°C (77°F)
- see end panel for lot number and expiration date

**Inactive ingredients**

- Povidone, Pregelatinized Starch, Croscarellin, Stearic Acid, Titanium Dioxide, Carnauba Wax, Hydroxypropylcellulose, Polyethylene Glycol.

**Questions or comments?**  
call toll free 1-855-470-6722

**AMS**  
America's Medicines Company

**MADE IN USA**

**Drug Facts**

**Active Ingredient**  
Acetaminophen 500 mg

**Purpose**  
Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pain due to:
  - headache
  - backache
  - minor pain of arthritis
  - common cold
  - toothache
  - menstrual cramps
  - muscular aches
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product.

**Do not use**

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

6 09788 96862 7

Manufactured Exclusively for  
America's Medicines Company, (AMS), USA  
www.AmericasMedic.com

6 09788 96862 7

**Active Ingredient****Acetaminophen 500 mg****Purpose:** Pain reliever/fever reducer**Uses** ■ temporarily relieves minor aches and pain due to: ■ headache ■ backache ■ minor pain of arthritis ■ the common cold ■ toothache ■ menstrual cramps ■ muscular aches ■ temporarily reduces fever ■**Warnings** ■ **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Do not use** ■ with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether

a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you have ever had an allergic reaction to acetaminophen or any of the inactive ingredients in this product. **Directions:** do not take more than directed (see overdose warning). **Adults and children 12 years and over:** ■ take 2 caplets every 4 to 6 hours ■ Do not take more than 8 caplets of this product in 24 hours. **Children under 12 years:** ■ do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage. **Other information** ■ store at 25°C (77°F) ■ **Questions or comments?** call toll free 1-855-470-6722.

Manufactured by Elvi Pharma, LLC for  
America Medic & Science, (AMS), USA  
[www.AmericaMedic.com](http://www.AmericaMedic.com)

**TYLO EXTRA**

acetaminophen tablet, delayed release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49638-110
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
CROSPVIDONE (UNII: 2S7830E561)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49638-110-30	1 in 1 CARTON	01/17/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/17/2019	

**Labeler** - America Medic & Science, LLC (071065464)**Registrant** - America Medic & Science, LLC (071065464)

Revised: 2/2024

America Medic &amp; Science, LLC