

ALUMIER MD POST PROCEDURE KIT WITH HYDROCORTISONE- titanium dioxide, zinc oxide, hydrocortisone
Alumier Labs

Alumier MD Post Procedure Kit with Hydrocortisone

Drug Facts - Intensive Recovery

Active Ingredient

Hydrocortisone 1.0%

Purpose

Anti-itch cream

Uses

- adults and children 2 years of age and older: For the temporary relief of minor skin irritations, rashes, itching and redness due to eczema, insect bites, poison ivy, poison oak, poison sumac, contact dermatitis (e.g. caused by soaps, detergents, cosmetics and/or jewelry), seborrheic dermatitis, psoriasis.

Warnings

- **For external use only**
- **do not use** for the treatment of diaper rash, except on the advise of a physician

When using this product

- avoid contact with eyes, do not use in or around the eyes

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clears up and occurs again within a few days. Do not begin use of any other hydrocortisone product unless directed by a physician.

Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

Directions

- adults and children 2 years of age and older, apply sparingly to affected area not more than three to four times daily
- **do not use** on children under 2 years of age, consult a physician

Other Information

- Do not use if security seal is broken or missing.

- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 550 Cochituate Road, Suite 25, Framingham, MA 01701

Inactive Ingredients

Water/Aqua/Eau, Butyrospermum Parkii (Shea Butter), Simmondsia Chinensis (Jojoba) Seed Oil, Glycerin, Dimethicone, Caprylic/Capric Triglyceride, Behenyl Alcohol, Theobroma Cacao (Cocoa) Seed Butter, Sodium Acrylates Copolymer, Niacinamide, Aloe Barbadensis Leaf Juice, Hinokitiol, Resveratrol, Lavandula Angustifolia (Lavender) Flower/Leaf/Stem Extract, Anthemis Nobilis Flower Extract, Sea Whip Extract, Boswellia Serrata Extract, Honey Extract (Extrait de Miel), Tetrapeptide-14, Copper Tripeptide-1, Camellia Sinensis Leaf Extract, Aspalathus Linearis (Rooibos) Extract, Eucalyptus Globulus Leaf Extract, Mentha Viridis (Spearmint) Extract, Pogostemon Cablin Leaf Extract, Pyrus Malus (Apple) Fruit Extract, Rose Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Hydrogenated Lecithin, Squalane, Lecithin, Xanthan Gum, Caprylic Acid, Pentylene Glycol, Isosqualane, Sodium Methyl Stearoyl Taurate, Tricaprylin, Polymethyl Methacrylate, Sodium Hydroxide, Disodium EDTA, Caprylyl Glycol, Xylitol, Ethylhexylglycerin.

Drug Facts - Sheer Hydration

Active Ingredients

Titanium Dioxide 7%

Zinc Oxide 6.28%

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

- **For external use only**

When using this product

- do not use on damaged or broken skin
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if you develop severe irritation, burning or itching of the skin, hives, swelling of eyes and mouth, blistering or difficulty breathing

Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

Directions

- apply liberally/generously (and evenly) 15 minutes before sun exposure
- reapply at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeved shirts, pants, hats and sunglasses
- use a water resistant sunscreen if swimming or sweating

Other Information

- Do not use if security seal is broken or missing.
- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., Cochituate Road, Suite 25, Framingham, MA 01701

Inactive Ingredients

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Propanediol, Butyloctyl Salicylate, Cetearyl Alcohol, Aluminium Stearate, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Lecithin (Syn. Phosphatidylcholine), Vitis Vinifera Seed Extract, Resveratrol, Glutathione, Tocopheryl Acetate, Magnesium Ascorbyl Phosphate, Acacia Senegal Gum, Synthetic Wax, Polyhydroxystyeric Acid, Cetareth-20, Alumina, Microcrystalline Cellulose, Triethoxycaprylylsilane, Xanthan Gum, Cellulose Gum, C20-40 Pareth-10, Hydroxyethyl Behenamidopropyl Dimonium Chloride, Polyquaternium-67, Disodium EDTA, Ethylhexylglycerin, Phenoxyethanol.

Company Information

Alumier MD

ALUMIER EUROPE LTD.

5 ST. FREDERICK STREET
VALLETTA VLT 1470, MALTA

WWW.ALUMIERMD.COM

EUROPE • UNITED STATES • CANADA • UNITED KINGDOM

MANUFACTURED IN CANADA UNDER LICENSE FROM ALUMIER EUROPE LTD.

Product Packaging

INSTRUCTIONS POST-TREATMENT
 INSTRUCTIONS POST-TREATMENT
 INSTRUCTIONS POST-TREATMENT



INSERT NO. : 487010 6

ALUMIER
 ALUMIER EUROPE LTD.
 5 ST. GEORGE'S STREET
 WALLINGTON, MIDDLESEX, M20 2LH, ENGLAND
 ALUMIER LABS UK LTD.
 CONFERANCE WY.
 BESHAM, WILTSHIRE, WILTSHIRE, WILTSHIRE, WILTSHIRE
 UNITED KINGDOM
 WWW.ALUMIERMD.COM
 ENFOP - UNITED STATES - CANADA
 UNFLECTED IN CANADA UNDER
 LICENSE FROM ALUMIER EUROPE LTD.
 UNFLECTED IN CANADA UNDER
 LICENSE FROM ALUMIER EUROPE LTD.
 ALUMIERMD INC. ALUMIERMD INC. ALUMIERMD INC.

POST PROCEDURE KIT: 3 STEPS. 5 DAYS TO GLOWING SKIN.

YOU HAVE JUST RECEIVED AN ALUMIERMD SKIN TREATMENT. THIS POST-CARE KIT HAS BEEN CREATED TO CARE FOR YOUR SKIN FOLLOWING A CHEMICAL PEEL OR PROFESSIONAL TREATMENT. IN ORDER TO OBTAIN THE MAXIMUM RESULTS AND AVOID COMPLICATIONS, PLEASE FOLLOW THE POST-PEEL REGIMEN AND USE ONLY THE FOLLOWING THREE ALUMIERMD PRODUCTS FOR 5 TO 7 DAYS. DISCONTINUE USE IF ANY PRODUCTS CAUSE BURNING ON THE SKIN AND CONTACT YOUR SKIN CARE PROVIDER.

AM PROTOCOL

- STEP 1: SENSICALM CLEANSER
- STEP 2: INTENSIVE RECOVERY
- STEP 3: SHEER HYDRATION BROAD SPECTRUM SPF 40

PLEASE REFER TO YOUR POST PROCEDURE CARE INSTRUCTIONS FOR DETAILED INSTRUCTIONS ON HOW TO CARE FOR YOUR SKIN POST-PEEL. YOUR POST-CARE KIT CONTAINS THE FOLLOWING ALUMIERMD SKIN CARE PRODUCTS:

SENSICALM

A SMOOTH, HYDRATING CLEANSER THAT DELICATELY REMOVES IMPURITIES AND EXCESS OIL WHILE CALMING SKIN. YUCCA ROOT EXTRACT IS A GENTLE NATURAL CLEANSER. WALNUTSHELL, CERAMIDES AND VITAMIN E MOISTURIZE, LEAVEN SKIN SMOOTH, SOFT AND INTENSELY HYDRATED. ALICE SMOOTHENS SKIN AND CALMS REDNESS. DIRECTIONS: MOISTEN FACE WITH LUKEWARM WATER. PUMP A SMALL AMOUNT INTO YOUR HAND. ADD WATER AND APPLY TO YOUR FACE AND NECK, MASSAGING IN A CIRCULAR MOTION. RINSE THOROUGHLY WITH LUKEWARM WATER AND GENTLY PAT DRY. FOLLOW WITH ALUMIERMD TREATMENT PRODUCTS, MOISTURIZER, AND/OR SUNSCREEN. USE TWICE

PM PROTOCOL

- STEP 1: SENSICALM CLEANSER
- STEP 2: INTENSIVE RECOVERY

INTENSIVE RECOVERY

DAILY, IN THE MORNING AND EVENING. CAUTION: FOR EXTERNAL USE ONLY. AVOID CONTACT WITH EYES, EYELIDS AND MUCOUS MEMBRANES. KEEP OUT OF REACH OF CHILDREN. SPECIFICALLY FORMULATED FOR POST-PROCEDURE RECOVERY AND PACKED WITH SOOTHING, ANTI-IRITANT AND ANTIOXIDANT INGREDIENTS. THIS MOISTURIZER RELIEVES REDNESS AND CALMS SKIN. 1% HYDROCOORTISONE, HIBICITOL AND SEA WHIP RELIEVE IRRITATION AND REDNESS. ALICE, HONEY AND DISCHIDELLA SMOOTH, COPPER PEPTIDE REGENERATES THE LOOK OF SKIN.

Drug Facts

Active Ingredient
 Hydrocortisone 1.0%
Purpose
 Anti-itch cream

Uses ■ adults and children 2 years of age and older: For the temporary relief of minor skin irritations, rashes, itching and redness due to eczema, insect bites, poison ivy, poison oak, poison sumac, contact dermatitis (e.g. caused by soaps, detergents, cosmetics and/or jewelry), seborrheic dermatitis, psoriasis.

Warnings

■ For external use only.
 ■ Do not use for the treatment of diaper rash, except on the advice of a physician.

When using this product

■ Avoid contact with eyes, do not use in or around the eyes.
 ■ Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clears up and occurs again within a few days. Do not begin use of any other hydrocortisone product unless directed by a physician.

■ Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

Directions ■ adults and children 2 years of age and older, apply sparingly to affected area not more than three to four times daily. ■ do not use on children under 2 years of age, consult a physician

Other Information

■ Do not use if security seal is broken or missing.
 ■ You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 550 Cochrane Road, Suite 25, Framingham, MA 01701

Inactive Ingredients/Preservatives ■ Water/Aqua/Gel, Propylene Glycol, Polypropylene Glycol (Shea Butter, Simmondsia Chinensis (Jojoba) Seed Oil, Glycerin, Dimethicone, Caprylic/Capric Triglyceride, Stearyl Alcohol, Theobroma Cacao (Cocoa) Seed Butter, Sodium Acrylate Copolymer, Nicotinamide, Aloe Barbadensis Leaf Juice, Hexadecyl Resorcinol, Lascrolole Argemone (Laverole) Flower/Leaf/Stem Extract, Artemisia Nobilis Flower Extract, Sea Whip Extract, Shawsella Serotina Extract, Honey Extract (Eucalyptus, Tetrapiperid-14, Copper Tripeptide-1, Camellia Sinensis Leaf Extract, Aquilularia Livens (Foods) Extract, Cucurbiturp Globulus Leaf Extract, Mentha Viridis (Spearmint) Extract, Popostemon Ciliatus Leaf Extract, Pyrus Malus (Apple) Fruit Extract, Rosa Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Hydrogennated Lecithin, Squallene, Lecithin, Xanthan Gum, Caprylic Acid, Phenylethyl Glycol, Isopropyl Alcohol, Sodium Methyl Sulfonate, Tocopheryl Palmitate, Methylparaben, Sodium Hydroxide, Decadron EDTA, Caprylic Glycol, Xylitol, Ethylhexylglycerin.

SHEER HYDRATION BROAD SPECTRUM SPF 40

A SILKY AND SHEER PHYSICAL SUNSCREEN THAT PROVIDES POWERFUL PROTECTION AGAINST UVA/UVB RAY. IT USES A COMBINATION OF ZINC OXIDE AND TITANIUM DIOXIDE, WHILE MOISTURIZING WITH VITAMIN E. THIS FORMULA IS ALSO PACKED WITH FREE-RADICAL QUENCHING ANTIOXIDANTS, INCLUDING A STABLE VITAMIN C, VITAMIN E, RESVERATROL, GRAPE SEED EXTRACT AND GLUTATHIONE, TO PROTECT SKIN FROM DAMAGE.

Drug Facts

Active Ingredients
 Titanium Dioxide 7%
 Zinc Oxide 6.28 %
Purpose
 Sunscreen

Use

■ helps prevent sunburn

Warnings

■ For external use only.

When using this product

■ do not use on damaged or broken skin

■ keep out of eyes. Rinse with water to remove.

■ Stop use and ask a doctor if you develop severe irritation, burning or itching of the skin, hives, swelling of eyes and mouth, blistering or difficulty breathing

■ Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

■ Directions ■ apply liberally/generously (and evenly) 15 minutes before sun exposure ■ reapply at least every 2 hours

■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad

Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats and sunglasses

Other Information

■ Do not use if security seal is broken or missing.
 ■ You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 550 Cochrane Road, Suite 25, Framingham, MA 01701

Inactive Ingredients/Preservatives ■ Water/Aqua/Gel, C15-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Propylene Glycol, Butylglycol Salicylate, Cetonyl Alcohol, Aluminum Silicate, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Lecithin (Syn. Phosphatidylcholine), Vitis Vinifera Seed Extract, Resveratrol, Glutathione, Tocopheryl Acetate, Magnesium Ascorbyl Phosphate, Ascoric Senegal Gum, Synthetic Wax, Polyhydroxybutyrate, Citraol-20, Alumina, Microcrystalline Cellulose, Triethoxypropylsilane, Xanthan Gum, Cellulose Gum, C20-40 Pareth-10, Hydroxyethyl Behenamidopropyl Dimonium Chloride, Polyquaternium-67, Decadron EDTA, Ethylhexylglycerin, Phenylethylglycol.

You have just received an AlumierMD Skin Treatment. This post-care kit has been created to care for your skin following a chemical peel or professional treatment. In order to obtain the maximum results and avoid complications, please follow the post peel regimen and use only the following three AlumierMD products for 5 to 7 days. Discontinue use if any products cause burning on the skin and contact your skin care provider.

AM Protocol

- Step 1: SensiCalm
- Step 2: Intensive Recovery
- Step 3: Sheer Hydration Broad Spectrum SPF 40

PM Protocol

- Step 1: SensiCalm
- Step 2: Intensive Recovery

Vous venez de bénéficier d'un traitement dermatologique AlumierMD. Ce kit post-traitement a été créé pour prendre soin de votre peau après un peeling chimique ou un traitement professionnel. Pour obtenir les meilleurs résultats et éviter des complications, veuillez suivre le protocole post-peeling et utiliser uniquement les trois produits AlumierMD suivants pendant 5 à 7 jours. Cessez l'utilisation si l'un des produits vous brûle la peau et contactez immédiatement votre médecin.

Protocole du matin

- Étape 1: SensiCalm
- Étape 2: Crème Intensive Recovery
- Étape 3: Crème hydratante transparente FPS 40 à large spectre

Protocole du soir

- Étape 1: SensiCalm
- Étape 2: Crème Intensive Recovery

Please refer to your Post Procedure Care Instructions for detailed instructions on how to care for your skin post peel. Reportez-vous à vos instructions de post-traitement pour des instructions détaillées sur la façon de prendre soin de votre pelure de peau.



ALUMIER MD POST PROCEDURE KIT WITH HYDROCORTISONE

titanium dioxide, zinc oxide, hydrocortisone kit

Product Information

| | | | |
|---------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69473-018 |
|---------------------|----------------|---------------------------|---------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69473-018-01 | 1 in 1 CARTON; Type 0: Not a Combination Product | 03/22/2022 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 TUBE | 15 mL |
| Part 2 | 1 TUBE | 15 mL |
| Part 3 | 1 TUBE | 15 mL |

Part 1 of 3

ALUMIER MD SHEER HYDRATION

titanium dioxide, zinc oxide lotion

Product Information

| | |
|--------------------------------|---------------|
| Item Code (Source) | NDC:69473-006 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 62.8 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 70 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| ACACIA (UNII: 5C5403N26O) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY) | |
| HYDROXYETHYL BEHENAMIDOPROPYL DIMONIUM CHLORIDE (UNII: 9CO8OUL4TH) | |
| MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5) | |
| C20-40 PARETH-10 (UNII: TE3MZI4V3F) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| VITIS VINIFERA SEED (UNII: C34U15ICXA) | |
| ALUMINUM MONOSTEARATE (UNII: P9BC99461E) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| GLUTATHIONE (UNII: GAN16C9B8O) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| RESVERATROL (UNII: Q369O8926L) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| SYNTHETIC WAX (1800 MW) (UNII: 248P1AUJ90) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69473-006-04 | 15 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/22/2022 | |

Part 2 of 3

ALUMIER MD INTENSIVE RECOVERY

hydrocortisone cream

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:69473-017 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ) | HYDROCORTISONE | 10 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| HONEY (UNII: Y9H1V576FH) | |
| EUCALYPTUS GLOBULUS LEAF (UNII: S546YLVW6E6) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| TRICAPRYLIN (UNII: 6P92858988) | |
| ASPALATHUS LINEARIS WHOLE (UNII: O17JQA1A9Z) | |
| .BETA.-THUJAPLICIN (UNII: U5335D6EBI) | |
| LAVANDULA ANGUSTIFOLIA FLOWERING TOP (UNII: 9YT4B71U8P) | |
| CHAMAEMELUM NOBILE FLOWER (UNII: O2T154T6OG) | |
| PSEUDOPTEROGORGIA ELISABETHAE (UNII: UDY3H1OUX5) | |
| APPLE (UNII: B423VGH5S9) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CRANBERRY (UNII: 0MVO31Q3QS) | |
| SQUALANE (UNII: GW89575KF9) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| JOJOBA OIL (UNII: 724GKU717M) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| WATER (UNII: 059QF0KO0R) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |

| |
|--|
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| PROPANEDIOL (UNII: 5965N8W85T) |
| SODIUM METHYL STEAROYL TAURATE (UNII: JFM219LJ55) |
| NIACINAMIDE (UNII: 25X51I8RD4) |
| RESVERATROL (UNII: Q369O8926L) |
| INDIAN FRANKINCENSE (UNII: 4PW41QCO2M) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) |
| MENTHA SPICATA (UNII: O2H83I4PUN) |
| POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11) |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) |
| COCOA BUTTER (UNII: 512OYT1CRR) |
| CAPRYLIC ACID (UNII: OBL58JN025) |
| HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N) |
| EDETATE DISODIUM (UNII: 7FLD91C86K) |
| PREZATIDE COPPER (UNII: 6BJQ43T1I9) |
| ROSEMARY (UNII: IJ67X351P9) |
| XYLITOL (UNII: VCQ006KQ1E) |
| GLYCERIN (UNII: PDC6A3C0OX) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69473-017-02 | 15 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 03/22/2022 | |

Part 3 of 3

ALUMIER MD SENSICALM

cleansing (cold creams, cleansing lotions, liquids, and pads) cream

Product Information

| | |
|--------------------------------|---------|
| Route of Administration | TOPICAL |
|--------------------------------|---------|

Other Ingredients

| Ingredient Kind | Ingredient Name | Quantity |
|-----------------|--|----------|
| INGR | MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |

| | | |
|------|---|--|
| INGR | CETYL ALCOHOL (UNII: 936JST6JCN) | |
| INGR | NIACINAMIDE (UNII: 25X51I8RD4) | |
| INGR | ALLANTOIN (UNII: 344S277G0Z) | |
| INGR | .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| INGR | P-ANISIC ACID (UNII: 4SB6Y7DMM3) | |
| INGR | XANTHAN GUM (UNII: TTV12P4NEE) | |
| INGR | SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| INGR | CAPRYLYL/CAPRYL OLIGOGLUCOSIDE (UNII: E00JL9G9K0) | |
| INGR | XYLITOL (UNII: VCQ006KQ1E) | |
| INGR | CAPRYLIC ACID (UNII: OBL58JN025) | |
| INGR | 4-TERPINEOL, (+/-)- (UNII: L65MV77ZG6) | |
| INGR | EDETATE SODIUM (UNII: MP1J8420LU) | |
| INGR | EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| INGR | WATER (UNII: 059QF0K00R) | |
| INGR | GLYCERIN (UNII: PDC6A3C0OX) | |
| INGR | PROPANEDIOL (UNII: 5965N8W85T) | |
| INGR | COCAMIDOPROPYL HYDROXYSULTAINE (UNII: 62V75NI93W) | |
| INGR | SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW) (UNII: 1DXE3F3OZX) | |
| INGR | ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| INGR | YUCCA SCHIDIGERA ROOT (UNII: E2H9ET15AT) | |
| INGR | SUNFLOWER OIL (UNII: 3W1JG795YI) | |
| INGR | LINALYL ACETATE (UNII: 5K47SSQ51G) | |
| INGR | .BETA.-OCIMENE, (3Z)- (UNII: 472UVP4R7T) | |
| INGR | DISODIUM COCOYL GLUTAMATE (UNII: MBK0CP8F5A) | |
| INGR | CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| INGR | LINALOOL, (+/-)- (UNII: D81QY6I88E) | |
| INGR | SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| INGR | SORBITAN MONOOLEATE (UNII: 06XEA2VD56) | |
| INGR | CERAMIDE NG (UNII: C04977SRJ5) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 | | 15 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| Cosmetic | | 11/20/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 03/22/2022 | |

Labeler - Alumier Labs (079603173)

Revised: 10/2023

Alumier Labs