RENER LIFT MULTI ACTION ULTRA SPF 30- avobenzone, octisalate, octocrylene cream BPS 60

Rener lift multi action ultra SPF 30

Drug Facts:

Active ingredients:

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

Purpose:

Sunscreen.

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun *Directions*

Warnings:

For external use only.

Do not use near fire, flame or heat. Flammable until dry.

Do not use

on damaged or broekn skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Spending time in the sun increases your risk of skin cancer and early sking aging. To
 decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15
 or higher and other sun protection measures including: Sun Protection
 Measures.
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other information:

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, dimethicone, isononyl isononanoate, propanediol, vinyl dimethicone/methicone silsesquioxane crosspolymer, alcohol denat., bis-PEG-18 methyl ether dimethyl silane, polyglyceryl-6 distearate, jojoba esters, tocopherol, limnanthes alba (meadowfoam) seed oil, acacia decurrens flower wax, guanosine, sodium hyaluronate, hydrolyzed linseed extract, sodium hydroxide, sodium dodecylbenzenesulfonate, sodium benzoate, RED 33, phenoxyethanol, adenosine, PEG-8 laurate, helianthus annuus (sunflower) seed wax, polyglyceryl-3 beeswax, polyglycerin-3, ammonium acryloyldimethyltaurate/steareth-25 methacrylate crosspolymer, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, xanthan gum, benzyl alcohol, leontopodium alpinum flower/leaf extract, capryloyl salicylic acid, caprylyl glycol, geraniol, disodium stearoyl glutamate, disodium EDTA, cetyl alcohol, citric acid, potassium sorbate, scutellaria baicalensis root extract, styrene/acrylates copolymer, fragrance

Questions or comments?

Monday - Friday (9 a.m. - 5 p.m. EST) **1-800-LANCOME (1-800-526-2663)**

3612621496260



swimming or sweating. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum

SPF value of 15 or higher and other sun protection measures including: limit imme in the sun especially from 10 a.m. - 2 p.m.; weal from 10 a.m. - 2 p.m.; weal sunglasses. Children under 6

months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun.

Questions or comments?
1-800-LANCOME (1-800-526-2663)

LUXULANCÔME
LUXULAY PRODUCTSLLC
NEW YORK, NY 10001
IMP, BY LANCÔME CANADA,
MONTRÉAL, HAT TIKS
TSA 75000
S\$4 ST.OUEN CEDEX FR
15ml
NET WT.O.5 OZ
Made in France

Por sunscreen use:

• Apply generously and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if

swimming or sweating. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum

Lift

SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6

months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun.

Questions or comments?

1-800-LANCOME

(1-800-526-2663) Lift. LANCÔME, LUXURY PRODUCTS LLC, NEW YORK, NY 10001 IMP. BY LANCÔME CANADA MONTRÉAL, H4T 1K5 TSA 75000 93584 ST OUEN CEDEX FR 15ml NET WT 0.5 OZ Made in France


LANCÔME rénergie lift multi-action ultra

SUNSCREEN
BROAD SPECTRUM SPF 30
LIFTING-FIRMING-DARK SPOT CORRECTING CREAM

Drug Facts:

Active ingredients: Avobenzone 3%; Octisalate 5%; Octoorylene 7%. Purpose: Sunscreen. Use: Helps prevent sunburn. Warnings: For external use only. Flammable until dry. Do not use near fire, flame or heat. Do not use on damaged or broken skin, When using this product keep out of eyes, Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Not for sale LA972 00









Lifting - Firming - Dark Spot Correcting Cream
nt Melting Cream - All Skin Types - Face, Neck, D

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTIONS
EANCOME, LUXURY PRODUCTS LLC. 10 HUDGON VARDS, NEW YORK, NY 10001
IMP. BY LANCOME CANADA, MONTREAL, HAT ING
TSA 70000 85694 ST OLDIN CEPEX FR.

Market Product Canada Control Canada Contr

LANCÔME

Lancome.com LA971 60

Drug Facts
Active ingredients
Avoberone 3%
Octisalate 5%
Octocrylene 7% **It two-decreases the risk or and ...

Warnings

Warnings

**For external use only Flammable until dry, Do not use near fire, flame or heat. Do not use not usenged or broken sale. On the use or use number of the sale of the s

2620602



10-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)

Drug Facts (continued)
Sportum SPF value of 15 or higher and other sun protection measures including:
I mit lime in the sun, especially from 10 a.m. - 2 p.m.
I mit lime in the sun, especially from 10 a.m. - 2 p.m.
I will be a months of a per Ask a doctor

30 ml NET WT, 1 OZ,

3612622687421





Not for individual sale Directions: Foot sunscreen use: • Apply generously and evenly 5 minutes before sur exposure. • Reapply at least every 2 hours. • Use a water resistant Lint • Li LD240 70

sunscreen it swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease

this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures protection measures including: limit time

In the sun, especially from 10 a.m. - 2 p.m.; wear ong-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor. Other information:

RÉNERGIE LIFT **MULTI-ACTION ULTRA** SUNSCREEN **BROAD SPECTRUM SPF 30** LIFTING - FIRMING - DARK SPOT CORRECTING CREAM



DERMATOLOGIST TESTED FOR SAFETY

Drug Facts (continued)

Warnings For external use only

Flammable until dry. Do not use near fire, flame or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- · apply generously and evenly 15 minutes before sun exposure
- · reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection

Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value

Other information
• protect the product in this container from excessive heat and direct sun

LANCÔME



RÉNERGIE LIFT **MULTI-ACTION** ULTRA

SUNSCREEN BROAD SPECTRUM SPF30 LIFTING - FIRMING DARK SPOT CORRECTING CREAM

5 ml 0.17 FL.OZ.

Drug Facts (continued)

Drug Facts

if used as directed with other

sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

helps prevent sunburn

London W6 8AZ LANCÔME, LUXURY PRODUCTS LLC 10 HUDSON YARDS NEW YORK, NY 10001
MP. BY LANCOME CANADA
MONTRÉAL, H4T 1KS
TSA 75000
93584 ST OUEN CEDEX FR

Made in France LA972 10

of 15 or higher and other sun protection measures including:


• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age: Ask a doctor

Drug Facts (continued)

2503783

FREE SAMPLE, NOT FOR SALE



DERMATOLOGIST TESTED FOR SAFETY

Drug Facts (continued)

Warnings For external use only

Flammable until dry. Do not use near fire, flame or heat,

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours use a water resistant sunscreen
- if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with

a Broad Spectrum SPF value 🖈

LANCÔME

 protect the product in this container from excessive heat and direct sun of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, parts, hats and sunglasses children under 6 months of age: Ask a doctor Other information

RÉNERGIE LIFT MULTI-ACTION ULTRA

SUNSCREEN **BROAD SPECTRUM SPF30** LIFTING - FIRMING DARK SPOT CORRECTING CREAM

5 ml 0.17 FL.OZ.

sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other Drug Facts (continued)

Purpose Sunscreen Sunscreen Sunscreen helps prevent sunburn Active ingredients Drug Facts Octisalate 5% Octocnylene / Avobenzone

London W6 8AZ LANCÔME, LUXURY PRODUCTS LLC 10 HUDSON YARDS 10 HUUSON YAHDS NEW YORK, NY 10001 IMP, BY LANCÔME CANADA MONTRÉAL, H4T 1KS TSA 75000 93584 ST OUEN CEDEX FR Made in France LA972 10

2503783

FREE SAMPLE, NOT FOR SALE

Drug Facts (continued)

drug facts (continued)

inactive ingredients water, glycerin, dimethicone, isononyl isononanoate, propanediol, vinyl dimethicone/methicone silsesquioxane crosspolymer, alcohol denat., bis-peg-18 methyl ether dimethyl silane, polyglyceryl-6 distearate, jojoba esters, tocopherol, limnanthes alba (meadowfoam) seed oil, acacia decurrens flower wax, guanosine, sodium hyaluronate, hydrolyzed linseed extract, sodium hydroxide, sodium dodecylbenzenesulfonate, sodium benzoate, red 33, phenoxyethanol, adenosine, peg-8 laurate, helianthus annuus (sunflower) seed wax, polyglyceryl-3 beeswax, polyglycerin-3, ammonium acryloyldimethyltaurate/steareth-25 methacrylate crosspolymer, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, xanthan gum, benzyl alcohol, leontopodium alpinum flower/leaf extract, capryloyl salicylic acid, caprylyl glycol, geraniol, disodium stearoyl glutamate, disodium edta, cetyl alcohol, citric acid, potassium sorbate, scute aria balcalensis root extract, styrene/acrylates copolymer, fragrance

questions or comments? 1-800-jancome (1-800-526-2663)

B264470/1 761588 31



RÉNERGIE LIFT MULTI-ACTION ULTRA

SUNSCREEN BROAD SPECTRUM SPF30

LIFTING - FIRMING DARK SPOT CORRECTING CREAM

5 ml 0.17 FL 0Z

Drug Facts: Active ingredients: Avobenzone 3%, Octisalate 5%, Octoorylene 7%. Purpose: Sunscreen. Uses: Helps prevent sunburn. Warnings: For external use only. Flammable until dry. Do not use near fire, flame or heat. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If

swallowed, get medical help or contact a Poison Control Center right away. *Directions:* For sunscreen use: Apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if

swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor. *Other information:* Protect the product in this container from excessive heat and direct sun. Questions or comments?

1-800-LANCOME (1-800-526-2663) FREE SAMPLE, NOT FOR SALE

LANCÔME, LUXURY PRODUCTS LLC 10 HUDSON YARDS, NEW YORK, NY 10001 IMP. BY LANCOME CANADA, MONTRÉAL, H4T1K5 TSA 75000 93584 ST OUEN CEDEX FR Lancome.com Made in France



Package Labeling:70581-020-02



Drug Facts (continued)

Other information

Inactive ingredients



50 ml NET WT, 1,7 OZ.

Lifting - Firming - Dark Spot Correcting Cream Instant Melting Cream - All Skin Types - Face, Neck, Décollete

Dermatologist tested for safety

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS LANCOME PARES IS 100 ROYARD 75008 Paris DISTRIBUTORS OF THE PRODUCTS LLC 10 HUDSON YARDS, NEW YORK, NY IMP. BY LANCOME CANADA, MONTREAL, HIT THIS LAY TAYON OF THE ST

LA971 40

Drug Facts

Active ingredients

Purpose

Warnings For external use only Flammable until dry. Do not use on damage

or sunscreen use: apply generously and evenly 15 minutes before sun exposure reapply at least every 2 hours

50 ml NET WT, 1,7 OZ







Other information

protect the product in this container from accessive heat and direct I mactive ingredients water (plorein, disrellations, isonomy isonomaiseus, proparedo, viry disrellations, isonomy isonomaiseus, proparedo, viry disrellations, isonomy isonomaiseus, proparedo, viry bes-PE-1.5 methyl either disnethyl salams, polyglycery-6 distearate, production, properties, proparedo, viry disrellations, polyglycery-6 distearate, produced produced inseed estract, sodium hydroxide, sodium disceptionsessulforate, sodium sentones, PE-50 spensoyathera, describens, polyglycery-6 companies, produced produ

LANCÔMI

50 ml NET WT. 1.7 OZ.


LANÇÔME

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS LANCOME PARIS 14 res Royale 75:008 Paris LANCOME PARIS 14 res Royale 75:008 Paris LANCOME LUXURY PRODUCTS LC. 10 HUDSON AYADIS. NEW YORK, NY 10001 IMP. BY LANCOME CANADA, MONTRÉAL, HAT IT IS 13A 75:003.8348.51 CUEN. DEDEX R

Lancome.com

Drug Facts Active ingredients Avobenzone 3% Octisalate 5% Octocrylene 7% Purpose occleases the risk of seri canoter and early skin aging caused by the Warnings For external use only Fammable until dry, Do not use near fire, flame or heat. Do not use on damaged or broken skin When using this product level or util or levels. Please with water to rem Stop use and ask a doctor if riskh occurs reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating Sun Protection Measures, Spending time in the sun in of skin cancer and early skin aging. To decrease this risk





Drug Facts: Active ingredients: Avobenzone 3%; Octisalate 5%; Octocrylene 7%. Purpose: Sunscreen. Use: Helps prevent sunburn. Warnings: For external use only. Flammable until dry, Do not use near fire, flame or heat. Do not use on damaged or broken skin. When using this product keep out of eyes, Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued) ♣

Contact a Poson Control Center Ingin away.

LANCÔME, LUXURY PRODUCTS LLC, 10 HUDSON YARDS, NEW YORK, NY 10001

IMP, BY LANCÔME CANADA, MONTREAL HT 11/5

ISA 75000 33584 ST OUEN CEDEX FR

50 ml NET WT. 1.7 OZ Made in France

3612621636048

Directions: For sunscreen use:

• Apply generously and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. 21636048

• Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin →

a ging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other protection measures including: Lift •

limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor. Other

information: Protect the product in this container from excessive heat and direct sun. Questions or comments? 1-800-LANCOME (1-800-526-2663)



Lifting - Firming - Dark Spot Correcting Cream Instant Melting Cream - All Skin Types - Face, Neck, Décolleté

LANÇÔME LA971 50

oply generously and evenly ' apply at least every 2 hours











Drug Facts (continued Inactive ingredients

stions or comments? LANCOME (1-800-526-2663) Monday - Friday (9 a.m. – 5 p.m. EST)

LANCÔ

75 ml NET WT, 2.6 OZ,

75 ml NET WT. 2.6 OZ.

LANÇÔME LA971 50





Date: 15 / 01 / 2020

70

RÉNERGIE LIFT MULTI-ACTION ULTRA

SUNSCREEN **BROAD SPECTRUM SPF 30**

LIFTING - FIRMING - DARK SPOT CORRECTING CREAM

Drug Facts: Active ingredients: Avobenzone 3%; Octisalate 5%; Octocylene 7%. Purpose: Sunscreen. Use: Helps prevent sunburn. Warnings: For external use only. Flammable until dry. Do not use near fire, flame or heat. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swadowed, get medical help or contact a Poison Control Center right away. Directions: For sunscreen use: • Apply generously and evenly 15 minutes before sun exposure. • Paepply at least every 2 hours. • Use a water resistant sunscreen it swimming or sweating. • Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 am. • 2 pm. rolog-sleved shirts, pants, hats, and sunglasses. • Children under 6 months of age: Ask a doctor, Other information: Protect the product in this container from excessive heat and direct sun, Questions or comments? 1•400-LOXOME (1•400-526-2663)

ANCÔME, LUXURY PRODUCTS LC, 10+IUDSON YARDS, NEW YORK, NY 10001

MINET WAT. 2.6 OZ.

TSA 75000 33584 ST OUEN CEDEX FR. - Made in France

RENER LIFT MULTI ACTION ULTRA SPF 30

avobenzone, octisalate, octocrylene cream

Product Information

Product Type HUMAN OTC DRUG NDC:70581-020 Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL			
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL			
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL			

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
PROPANEDIOL (UNII: 5965N8W85T)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
ALCOHOL (UNII: 3K9958V90M)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
POLYGLYCERYL-6 DISTEARATE (UNII: Z35I17EQOP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MEADOWFOAM SEED OIL (UNII: 412Z HA4T4Y)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)	
GUANOSINE (UNII: 12133JR80S)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ADENOSINE (UNII: K72T3FS567)	
PEG-8 LAURATE (UNII: 76208IWA10)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE (UNII: KBC00G95HI)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP (UNII: QQC1AK06RK)	
CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GERANIOL (UNII: L837108USY)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70581-020- 04	15 mL in 1 JAR; Type 0: Not a Combination Product	03/10/2022	
2	NDC:70581-020- 01	1 in 1 CARTON	03/10/2022	
2		30 mL in 1 JAR; Type 0: Not a Combination Product		
3	NDC:70581-020- 00	1 in 1 CARTON	03/10/2022	
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:70581-020- 02	1 in 1 CARTON	03/10/2022	
4		50 mL in 1 JAR; Type 0: Not a Combination Product		
5	NDC:70581-020- 03	1 in 1 CARTON	03/10/2022	
5		75 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/10/2022		

Labeler - BPS 60 (272259304)

Revised: 1/2024 BPS 60