

**NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN  
BROAD SPECTRUM SPF 70- avobenzone, homosalate, octisalate, and  
octocrylene spray  
Johnson & Johnson Consumer Inc.**

-----  
**Neutrogena<sup>®</sup> Beach Defense<sup>®</sup> water + sun protection sunscreen spray  
BROAD SPECTRUM SPF 70**

***Drug Facts***

| <b><i>Active ingredients</i></b> | <b><i>Purpose</i></b> |
|----------------------------------|-----------------------|
| Avobenzone 3%                    | Sunscreen             |
| Homosalate 15%                   | Sunscreen             |
| Octisalate 5%                    | Sunscreen             |
| Octocrylene 10%                  | Sunscreen             |

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Warning: FLAMMABLE. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Alcohol Denat., Isobutane, Butyloctyl Salicylate, Dicaprylyl Carbonate, Diethylhexyl 2,6-Naphthalate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

### **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 184 g Can Label**

**Neutrogena**®

DERMATOLOGIST RECOMMENDED BRAND

Beach

Defense®

**water + sun**

**protection**

sunscreen spray

**BROAD SPECTRUM SPF 70**

**70**

**helioplex**®

broad spectrum uva.uvb  
oxybenzone free  
water resistant (80 minutes)  
NET WT 6.5 OZ (184 g)

**Neutrogena®**

DERMATOLOGIST RECOMMENDED BRAND

**Beach Defense®**  
water + sun  
protection  
sunscreen spray

**BROAD SPECTRUM SPF 70**

**70**

**helioplex®**  
broad spectrum uva+uvb  
oxybenzone free  
water resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Beach-strength  
uva/uvb  
sun protection



Lightweight,  
fast drying,  
oxybenzone free

30051149

**Drug Facts**

**Active Ingredients**  
Avobenzone (3%), Homosalate (15%),  
Octisalate (5%), Octocrylene (10%)

**Purpose**  
Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** For external use only  
**Do not use** on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Warning: FLAMMABLE. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions** ■ spray liberally and spread evenly by hand 15 minutes before sun exposure  
■ hold container 4-6 inches from the skin to apply. Rub in.  
■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions. ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying  
■ at least every 2 hours ■ **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age. Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients** Alcohol Denat., Isobutane, Butylhexyl Salicylate, Diglyceryl Carbonate, Diethylhexyl 2,6-Naphthalate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

**Questions or Comments?** Call toll-free 800-299-4768 or 215-273-8755 (collect). www.neutrogena.com

## NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF 70

avobenzone, homosalate, octisalate, and octocrylene spray

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:69968-0577

|                                |         |
|--------------------------------|---------|
| <b>Route of Administration</b> | TOPICAL |
|--------------------------------|---------|

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 30 mg in 1 g  |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 150 mg in 1 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 50 mg in 1 g  |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 100 mg in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |          |
| <b>ISOBUTANE</b> (UNII: BXR49TP611)  |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)  |          |
| <b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)   |          |
| <b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)   |          |
| <b>POLYESTER-7</b> (UNII: 0841698D2F)  |          |
| <b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H) |          |
| <b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)  |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)   |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69968-0577-7 | 184 g in 1 CAN; Type 0: Not a Combination Product | 10/05/2020           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 10/05/2020           |                    |

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 10/2023

Johnson & Johnson Consumer Inc.