

PLEO FORT- penicillium roqueforti tablet
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Fort
TABLETS 5X

Homeopathic Digestive Aid Medicine

20 TABLETS

Indications

For temporary relief of digestive symptoms such as fullness, pressure, or "gas" that occurs after eating.

INGREDIENTS

1 tablet contains 250 mg Penicillium roquefortii 5X in a base of lactose, potato starch, magnesium stearate.

DOSAGE

1–3 tablets daily, either two hours before breakfast or at bedtime.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance from your health care practitioner or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if imprinted inner blister pack is broken or if imprinted security strip on carton is torn.

Lot #:

Made in Germany.

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured by:
Sanum-Kehlbeck

GmbH & Co. KG

Rev. 12/2006

PRINCIPAL DISPLAY PANEL - 20 Tablets Carton

**Pleo™ Fort
TABLETS 5X**

**Homeopathic
Digestive Aid
Medicine**

Indications: For temporary relief of digestive symptoms such as fullness, pressure, or "gas" that occurs after eating.

ORIGINAL ENDERLEIN

20 TABLETS

1102-1

Pleo™ Fort
TABLETS 5X

Homeopathic
Digestive Aid
Medicine

Indications: For temporary relief of digestive symptoms such as fullness, pressure, or "gas" that occurs after eating.



20 TABLETS

Rev. 12/2006

INGREDIENTS: 1 tablet contains 250 mg *Penicillium roquefortii* 5X in a base of lactose, potato starch, magnesium stearate.

DOSAGE: 1–3 tablets daily, either two hours before breakfast or at bedtime.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product. **Keep this and all medications out of the reach of children.** In case of accidental overdose, seek professional assistance from your health care practitioner or contact a Poison Control Center immediately. Protect from light and heat.

Tamper Evident: Do not use this product if imprinted inner blister pack is broken or if imprinted security strip on carton is torn.

Lot #:

Made in Germany.

Distributed by: SANUM USA Corp. 1465 Slater Road Ferndale, WA 98248	Manufactured by: Sanum-Kohlbeck GmbH & Co. KG
---	--

1102-1

300TA5XFS20US612

PLEO FORT

penicillium roqueforti tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:60681-1102

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
penicillium roqueforti (UNII: 7ORP6R724L) (penicillium roqueforti - UNII:7ORP6R724L)	penicillium roqueforti	5 [HP_X]

Inactive Ingredients

Ingredient Name	Strength
lactose (UNII: J2B2A4N98G)	
Starch, Potato (UNII: 8I089SAH3T)	
Magnesium Stearate (UNII: 70097M6I30)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1102-1	1 in 1 CARTON		
1		20 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG