#### STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet United Natural Foods, Inc. dba UNFI

-----

## **Drug Facts**

### Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

#### Purpose

Stool softener

Stimulant laxative

#### Uses

- Relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to12 hours

#### Warnings

#### Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

## Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

## Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

• take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

#### Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

#### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silcon dioxide, talc, titanium dioxide

## **Questions or comments?**

Call toll free: 1-855-423-2630

## **Principal Display Panel**

compare to Colace® 2-IN1 active ingredients\*

Stool Softener + stimulant laxative

docusate sodium 50 mg/

Sennosides 8.6 mg

- gentle dependable
- relief in 6-12 hours

#### TABLETS


\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1

#### TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

## DISTRIBUTED BY UNFI

**PROVIDENCE, RI 02908 USA** 

# Product Label



mments?	Questions or comments?
<i>nactive ingredients</i> croscarmellose sodium, ibasic calcium phosphate dihydrate, FD&C blue #2 luminum lake, FD&C red #40 aluminum lake, upromellose, magnesium stearate, microcrystalline ellulose, polyethylene glycol, silicon dioxide, talc, tanium dioxide	nactive ingredi libasic calcium phosp lluminum lake, FD&C vypromellose, magnes ellulose, polyethylene tanium dioxide
store at 25°C (77°F); excursions permitted between 5-30°C (59-86°F)	store at 25°C (77°F) 5-30°C (59-86°F)
information tablet contains: calcium 30 mg tablet contains: sodium 6 mg VERY LOW	Other information each tablet contains: each tablet contains:
ask a doctor	hildren under 2
take up to 1 tablet daily	hildren 2 to under ) years of age
take 1-2 tablets daily	hildren 6 to under 2 years of age
take 2-4 tablets daily	dults and children 2 years and over
<b>Directions</b> take only by mouth. Doses may be aken as a single daily dose, preferably in the evening, r in divided doses.	<b>Directions</b> ta ta a single daily r in divided doses.
f pregnant or breast-feeding, ask a health rotessional before use. Leep out of reach of children. In case of overdose, let medical help or contact a Poison Control Center light away.	f pregnant or breast- rofessional before use. Leep out of reach of c let medical help or con ight away.
top use and ask a doctor if you have rectal bleeding r fail to have a bowel movement after use of a axative. These may indicate a serious condition.	top use and ask a d r fail to have a bowel axative. These may in
inued)	<b>Drug Facts</b> (continued)

**EQUALINE Stool Softener Laxative** 

STOOL SOFTENER LA	XATIVE				
docusate sodium and sennos	ides tablet				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:41163-755	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingredient Name			Basis of St	rength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)			DOCUSATE SODIUM		50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)			SENNOSIDES		8.6 mg
Inactive Ingredients					

		Ing	gredier	nt Name		Strength	
CROSCARMELLOS	SE SODIUM	I (UNII: M28C	DL1HH48)	i i i i i i i i i i i i i i i i i i i			
DIBASIC CALCIUN	1 PHOSPH	ATE DIHYDR	RATE (UN	II: 07TSZ97GEP)			
FD&C RED NO. 4	<b>d</b> (UNII: WZ E	39127XOA)					
HYPROMELLOSES	<b>5</b> (UNII: 3NX	W29V3WO)					
MAGNESIUM STE	ARATE (UNI	I: 70097M6I3	30)				
CELLULOSE, MIC	ROCRYSTA	LLINE (UNII:	OP1R32	D61U)			
POLYETHYLENE	GLYCOL, U	NSPECIFIED	<b>)</b> (UNII: 3	WJQ0SDW1A)			
SILICON DIOXIDE	(UNII: ETJ72	Z6XBU4)					
TALC (UNII: 7SEV7	•						
TITANIUM DIOXIC		-					
FD&C BLUE NO. 2	2 (UNII: L06	K8R7DQK)					
Product Char	acterist	ics					
Color		red		Score		no score	
Shape		ROUND		Size	10mm		
Flavor				Imprint Code		PSD21	
Contains							
Packaging							
# Item Code		Package	e Desc	ription	Marketing Star Date	t Marketing En Date	
<b>1</b> NDC:41163- 755-10	100 in 1 B Combinatio	OTTLE, PLASTIC; Type 0: Not a on Product		04/30/2021			
	Inform	nation					
Marketing							
<b>U</b>		lication N	u mala a m	a w Managura na	Maulcating Ctaut	Mayletine . Fre	
Marketing Marketing Category			umber Citation	or Monograph า	Marketing Start Date	Marketing En Date	

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 9/2024

United Natural Foods, Inc. dba UNFI