

**BENALDRYL - diphenhydramine hcl tablet**  
**AJES PHARMACEUTICALS,LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient (in each tablet)**

Diphenhydramine HCl USP 25 mg

**Purpose**

Antihistamine

**Keep out of the reach of children**

In case of accidental overdose,  
seek professional assistance or contact a Poison Control Center

**Uses**

-temporarily relieves these symptoms due to hay fever or upper respiratory allergies: runny nose - sneezing - itchy, watery eyes  
-itching of the nose and throat - temporarily relieves these symptoms due to the common cold: runny nose - sneezing

**Warnings**

**Do Not Use** - to make a child sleepy - with any other product containing diphenhydramine, even one used on skin

**Directions** - take every 4 to 6 hours

-do not take more than 6 doses in 24 hours

adults and children 12 years of age or older - 1 to 2 tablets

children 6 years to under 12 years of age - 1 tablet

children under 6 years of age - do not use this product in children under 6 years of age

Enter section text here



**Drug Facts**

Active Ingredient (in each tablet)	Purpose
Diphenhydramine HCl USP 25 mg	Antihistamine

**Uses**  
Temporarily relieves these symptoms due to hay fever or upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itching of the nose and throat. Temporarily relieves these symptoms due to the common cold: runny nose, sneezing.

**Warnings**  
Do not use to make a child sleepy with any other product containing diphenhydramine, even one used on skin.  
Ask a doctor before use if you have glaucoma, a breathing problem such as emphysema or chronic bronchitis, trouble urinating due to an enlarged gland. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

**When using this product:** marked drowsiness may occur - avoid alcoholic drinks; alcohol, sedatives and tranquilizers may increase drowsiness; be careful when driving a motor vehicle or operating machinery; excitability may occur, especially in children.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center.

**Directions:** take every 4 to 6 hours; do not take more than 6 doses in 24 hours.

adults and children 12 years of age and older	1 to 2 tablets
children 6 years to under 12 years of age	1 tablet
children under 6 years of age	do not use this product in children under 6 years of age

**Other information:** store at controlled room temperature at 20°-25° C (68°-77° F); each tablet contains: Calcium 20mg.

**Inactive ingredients:** Canamex wax, colloidal silicon dioxide, croscarmellose sodium, FD&C red #72 lake, disodium phosphate, hydroxypropylmethyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, stearic acid, titanium dioxide.

# BENALDRYL

diphenhydramine hcl tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42787-104
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg in 250 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	pink (pink)	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	C22
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42787-104-30	1 in 1 CARTON		
1		1250 mg in 1 BOTTLE, PLASTIC		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/01/2012	

**Labeler** - AJES PHARMACEUTICALS,LLC (159945393)

**Establishment**

Name	Address	ID/FEI	Business Operations
AJES PHARMACEUTICALS,LLC		159945393	manufacture(42787-104) , repack(42787-104) , relabel(42787-104)

Revised: 10/2012

AJES PHARMACEUTICALS,LLC