

**ARTISTRY EXACT FIT LONGWEARING FOUNDATION SHADE NATURAL L2N2-
titanium dioxide cream
Amway Corp**

Artistry Exact Fit™ Longwearing Foundation Shade Natural - L2N2

Drug Facts

Active Ingredients

Titanium Dioxide 4.025% (W/W P/P)

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only

Do not use

on broken or damaged skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. **Sun Protection Measures.**
- To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or

higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

WATER/AQUA/EAU, CYCLOPENTASILOXANE, TRIMETHYLSILOXYSILICATE, GLYCERIN, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRIMETHYLSILOXYPHENYL DIMETHICONE, TALC, SILICA, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, POLYSILICONE-11, PHENOXYETHANOL, DISTEARDIMONIUM HECTORITE, ALUMINA, POLYSORBATE-20, SODIUM CHLORIDE, SODIUM CITRATE, STEAROYL GLUTAMIC ACID, TRIETHOXYCAPRYLYLSILANE, METHYLPARABEN, DISODIUM EDTA, TOCOPHERYL ACETATE, PROPYLPARABEN, ETHYLPARABEN, IODOPROPYNYL BUTYLCARBAMATE, PEARL POWDER, LAURETH-12, LECITHIN, CERAMIDE NP, BETA-SITOSTEROL, SODIUM HYALURONATE, GLUCOSAMINE HCL, UREA, YEAST EXTRACT, ALGAE EXTRACT, TOCOPHEROL CITRIC ACID, SODIUM HYDROXIDE MAY CONTAIN / PEUT CONTIENIR: IRON OXIDES (CI 77491, 77492, 77499), BISMUTH OXYCHLORIDE (CI 77163), TITANIUM DIOXIDE (CI 77891).

Package Labeling:

Inactive ingredients/Ingrédients inactifs/ Ingredientes inactivos: WATER/AQUA/EAU, CYCLOPENTASILOXANE, TRIMETHYLSILOXYLICATE, GLYCERIN, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRIMETHYLSILOXYPHENYL DIMETHICONE, TALC, SILICA, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, POLYSILOXANE-11, PHENOXYETHANOL, DISTEARDIMONIUM HECTORITE, ALUMINA, POLYSORBATE-20, SODIUM CHLORIDE, SODIUM CITRATE, STEAROYL GLUTAMIC ACID, TRIETHOXYCAPRYLYLSILANE, METHYL PARABEN, DISODIUM EDTA, TOCOPHERYL ACETATE, PROPYL PARABEN, ETHYL PARABEN, IODOPROPYNYL BUTYL CARBAMATE, PEARL POWDER, LAURETH-12, LECITHIN, CERAMIDE NP, BETA-SITOSTEROL, SODIUM HYALURONATE, GLUCOSAMINE HCL, UREA, YEAST EXTRACT ALGAE EXTRACT, TOCOPHEROL CITRIC ACID, SODIUM HYDROXIDE. MAY CONTAIN / PEUT CONTENIR: IRON OXIDES (CI 77491, 77492, 77499), BISMUTH OXYCHLORIDE (CI 77163), TITANIUM DIOXIDE (CI 77891).



**ARTISTRY
EXACT FIT**



No Print
Area

Longwearing Foundation
SPF 15 Broad Spectrum
Sunscreen Cream
*Fond de Teint
Longue Tenue*
Crème solaire à large
spectre SPF 15

NPN 80058607

30 mL / 1.0 FL OZ

*TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE UTILISÉE SOUS LICENCE PAR ALTICOR INC.
MADE IN U.S.A./HECHO EN E.U.A.
DIST. BY/PAR AMWAY CORP. 7575 FULTON, ADA, MI 49065 USA/C-11 • AMWAY CANADA CORPORATION, LONDON, ON N6Y 5V6 • MP, VO DIST. POR. AMWAY DOMINICAN REPUBLIC LLC • AMWAY SOUTH AFRICA (PTY) LTD., 12 FRESHLAND DRIVE, LONGMEADOW BUSINESS ESTATE, JOHANNESBURG, 1601, TEL 021 486 7177
FABRICADO EN E.U.A. POR ACCESS BUSINESS GROUP LLC, 7575 FULTON STREET EAST, ADA, MI 49065 1039413



ARTISTRY EXACT FIT™
Base de Longue Duración
Crema de Protección Solar con FPS 15 de Amplio Espectro
24-HOUR LONG-WEARING MAKEUP IS COMFORTABLE AND LOOKS NATURAL THROUGH HEAT AND HUMIDITY / LE MAQUILLAGE LONGUE TENUE 24 H RESTE CONFORTABLE ET NATUREL, MÊME EN CAS DE CHALEUR ET D'HUMIDITÉ / MAQUILLAJE PARA 24 HORAS DE USO ES CÓMODO Y DA UNA APARIENCIA NATURAL AUN EN CALOR Y HUMEDAD.

Drug Facts/Faits sur le produit/Datos sobre el producto

| | |
|--|-----------------------------------|
| Active Ingredients/Ingrédients Actifs/Ingrediente Activo | Purpose/Objectif/Propósito |
| Titanium Dioxide 4.025% (N/N P/P) Sunscreen/ Ecran solaire/Protector Solar | |

Uses/Utilisations/Usos
■ Helps prevent sunburn/Aide à prévenir les coups de soleil/Ayuda a prevenir las quemaduras de sol

Warnings/Avertissements/Precauciones
For external use only/Usage externe seulement/Para uso externo solamente
Do not use on broken or damaged skin/Ne pas utiliser sur une peau éraflée ou abîmée/No aplicar sobre piel lacerada o con daños

When using this product keep out of eyes. Rinse with water to remove./En utilisant ce produit, le tenir à l'écart des yeux. Rincer avec de l'eau pour l'enlever./Al usar este producto, evite el contacto con los ojos. Enjuague con agua para remover.

Stop use and ask a doctor if rash occurs/Cesser l'utilisation et consulter un médecin en cas d'irritation./Deje de usar y consulte con un médico si ocurre irritación

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away./Tenir hors de la portée des enfants. En cas d'ingestion du produit, obtenir immédiatement un avis médical ou contacter un centre anti-poison./Mantener fuera del alcance de los niños. Si se ingiere el producto, debe obtener ayuda médica o comunicarse con un Centro de Control de Envenenamientos de inmediato.

Drug Facts (continued)/Faits sur le produit (continué)/Datos del Producto (continuación)

Directions/Mode d'emploi/Instrucciones

For sunscreen use/Pour une utilisation comme écran solaire/Usó del protector solar
■ Apply liberally 15 minutes before sun exposure/ Appliquer généreusement 15 minutes avant de s'exposer au soleil/Aplicar abundantemente 15 minutos antes de exponerse al sol
■ Use a water resistant sunscreen if swimming or sweating or washing/Utiliser un écran solaire résistant à l'eau pour nager ou si vous transpirez ou vous lavez/Use un filtro solar resistente al agua si va a nadar o sudar
■ Reapply at least every 2 hours/Réappliquer au moins toutes les 2 heures/Vuelva a aplicar cada dos horas
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses/Mesures de protection solaire. Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement prématuré de la peau. Pour diminuer ce risque, utiliser régulièrement un écran solaire avec un FPS de 15 ou plus à large spectre et d'autres mesures de protection solaire, notamment: • limiter le temps passé au soleil, en particulier entre 10 h 00 et 14 h 00 • porter une chemise à manches longues, un pantalon, un chapeau et des lunettes de soleil./Medidas de Protección Solar. Exponerse por periodos largos al sol aumenta su riesgo de cáncer en la piel y envejecimiento prematuro de la piel. Para reducir el riesgo, debe usar filtro solar de amplia gama con FPS 15 o más regularmente y otras medidas de protección contra el sol, incluyendo:
■ limite el tiempo expuesto al sol, especialmente entre las 10 a.m. – 2 p.m. ■ use camisas de manga larga, pantalones, sombreros y lentes de sol
■ Children under 6 months: ask a doctor/enfants de moins de 6 mois: consulter un médecin/ Menores de 6 meses: consultar con un médico

Other Information/Autre information/ Otra Información

■ Protect this product from excessive heat and direct sun/ Protéger ce produit de la chaleur excessive et d'une exposition directe au soleil/Proteja este producto de calor excesivo y exposición directa al sol



1039413



ARTISTRY EXACT FIT LONGWEARING FOUNDATION SHADE NATURAL L2N2
titanium dioxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50390-213 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|------------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 40.25 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA) | |
| TALC (UNII: 7SEV7J4R1U) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| STEAROYL GLUTAMIC ACID (UNII: 4R4O71786G) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| ETHYLPARABEN (UNII: 14255EXE39) | |
| IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB) | |
| PEARL (HYRIOPSIS CUMINGII) (UNII: A75L5FZ40U) | |
| LAURETH-12 (UNII: OAH19558U1) | |
| CERAMIDE NP (UNII: 4370DF050B) | |
| .BETA.-SITOSTEROL (UNII: S347WMO6M4) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY) | |
| UREA (UNII: 8W8T17847W) | |
| YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:50390-213-30 | 1 in 1 CARTON | 05/01/2015 | |
| 1 | | 30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/01/2015 | |

Labeler - Amway Corp (083416854)

Revised: 10/2023

Amway Corp