

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated**  
**L.N.K. International, Inc.**

-----  
**Allergy Relief**

***Active ingredient (in each tablet)***

Diphenhydramine HCl 25 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- **each tablet contains:** calcium 30 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

NDC 50844-329-07

**QUALITY  
+ PLUS**

\*Compare to active ingredient in Benadryl® Allergy ULTRATAB® Tablets

**ALLERGY  
RELIEF**

Diphenhydramine HCl 25 mg  
ANTI-HISTAMINE

Allergy Relief for:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat

**36 Minitabs**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson  
& Johnson Corporation, owner of the registered trademark  
Benadryl® Allergy ULTRATAB® Tablets.

50844            REV0721G32907

Distributed by

**LNK INTERNATIONAL, INC.**

60 Arkay Drive

Hauppauge, NY 11788

USA

**Drug Facts**

**Active ingredient**  
(in each tablet)  
Diphenhydramine HCl 25 mg. . . . . Antihistamine

**Purpose**

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

- Do not use
  - to make a child sleepy
  - with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have**
  - a breathing problem such as emphysema or chronic bronchitis
  - glaucoma
  - difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours
- adults and children 12 years and over: 1 to 2 tablets
- children 6 to under 12 years: 1 tablet
- children under 6 years: do not use

**Other information**

- each tablet contains: calcium 30 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- protect from moisture
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**  
1-800-426-9391

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

QUALITY PLUS ALLERGY RELIEF

Diphenhydramine HCl 25 mg

36 Minitabs ANTIHISTAMINE

B-1603-329-07-R  
REV0721G32907

QUALITY PLUS

NDC 50844-329-07

\*Compare to active ingredient in Benadryl® Allergy-ULTRATAB® Tablets

ALLERGY RELIEF

Diphenhydramine HCl 25 mg

ANTIHISTAMINE

Allergy Relief for:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat



36 Minitabs


ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Distributed by  
LNK INTERNATIONAL, INC.  
60 Arkay Drive  
Hauppauge, NY 11788  
USA

No Print Area Lot no. & Exp. date

QUALITY PLUS ALLERGY RELIEF  
Diphenhydramine HCl 25 mg  
ANTIHISTAMINE  
36 Minitabs



**Quality Plus 44-329**

**ALLERGY RELIEF**

diphenhydramine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50844-329
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	44;329
<b>Contains</b>			

**Packaging**

		<b>Marketing Start</b>	<b>Marketing End</b>
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-329-02	1 in 1 CARTON	03/02/1990	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50844-329-08	2 in 1 CARTON	03/02/1990	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:50844-329-07	3 in 1 CARTON	03/02/1990	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:50844-329-22	4 in 1 CARTON	03/02/1990	
4		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:50844-329-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
6	NDC:50844-329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
7	NDC:50844-329-82	1 in 1 CARTON	03/02/1990	
7		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
8	NDC:50844-329-78	600 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/02/1990	

**Labeler** - L.N.K. International, Inc. (038154464)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(50844-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-329) , pack(50844-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-329)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		868734088	manufacture(50844-329)
-------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-329)

Revised: 5/2024

L.N.K. International, Inc.