API SUPER ICK CURE- nitrofurazone powder MARS FISHCARE NORTH AMERICA, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Label

Active Ingredients: 7.2 mg Malachite Green and 120 mg Nitrofurazone per teaspoon.

Directions for Use:

For best results, remove activated carbon or filter cartridge from filter and continue aeration.

For each 20 gallons (75 L) of water add 1 scoop (1 tsp.). For larger systems, for each 240 gallons (908 L) of water add 12 scoops (4 Tbsp.), or for each 960 gallons (3,634L) of water add one cup. Repeat dose after 48 hours. Wait another 48 hours then change 25% of the aquarium water and add API BIO-CHEM ZORB, fresh activated carbon or replace filter cartridge. Caution: Some scaleless fish are sensitive to this medication; therefore, treat at half the normal dose.

Diagnostic Chart

Ich: Ich is a protozoan parasite capable of infecting all aquarium fish. The disease is highly contagious and will spread to all fish in the aquarium. In early stages of infection, no white spots are seen, but symptoms may include darting in the aquarium and scratching against the gravel and ornaments. Labored breathing and lingering at the water's surface may also be observed.

Treatment Tips

Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Ich parasites can be spread to other aquariums by nets, algae scrapers and wet hands.

The lifecycle of the Ich parasite speeds up as the water temperature rises. So raising the water temperature to 82 F (28 C) may improve results.

To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).

KEEP OUT OF THE REACH OF CHILDREN.

For aquarium use only.

Not for human consumption or for the treatment of fish intended for human consumption.

Avoid contact with skin and eyes.

May cause irritation.

! WARNING:

This product can expose you to chemicals including Nitrofurazone, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

HUMAN WARNING:

Carcinogenesis:

Nitrofurazone, an active ingredient in Super Ick Cure, has been shown to produce mammary tumors on rats and ovarian tumors on mice.

Some people may be hypersensitive to this product.

Either wear gloves when dosing or wash hands afterwards.

NOTE: This medication will discolor water and may stain aquarium sealant and ornaments. Use API BIO-CHEM ZORB or activated carbon 48 hours after final treatment to remove color from water.

API

SUPER ICK CURE

TREATS ICH (WHITE SPOT) DISEASE

Disrupts the lifecycle of the Ich parasite

Combats secondary bacterial infections

Ich

Ich Parasite (Magnified 100X)

GUIDE

Fish Problem

Solving

850 g

Treats 3,270 U.S. gallons (12,375 L) of fresh or salt water



Ich: Ich is a protozoan parasite capable of infecting all aquarium fish. The disease is highly contagious and will spread to all fish in the aquarium. In early stages of infection, no white spots are seen, but symptoms may include darling in the aquarium and scratching against the gravel and ornaments. Labored breathing and lingering at the water's surface may also be observed.

- Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Ich parasites can be spread to other aquariums by nets, algae scrapers and wet hands.
- The lifecycle of the Ich parasite speeds up as the water temperature rises. So raising the water temperature to 82°F (28°C) may improve results.
- To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API® AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).



SUPER ICK CURE

TREATS ICH (WHITE SPOT) DISEASE

· Disrupts the lifecycle of the Ich parasite · Combats secondary bacterial infections





Ich Parasite (Magnified 100X)

850 g reats 3,270 U.S. gallons (12,375 L) of fresh or salt water

Directions for Use: For best results, remove activated carbon or filter Directions for Use: For best results, remove activated carbon or filter and continue aeration. For each 20 gallons (75 L) of water add 1 scoop (1 tsp.). For larger systems, for each 240 gallons (708 L) of water add 12 scoops (4 Tbsp.). For larger systems, for each 240 gallons (3,634L) of water add one cup. Repeat dose after 48 hous. Wail another 48 hours then change 25% of the aquarium water and add APIB BIO-CHEM ZORBB, fresh activated carbon or replace filter cartifage, Caution: Some scaletes fish are sensitive to this medication; therefore, treat at half the normal dose.

Active Ingredients: 7.2 mg Malachite Green and 120 mg Nitrofurazone per

KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human consumption. Avoid contact with skin and eyes, May cause irritation.

WARNING: This product can expose you to chemicals including Nitrofurazone, which is known to the State of Colifornia to cause cancer. For more information go to www.P65Warnings.ca.gov. HUMAN WARNING: Carcinogenesis: Nitrofurazone, an active ingredient in SUPER ICK CURE, has been shown to produce mammary tumors on rats and ovarian tumors on mice. Some people may be hypersensitive to this product. Either wear gloves when dosing or wash hands afterwards.

NOTE: This medication will discolor water and may stain aquarium sealant and ornaments. Use APIB BIO-CHEM ZORB® or activated carbon 48 hours after final treatment to remove color from water.

Distributed By: Mars Fishcare North America, Inc., 50 E. Hamilton St. Chalfont, PA 18914 • Made in USA

Questions or Comments? Call us at 1-800-847-0659 or visit us at www.marsfishcare.com www.facebook.com/apifishcare



Product # 14Q



Ich: Ich is a protozoan parasite capable of infecting all aquarium fish. The disease is highly contagious and will spread to all fish in the aquarium. In early stages of infection, no white spots are seen, but symptoms may include darling in the aquarium and scratching against the gravel and ornaments. Labored breathing and lingering at the water's surface may also be observed.

Treatment Tips

- Quarantine aquarium. Remove any dead fish immediately. Do not remove or add any live fish to the infected aquarium. Ich parasites can be spread to other aquariums by nets, algae scrapers and wet hands.
- The lifecycle of the lich parasite speeds up as the water temperature rises. So raising the water temperature to 82°F (28°C) may improve results.
- To aid osmoregulation and ease stress of infected fish in freshwater aquariums, add 1 tablespoon of API® AQUARIUM SALT for each 5 gallons (19 L) of aquarium water, or 1-1/4 cup for each 100 gallons (378 L).



SUPER ICK CURE

TREATS ICH (WHITE SPOT) DISEASE

- · Disrupts the lifecycle of the Ich parasite
- · Combats secondary bacterial infections







850 g reats 3,270 U.S. gallons (12,375 L) of fresh or salt wate

Directions for Use: For best results, remove activated carbon or filter cartidge from filter and continue aeration. For each 20 gallors (75 t.) of water add 1 scoop (1 tsp.), For larger systems, for each 20 gallors (80 gallors) (80 st.) of water add 12 scoops (4 Tbsp.), or for each 960 gallors (80,834), of water add one cup. Repeat dose after 48 houst, wail another 48 hours then change 25% of the aquarium water and add APIB BIO-CHEM ZORBB, fresh activated carbon or replace filter cartifage, Caution: Some scaletes fish are sensitive to this medication; therefore, treat at half the normal dose.

Active Ingredients: 7.2 mg Malachite Green and 120 mg Nitrofurazone per

KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human KEEP OUT OF THE REACH OF CHILDREN, FOR adjourning use original human consumption or for the treatment of fish intended for consumption. Avoid contact with skin and eyes. May cause irritation.

WARNING: This product can expose you to chemicals including Nitroturazone, which is known to the State of Colifornia to cause cancer. For more information go to www.P65Warnings.ca.gov. HUMAN WARNING: Carcinogenesis: Nitroturazone, an active ingredient in SUPER ICK CURE, has been shown to produce mammary tumors on rats and ovarian tumors on mice. Some people may be hypersensitive to this product. Either wear gloves when dosing or wash hands afterwards.

NOTE: This medication will discolor water and may stain aquarium scalant and ornaments. Use APIB BIO-CHEM ZORB® or activated carbon 48 hours after final treatment to remove color from water.

Distributed By:
Mars Fishcare North America, Inc., 50 E. Hamilton St.
Chalfont, PA 18914 • Made in USA
RM002174 • CH Tademata • Men Rhore hirth America.

Questions or Comments? Call us at 1-800-847-0659 or visit us at www.marsfishcare.com www.facebook.com/apifishcare



Product # 14Q

API SUPER ICK CURE

nitrofurazone powder

Product Information

Product Type OTC ANIMAL DRUG **Item Code (Source)** NDC:17163-513

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Ingredient Name Strength Strength 120 mg NITROFURAZ ONE NITROFURAZONE (UNII: X8XI70B5Z6) (NITROFURAZONE - UNII:X8XI70B5Z6) in 5.2 q BASE ACLUTE OBERS (UNII, 10000A70DO) (MALACUTE ODERS OATION 120 ---

MALACHITE GREEN (UINII: 12058M/ORO) (MALACHITE GREEN CATION - UNII:AWT9R95TV1)					MALACHITE GREEN in 5.2 g	
Packaging						
#	Item Code	Package Description	Marketing	Start Date	Mark	eting End Date
1	NDC:17163-513-17	850 g in 1 JAR				
Marketing Information						
	Marketing Category	Application Number or Monograph Citation		Marketing Start Date		Marketing End Date
	approved drug ner			03/01/2011		

Labeler - MARS FISHCARE NORTH AMERICA, INC. (049630700)

Revised: 12/2021 MARS FISHCARE NORTH AMERICA, INC.