

GLYCERIN- glycerin suppository
Rising Pharma Holdings, Inc.

Glycerin Suppositories 2 g

Drug Facts

Active ingredient (in each suppository)

Glycerin USP, 2 grams

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product usually produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks

When using this product it may cause rectal discomfort or a burning sensation

Stop use and ask a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years of age and over : 1 suppository once daily
- children under 6 years : do not use
- insert 1 suppository well up into rectum and retain for 15 minutes
- it need not melt to produce laxative action

Other information

keep away from excessive heat.

Inactive ingredients

purified water, sodium stearate

Questions or Comments?

Call 1-844-474-7464

TAMPER EVIDENT: DO NOT USE IF SEALED WRAPPER AROUND SUPPOSITORIES IS BROKEN OR MISSING

Distributed by:

Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816

Made in India

CODE NO.: MH/DRUGS/25-KD/724

Issued: 08/2023

NDC 57237-325-52 (5 blisters of 5 suppositories)

GLYCERIN SUPPOSITORIES 2 g

LAXATIVE

For fast, gentle relief of occasional constipation

SNK

LOT: XXXXXXXX
EXP: YYYY/MM




Drug Facts Active ingredient (in each suppository) Purpose Glycerin USP, 2 grams Laxative	Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Uses ■ for relief of occasional constipation ■ this product usually produces bowel movement in 1/4 to 1 hour	Directions ■ adults and children 6 years of age and over : 1 suppository once daily ■ children under 6 years : do not use ■ insert 1 suppository well up into the rectum and retain for 15 minutes ■ it need not melt to produce laxative action
Warnings For rectal use only Do not use for longer than 1 week unless directed by a doctor Ask a doctor before use if you have ■ abdominal pain, nausea or vomiting ■ a sudden change in bowel habits lasting more than 2 weeks When using this product it may cause rectal discomfort or a burning sensation	Other information Keep away from excessive heat. Inactive ingredients purified water, sodium stearate
Stop use and ask a doctor if you have ■ rectal bleeding ■ no bowel movement after using this product These may indicate a serious condition.	Questions or Comments? Call 1-844-474-7464

Unvarnished area for 2D Code

GLYCERIN SUPPOSITORIES
2 g
LAXATIVE

TAMPER EVIDENT: DO NOT
USE IF SEALED WRAPPER
AROUND SUPPOSITORIES IS
BROKEN OR MISSING



NDC 57237-325-51 (5 suppositories in 1 blister pack)

Front Foil



**GLYCERIN
SUPPOSITORIES 2 g**

For rectal use only



NDC 57237-325-51



**GLYCERIN
SUPPOSITORIES 2 g**

For rectal use only



NDC 57237-325-51

Code No.:
MH/DRUGS/25-KD/724



**GLYCERIN
SUPPOSITORIES 2 g**


For rectal use only



NDC 57237-325-51

A
12004708

Back Foil



GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57237-325
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM STEARATE (UNII: QU7E2XA9TG)	

Product Characteristics

Color	white (clear)	Score	
Shape	BULLET	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57237-325-21	2 in 1 CARTON	08/24/2023	11/30/2026
1	NDC:57237-325-16	6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:57237-325-52	5 in 1 CARTON	08/24/2023	11/30/2026
2	NDC:57237-325-51	5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007.54	08/24/2023	11/30/2026

Labeler - Rising Pharma Holdings, Inc. (116880195)

Establishment

Name	Address	ID/FEI	Business Operations
Bliss GVS Pharma Limited		675630493	manufacture(57237-325) , analysis(57237-325) , pack(57237-325)

Revised: 9/2025

Rising Pharma Holdings, Inc.