

THERAGESIC- methyl salicylate cream
Mission Pharmacal Company

THERA-GESIC® Creme

Drug Facts

Active Ingredients

Menthol
1%
Analgesic
Methyl Salicylate
15%
Counterirritant

Purpose

Use

temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
- simple backaches
- strains
- bruises
- sprains

Warnings

For external use only. Use only as directed. Avoid contact with eyes or mucous membranes.

Do not bandage, wrap, cover, use a heating pad after, or recline upon skin treated with THERA-GESIC®.

Do not use

- immediately shower or bath
- if skin is sensitive to oil of wintergreen (methyl salicylate)
- on wounds or damaged skin

Ask a doctor before use

- for children under 2 and to 12 years of age
- if prone or sensitive to allergic reaction from aspirin or salicylate

When using this product

- discontinue use if skin irritation develops, or redness is present
- do not swallow
- do not use a heating pad after application of THERA-GESIC®

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 or more years of age. Apply thin layers of crème into and around the sore or painful area, not more than 3 to 4 times daily. The number of thin layers controls the intensity of the action of THERA-GESIC®. One thin layer provides a mild effect, two thin layers provide a strong effect and three thin layers provide a very strong effect. SEE WARNINGS. Wash hands thoroughly after application.

Other information

Showering or washing the area after application of THERA-GESIC® will leave the area fragrance-free without diminishing the therapeutic effect. Avoid contact with clothing or other surfaces. Store at 20-25°C (68-77°F).

Inactive ingredients

Questions (210) 696-8400 (M-Th 8:00-5:30 CST)

SHARE BEFORE USE: IT IS NORMAL FOR THIS PRODUCT TO GIVE THE IMPRESSION OF A LIQUID SOUND UON SHAKING. DO NOT ALLOW THERA-GESIC® TO COME IN CONTACT WITH ANY SURFACE, OTHER THAN SKIN.

Do not use this product if tube is punctured. Lot number and expiration date on end of carton.

MISSION PHARMACAL COMPANY, San Antonio, TX 78230 1355

50588 03 Rev 001090

THERA-GESIC 3-oz

DO NOT ALLOW THERA-GESIC TO COME IN CONTACT WITH ANY SURFACE, OTHER THAN SKIN. MISSION PHARMACAL COMPANY, San Antonio, TX 78230 Lot number and expiration date on end of tube. 31039F-005

MAXIMUM STRENGTH ANALGESIC

THERA-GESIC®

Provides penetrating pain relief from:

- Sore Muscles
- Arthritis
- Back Pain

DUAL-ACTION PAIN RELIEVING CREAM NET WT 3 Oz. (85g)

SHARE BEFORE USE: Product may sound like a liquid upon shaking. Do not use this product if tube is punctured. Manufactured in USA

<p>Drug Facts</p> <p>Active Ingredients Purpose Menthol 1% Analgesic Methyl Salicylate 15% Counterirritant</p> <p>Use Temporary relief of minor aches and pains of muscles and joints associated with: ▪ arthritis ▪ simple backaches ▪ strains ▪ bruises ▪ sprains</p> <p>Warnings For external use only. Use only as directed. Avoid contact with eyes or mucous membranes. Do not bandage, wrap, cover, use a heating pad after, or recline upon skin treated with THERA-GESIC. Do not use if skin is sensitive to oil of wintergreen (methyl salicylate) immediately after shower or bath or on wounds or damaged skin. Ask a doctor before use for children under 2</p>	<p>Drug Facts (continued)</p> <p>used to 12 years of age. If prone or sensitive to allergic reactions from aspirin or salicylate</p> <p>When using this product ▪ discontinue use if skin irritation develops, or redness is present. Do not swallow. Do not use a heating pad after application of THERA-GESIC. Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions Adults and children 12 or more years of age. Apply thin layers of cream into and around the sore or painful area, not more than 3 to 4</p>	<p>Drug Facts (continued)</p> <p>times daily. The number of thin layers controls the intensity of the action of THERA-GESIC. One thin layer provides a mild effect, two thin layers provide a strong effect and three thin layers provide a very strong effect. SEE WARNINGS. Wash hands thoroughly after application.</p> <p>Other information Showering or washing the area after application of THERA-GESIC will leave the area fragrance-free without diminishing the therapeutic effect. Avoid contact with clothing or other surfaces. Store at 20-25°C (68-77°F).</p> <p>Inactive Ingredients Carbopol 974, dimethylsiloxane, glycerine, methylparaben, propylparaben, sodium hydroxide, sodium lauryl sulfate, water</p> <p>To report a serious adverse event or obtain product information, call (800) 298-1087.</p>
---	--	---

THERA-GESIC 3-oz



THERAGESIC				
methyl salicylate cream				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0178-0320	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
METHYL SALICYLATE (UNII: LAV5U50Z2Y) (SALICYLIC ACID - UNII:Q4L4PZ4LPZ)	METHYL SALICYLATE	150 mg in 1 g		
MENTHOL (UNII: L7710EIP3A) (MENTHOL - UNII:L7710EIP3A)	MENTHOL	10 mg in 1 g		
Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0K0OR)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C00X)				
CARBOMER 934 (UNII: Z135WF9208)				
TROLAMINE (UNII: 903K93S3TK)				
METHYLPARABEN (UNII: A218C7H9T)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
PROPYLPARABEN (UNII: Z8IX25C1OH)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC-0178-0320-03	1 in 1 CARTON	01/01/1981	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	01/01/1981		

Labeler - Mission Pharmacal Company (008117095)

Registrant - Mission Pharmacal Company (927726893)

Establishment			
Name	Address	ID/FEI	Business Operations
Mission Pharmacal Company		927726893	manufacture(0178-0320)

Revised: 12/2025

Mission Pharmacal Company