

**NASAL DECONGESTANT MAXIMUM STRENGTH- pseudoephedrine hcl tablet,
film coated
CHAIN DRUG MARKETING ASSOCIATION INC**

Quality Choice 44-112

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

**QC®
QUALITY
CHOICE**

NDC 63868-802-48

***Compare to the
active ingredient in
SUDAFED®
SINUS CONGESTION**

Maximum Strength | Non-Drowsy

Nasal Decongestant

Pseudoephedrine HCl 30 mg

Nasal Decongestant

Sinus Pressure

Sinus Congestion

actual

size

48 Tablets (30 mg each)

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Johnson
& Johnson Corporation, owner of the registered trademark
Sudafed® Sinus Congestion. 50844 REV0619A11222

Distributed by C.D.M.A., Inc. ©

43157 W 9 Mile

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362

SATISFACTION

100% QC

GUARANTEED



Maximum Strength | Non-Drowsy
Nasal Decongestant
Pseudoephedrine HCl 30 mg

NDC 63868-802-48

***Compare to the active ingredient in SUDAFED® SINUS CONGESTION**

Maximum Strength | Non-Drowsy
Nasal Decongestant
Pseudoephedrine HCl 30 mg



Maximum Strength | Non-Drowsy
Nasal Decongestant
Pseudoephedrine HCl 30 mg

Nasal Decongestant
Sinus Pressure
Sinus Congestion



6 35515 99569 7

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print / No Varnish
Lot no. & Exp. date

B-0220-112-22-R
REV0619A11222

48 Tablets (30 mg each)



actual size

100% SATISFACTION GUARANTEED

Distributed by C.D.M.A., Inc.®
43157 W 9 Mile
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

Drug Facts (continued)

Active ingredient (in each tablet) Pseudoephedrine HCl 30 mg
Purpose Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
heart disease ■ diabetes ■ high blood pressure
difficulty in urination due to enlargement of the prostate gland
When using this product do not exceed recommended dosage.
Stop use and ask a doctor if
■ nervousness, dizziness, or sleepiness occur
■ symptoms do not improve within 7 days or occur with fever
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
adults and children
take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages
6 to 11 years
take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years
do not use

Other information
■ each tablet contains: calcium 15 mg
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, Inactin

Questions or comments? 1-800-426-9391

* This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed® Sinus Congestion. 50844 REV0619A11222

Quality Choice 44-112

NASAL DECONGESTANT MAXIMUM STRENGTH
pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-802
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;112
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-802-24	1 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63868-802-48	2 in 1 CARTON	08/25/1981	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M012	08/25/1981	
--------------------	------	------------	--

Labeler - CHAIN DRUG MARKETING ASSOCIATION INC (011920774)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(63868-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63868-802) , pack(63868-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63868-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(63868-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63868-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63868-802)

Revised: 12/2023

CHAIN DRUG MARKETING ASSOCIATION INC