# ACETAMINOPHEN 500 MG- acetaminophen tablet ASCLEMED USA INC.

-----

#### **ACETAMINOPHEN 500 MG TABLET**

#### **Drug Facts**

#### Active ingredient (in each tablet)

Acetaminophen USP, 500 mg

#### **Purpose**

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

## Warnings

**Liver warning:**This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

## Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

### Keep out of reach of children.

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

## do not take more than directed (see overdose warning)

### adults & children 12 years and over:

- take 1 tablet every 3-4 hours or 2 tablets every 6 hours while symptoms last
- do not take more than 8 tablets in 24 hours

#### children under 12 years: do not use

#### Other information

• store at 15° to 30°C (59° to 86°F)

## Inactive ingredients

povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

#### Questions or comments?

call **516-341-0666,**8:30 am - 4:30 pm ET, Monday - Friday


# TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark TYLENOL®.

## Relabeled and Repackaged by:

**Enovachem PHARMACEUTICALS** 

#### Torrance, CA 90501



Relabeled By:

The provide of the first state of th NDC: 76420-488-01 

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. SEE PACKAGE INSERT. KEEP OUT OF REACH OF CHILDREN. STORE AT 20-25C (68-77F) [SEE USP CONTROLLED ROOM TEMP].

Acetaminophen USP 500 mg NDC: 76420-488-01 Qty: 100

Acetaminophen USP 500 mg NDC: 76420-488-01 Qty: 100

Acetaminophen USP 500 mg NDC: 76420-488-01

# **ACETAMINOPHEN 500 MG**

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION, SEE PACKAGE INSERT. KEEP OUT OF REACH OF CHILDREN. STORE AT 20-25C (68-77F) (SEE USP CONTROLLED ROOM TEMP).

acetaminophen tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76420-488(NDC:69618-011)	
Route of Administration	ORAL			


Acetaminophen USP 500 mg NDC: 76420-488-90 Qty: 90

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg		

Inactive Ingredients				
Ingredient Name	Strength			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
POVIDONE (UNII: FZ989GH94E)				
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)				
STEARIC ACID (UNII: 4ELV7Z65AP)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	12mm	
Flavor		Imprint Code	AP;013	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76420- 488-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	
2	NDC:76420- 488-10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	
3	NDC:76420- 488-20	20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	
4	NDC:76420- 488-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	
5	NDC:76420- 488-60	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	
6	NDC:76420- 488-90	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2025	



## Labeler - ASCLEMED USA INC. (059888437)

Establishment				
Name	Address	ID/FEI	Business Operations	
ASCLEMED USA INC. DBA ENOVACHEM		059888437	relabel(76420-488), repack(76420-488)	

Revised: 10/2025 ASCLEMED USA INC.