


HIGH POTENCY CLASSICS FACE FINISHING AND FIRING TINTED MOISTURIZER SPF 30- titanium dioxide cream


N.V Perricone LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.



HIGH POTENCY CLASSICS
Face Finishing & Firming Tinted Moisturizer
Broad Spectrum SPF 30
 All-day hydration gives a hint of luminous tint.

TINT
TINT



Perricone MD

HIGH POTENCY CLASSICS
Face Finishing & Firming Tinted Moisturizer
Broad Spectrum SPF 30

Alpha-Lipoic Acid, Bisabolol, Mineral-Based Sunscreen

59 mL / 2 US fl. oz.

Drug Facts (continued)

Increase your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long sleeved shirts, pants, hats, and sunglasses.

Other information

- Prevent the product in this container from excessive heat and direct sun.

Inactive ingredients

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Puroylene Glycol, Ethylhexyl Methacrylate, Polysiloxane, Polyacrylate-3, Polydimethylsiloxane Dimethicone, Hydroxyethyl Acrylate/Sodium Acrylate Dimethyl Terephthalate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Dimethylsiloxane, Polydimethylsiloxane, Hydrogenated Lecithin, Isohexadecane, Bisabolol, Mica, Tetraethylsiloxane, Phenyltrimethylsiloxane, Silica Dimethyl Silylate, Polybutene-1, Polybutene-2, Caprylic/Capric Triglyceride, Sodium Benzoate, Potassium Sorbate, Fragrance/Parfum, Xanthan Gum, Hydrogenated Phosphatidylcholine, Triolein, Ascorbyl Tetraisopalmitate, Butylphenyl Methylpropylcarbamoyl Carbonyl Caprylate, Hydroxyethylcellulose, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions? 1-888-823-7837

A lightweight, fast-absorbing moisturizer with potent, pigment-filled microcapsules that release upon application for a natural-looking glow. Helps immediately hydrate & minimize the appearance of lines & wrinkles.

KEY INGREDIENTS

Alpha-Lipoic Acid (ALA): Nature's Most Powerful Antioxidant. A fatty acid found in every cell in the human body, fat- & water-soluble ALA penetrates skin's surface to help reduce the appearance of lines, wrinkles & enlarged pores over time.

Bisabolol: Skin Brightening Terpene One of the main compounds found in chamomile extract, bisabolol brightens by helping with skin's antioxidant protection. Natural & optically pure, it has been used for hundreds of years in skincare.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to help deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

APPLICATION

Apply to face in gentle circular motions in the morning. Microcapsules will slowly release their pigment as they are blended into the skin. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (4.25%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.


When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures: Spending time in the sun ▶



UPC: 651473706090

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 All-day hydration gives a hint of luminous tint.

TINT
TINT
Perricone MD

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 Alpha-Lipoic Acid, Bisabolol,
 Mineral-Based Sunscreen

59 mL / 2 US fl. oz.

A lightweight, fast-absorbing moisturizer with pearl-essence, pigment-filled microcapsules that release upon application for a natural-looking glow. Helps immediately hydrate & minimize the appearance of lines & wrinkles.

KEY INGREDIENTS

Alpha-Lipoic Acid (ALA): Nature's Most Powerful Antioxidant & fatty acid found in every cell in the human body. Fat- & water-soluble ALA penetrates skin's surface to help reduce the appearance of lines, wrinkles & enlarged pores over time.

Bisabolol: Skin Brightening Terpene One of the main compounds found in chamomile extract, bisabolol brightens by helping with skin's antioxidant protection. Natural & optically pure, it has been used for hundreds of years in skincare.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to help deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

APPLICATION

Apply to face in gentle circular motions in the morning. Microcapsules will slowly release their pigment as they are blended into the skin. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

• Protect the product in its container from excessive heat and direct sun.

Inactive ingredients

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentaerythritol, Ethylhexyl Methoxycinnamate, Polysiloxane-6, Polyglycol-3 Polydimethylsilylate, Dimethicone, Hydroxyethyl Acrylate/Sodium Acrylate Dimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Distearyl Silylphosphonate, Hydrogenated Lecithin, Saccharosuccinate, Bisabolol, Mica, Tetrahydrofurfuryl Acrylate, Phenylethylol Sulfate, Dimethyl Siloxane, Polysiloxane-7, Polysiloxane-8, Caprylic/Capric Triglyceride, Sodium Benzoate, Potassium Sorbate, Fragrance/Parfum, Xanthan Gum, Hydrogenated Phosphatidylcholine, Thioctic Acid, Absorbent, Butylphenyl Methylpropionate, Chloroform, Garamol, Hydroxyphenylsiloxane, Iron Oxide (CI 77491), CI 77492, Titanium Dioxide (CI 77891).

Questions? 1-888-823-7837

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (4.20%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.


Warnings

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- For Sunscreen Use:
 - Apply liberally 15 minutes before sun exposure.
 - Use a water-resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
- Sun Protection Message: Spending time in the sun ▶



UPC: 651473706090

© 2013 Perricone MD, LLC. All rights reserved. Perricone MD is a registered trademark of Perricone MD, LLC. All other trademarks are the property of their respective owners. Made in the USA. For more information, visit www.perricone.com. 100% Recycled Paper. Recycle.

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 All-day hydration gives a hint of luminous tint.

Perricone MD

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 Alpha-Lipoic Acid, Bisabolol,
 Mineral-Based Sunscreen

59 mL / 2 US fl. oz.

A lightweight, fast-absorbing moisturizer with pearl-essence, pigment-filled microcapsules that release upon application for a natural-looking glow. Helps immediately hydrate & minimize the appearance of lines & wrinkles.

KEY INGREDIENTS

Alpha-Lipoic Acid (ALA): Nature's Most Powerful Antioxidant & fatty acid found in every cell in the human body. Fat- & water-soluble ALA penetrates skin's surface to help reduce the appearance of lines, wrinkles & enlarged pores over time.
Bisabolol: Skin Brightening Terpene One of the main compounds found in chamomile extract, bisabolol brightens by helping with skin's antioxidant protection. Natural & optically pure, it has been used for hundreds of years in skincare.
Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to help deflect aging UVA & tanning UVB rays & can be less irritating than traditional chemical sunscreens.

APPLICATION

Apply to face in gentle circular motions in the morning. Microcapsules will slowly release their pigment as they are blended into the skin. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

• Protect the product in its container from excessive heat and direct sun.

Inactive ingredients

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentaerythritol, Ethylhexyl Methoxycinnamate, Polysiloxane-6, Polyglycol-3 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Distearyl Silyldimethylsilyloxy Dimethicone, Hydrogenated Lecithin, Saccharosuccinate, Bisabolol, Mica, Tetrahydrofurfuryl Acrylate, Phenylethylolacrylate, Ethyl Dimethyl Siloxane, Polysiloxane-7, Polysiloxane-10, Caprylic/Capric Triglyceride, Sodium Benzoate, Potassium Sorbate, Fragrance/Parfum, Xanthan Gum, Hydrogenated Phosphatidylcholine, Thiodic Acid, Absintherin, Butylphenyl Methylpropionate, Chlorhexol, Geraniol, Hyaluronic acid, Iron Oxide (CI 77491), CI 77490, Titanium Dioxide (CI 77891).

Questions? 1-888-823-7837

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (4.20%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- For Sunscreen Use:
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
 - Sun Protection Message: Spending time in the sun ▶



UPC: 651473706090

© 2013 Perricone MD, LLC. All rights reserved. Perricone MD, LLC is a registered trademark of Perricone MD, LLC. All other trademarks are the property of their respective owners. Perricone MD, LLC is not responsible for any damage or injury caused by the use of this product. See www.perricone.com for more information. Made in the USA. Perricone MD, LLC. 10000 N. Central Expressway, Suite 100, Dallas, TX 75243.

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 All-day hydration gives a hint of luminous tint.

Perricone MD

HIGH POTENCY CLASSICS
Face Finishing & Firming
Tinted Moisturizer

Broad Spectrum SPF 30
 Alpha-Lipoic Acid, Bisabolol,
 Mineral-Based Sunscreen

59 mL / 2 US fl. oz.

A lightweight, fast-absorbing moisturizer with pearl-essence, pigment-filled microcapsules that release upon application for a natural-looking glow. Helps immediately hydrate & minimize the appearance of lines & wrinkles.

KEY INGREDIENTS

Alpha-Lipoic Acid (ALA): Nature's Most Powerful Antioxidant & fatty acid found in every cell in the human body. Fat- & water-soluble ALA penetrates skin's surface to help reduce the appearance of lines, wrinkles & enlarged pores over time.
Bisabolol: Skin Brightening Terpene One of the main compounds found in chamomile extract, bisabolol brightens by helping with skin's antioxidant protection. Natural & optically pure, it has been used for hundreds of years in skincare.
Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to help deflect aging UVA & tanning UVB rays & can be less irritating than traditional chemical sunscreens.

APPLICATION

Apply to face in gentle circular motions in the morning. Microcapsules will slowly release their pigment as they are blended into the skin. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

• Protect the product in its container from excessive heat and direct sun.

Inactive ingredients

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentaerythritol, Ethylhexyl Methoxycinnamate, Polysiloxane-6, Polyglycol-3 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acrylate Dimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Distearyl Silyldimethylsilyloxy Dimethicone, Hydrogenated Lecithin, Saccharosuccinate, Bisabolol, Mica, Tetrahydrofurfuryl Acrylate, Phenylethylolacrylate, Ethyl Dimethyl Siloxane, Polysiloxane-7, Polysiloxane-10, Caprylic/Capric Triglyceride, Sodium Benzoate, Potassium Sorbate, Fragrance/Parfum, Xanthan Gum, Hydrogenated Phosphatidylcholine, Thiodic Acid, Absintherin, Butylphenyl Methylpropionate, Chloroeth, Geraniol, Hydroxyphenylacetate, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions? 1-888-823-7837

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (4.20%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if rash occurs.
- When using this product keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions


- For Sunscreen Use:
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
 - Sun Protection Message: Spending time in the sun ▶



UPC: 651473706090

© 2013 Perricone MD, LLC. All rights reserved. Perricone MD, LLC is a registered trademark of Perricone MD, LLC. All other trademarks are the property of their respective owners. Perricone MD, LLC is not responsible for any damage or injury caused by the use of this product. See www.perricone.com for more information.





HIGH POTENCY CLASSICS FACE FINISHING AND FIRMING TINTED MOISTURIZER SPF 30

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.478 g in 59 g

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)
STEARIC ACID (UNII: 4ELV7Z65AP)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
XANTHAN GUM (UNII: TTV12P4NEE)
HYDROGENATED SOYBEAN PHOSPHATIDYLCHOLINE (UNII: QHQ97HF0PY)
THIOCTIC ACID (UNII: 73Y7P0K73Y)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
MANNITOL (UNII: 3OWL53L36A)
.BETA.-BISABOLOL (UNII: LP618AV2EA)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
BENZYL ALCOHOL (UNII: LKG8494WBH)
POLYSILICONE-15 (UNII: F8DRP5BB29)
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
NIACINAMIDE (UNII: 25X51I8RD4)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-137-20	82 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/04/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	04/04/2022	

Labeler - N.V Perricone LLC (054414243)

Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc (DMI)		076693183	manufacture(45634-137)

Revised: 7/2023

N.V Perricone LLC