

WALG SUN MOISTURIZING SPF 50- avobenzone, homosalate, octisalate, octocrylene lotion
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

WALG SUN MOISTURIZING LOTION SPF50 TUBE

WALGREENS 50 HYDRATING MOISTURIZING BROAD SPECTRUM SUNSCREEN SPF 50 TUBE - Avobenzone, Homosalate, Octisalate, Octocrylene Lotion

WALGREENS 50 HYDRATING MOISTURIZING BROAD SPECTRUM SUNSCREEN SPF 50 TUBE 3 FL OZ (88mL) 41419-400-WG12 (PKTB-41419-WG01)

WALGREENS 50 HYDRATING MOISTURIZING BROAD SPECTRUM SUNSCREEN SPF 50 TUBE 8 FL OZ (236mL) 41420-400-WG12 (PKTB-41420-WG01)

DRUG FACTS

Active Ingredients

Avobenzone 3% (3g/100g)

Homosalate 10% (10g/100g)

Octisalate 4.5% (4.5g/100g)

Octocrylene 8% (8g/100g)

Purpose

Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Re-apply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain fabric

Inactive Ingredients:

Water, Glycerin, Polyglyceryl-3 Methylglucose Distearate, Cetearyl Alcohol, C28-52 Olefin/Undecylenic Acid Copolymer, Tapioca Starch, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Diisopropyl Adipate, Phenethyl Benzoate, Glyceryl Stearate, Potassium Cetyl Phosphate, PEG-100 Stearate, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice, Polymethylsilsesquioxane, Caprylyl Glycol, Dimethicone, Fragrance, Neopentyl Glycol Diheptanoate, Hydrogenated Palm Glycerides, Trisiloxane, Xanthan Gum, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Phenoxyethanol, Sodium Hydroxide, Disodium EDTA

Questions or comments?

1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2018 Walgreen Co.

41419-400-WG12 (PKTB-041419-WG01) REV-1118 ORG1118-F

41420-400-WG12 (PKTB-41420-WG01) REV-1118 ORG1118-F

Principal Display Panel

Walgreens

50

Hydrating

Broad Spectrum SPF 50

Sunscreen UVA/UVB

HYPOALLERGENIC

OXYBENZONE FREE

PARABEN FREE

Oil free

Water resistant

(80 minutes)

3 FL OZ (88 mL)/8 FL OZ (236 mL)

DRUG FACTS**Active Ingredients**Avobenzone 3%, Homosalate 10%,
Octisalate 4.5%, Octocrylene 8%**Purpose**

Sunscreen

Use • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Re-apply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

- Children under 6 months: ask a doctor

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain fabric

Inactive Ingredients: Water, Glycerin, Polyglyceryl-3 Methylglucose Distearate, Cetearyl Alcohol, C28-52 Olefin/Undecylenic Acid Copolymer, Tapioca Starch, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Diisopropyl Adipate, Phenethyl Benzoate, Glyceryl Stearate, Potassium Cetyl Phosphate, PEG-100 Stearate, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Polymethylsilsesquioxane, Caprylyl Glycol, Dimethicone, Fragrance, Neopentyl Glycol Diheptanoate, Hydrogenated Palm Glycides, Trisiloxane, Xanthan Gum, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Phenoxyethanol, Sodium Hydroxide, Disodium EDTA

Questions or comments? 1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.



41419-400-WG12 REV-1118
PKTB-41419-WG01 ORG1118-F



Walgreens

50

Hydrating

BROAD SPECTRUM SPF 50
SUNSCREEN UVA/UVB

HYPOALLERGENIC

OXYBENZONE FREE

PARABEN FREE

- Oil free
- Water resistant
(80 minutes)



3 FL OZ (88 mL)

Walgreens

DRUG FACTS

Active Ingredients	Purpose
Avobenzone 3%, Homosalate 10%, Octisalate 4.5%, Octocrylene 8%	} Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Re-apply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

• Children under 6 months: ask a doctor

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain fabric.

Inactive Ingredients: Water, Glycerin, Polyglyceryl-3 Methylglucose Distearate, Cetearyl Alcohol, C28-52 Olefin/Undecylenic Acid Copolymer, Tapioca Starch, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Diisopropyl Adipate, Phenethyl Benzoate, Glyceryl Stearate, Potassium Cetyl Phosphate, PEG-100 Stearate, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice, Polymethylsilsesquioxane, Caprylyl Glycol, Dimethicone, Fragrance, Neopentyl Glycol Diheptanoate, Hydrogenated Palm Glycides, Triisoxane, Xanthan Gum, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Phenylethanol, Sodium Hydroxide, Disodium EDTA

Questions or comments? 1-800-925-4733

50

Hydrating

BROAD SPECTRUM SPF 50
SUNSCREEN UVA/UVB

HYPOALLERGENIC

OXYBENZONE FREE

PARABEN FREE

- Oil free
- Water resistant (80 minutes)

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100% SATISFACTION GUARANTEED

walgreens.com ©2019 Walgreen Co.

IT 16M 039438 W000001-0000-0

0 49022 16523 6

8 FL OZ (236 mL)

OR01118-F
REF-1118

WALG SUN MOISTURIZING SPF 50

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8223
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	4.5 g in 100 mL
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	8 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength

ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
WATER (UNII: 059QF0K00R)
GLYCERIN (UNII: PDC6A3C0OX)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
STARCH, TAPIOCA (UNII: 24SC3U704I)
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)
PHENETHYL BENZOATE (UNII: 0C143929GK)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)
PEG-100 STEARATE (UNII: YD01N1999R)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)
TRISILOXANE (UNII: 9G1ZW13R0G)
XANTHAN GUM (UNII: TTV12P4NEE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8223-81	88 mL in 1 TUBE; Type 0: Not a Combination Product	12/07/2018	
2	NDC:0363-8223-82	236 mL in 1 TUBE; Type 0: Not a Combination Product	12/07/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/07/2018	

Labeler - Walgreen Company (008965063)

Revised: 12/2018

Walgreen Company