

**ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- If taken internally, serious gastric disturbances will result

Flammable, keep away from fire or flame

- **use only in a well-ventilated area; fumes may be toxic**

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns.

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Questions or comments?

Call toll free 1-866-4-REXALL

Principal Display Panel**70% Isopropyl Alcohol**

First Aid Antiseptic

- For treatment of minor cuts and scrapes

WARNING FLAMMABLE | keep away from heat, spark, electrical, fire or flame

Use only in a well-ventilated area; fumes can be harmful

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY: OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

Package Label

Since 1903
RexallTM

70%
Isopropyl
Alcohol

First Aid Antiseptic

• For treatment
of minor cuts
and scrapes

WARNING **FLAMMABLE**

Keep away from heat, spark, electrical, fire or flame

Use only in a well-ventilated area; fumes can be harmful

16 FL OZ (1 PT)
473 mL

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (by volume)	Purpose
Isopropyl alcohol (70% conc.)	First aid antiseptic

Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings
For external use only.
 ■ if taken internally, serious gastric disturbances will result
Flammable, keep away from fire or flame.
 ■ use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

When using this product ■ do not get into eyes
 ■ do not apply over large areas of the body
 ■ do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ if bandaged, let dry first ■ may be covered with a sterile bandage

Other information ■ store at room temperature
 ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient purified water

Visit us at: Rexall.com or call 1-866-4-REXALL
 DISTRIBUTED BY OLD EAST MAIN CO.
 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072
 Since 1903 RexallTM is a registered trademark of Rexall Sundown, Inc.

PLD-B226C LB008076

A1332

3 49580 27516 4

REXALL 70% Isopropyl Alcohol

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-275
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-275-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/30/2020	
2	NDC:55910-275-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/30/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	07/30/2020		

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 2/2025

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)