

HEMRID ANORECTAL CREAM- lidocaine cream
KK & Associates LLC

Hemrid

Benzyl Alcohol, Carbomer, Cholesterol, Hydrogenated Lecithin (Soya), Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Triethanolamine, Vitamin-E Acetate.

Lidocaine 5% W/W

Local Anesthetic

When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

apply externally to the affected area up to 6 times a day.

Children under 12 years of age: consult a doctor.

To use with finger cot. Roll one finger cot over finger. Gently squeeze cream onto finger Smooth a layer of the cream over the affected area.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

FOR EXTERNAL USE ONLY

When using this product

use only as directed.

Avoid contact with eyes.

do not exceed recommended dosage unless directed by a doctor.

do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop use and ask a doctor if
rectal bleeding occurs.

condition worsens or does not improve within 7 days.


symptoms clear up and occur again within a few days.

an allergic reaction develops to ingredients in this product.

symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.

If pregnant or breast-feeding, ask a health professional before use.

Helps relieve the pain, itching, and burning, associated with hemorrhoids and anorectal disorders.



5% LIDOCAINE

ANORECTAL CREAM

RÁPIDA FÓRMULA ALIVIADORA DE DOLOR • PREVIENE IRRITACIÓN ADICIONAL

CREMA ANORRECTAL

5% L I D O C A I N E

- Alivio de ardor, picazón e irritación
- Mayor concentración de lidocaina sin receta disponible
- Garantía de devolución de dinero de 120 días

FAST PAIN RELIEVING FORMULA • PREVENTS FURTHER IRRITATION

5% LIDOCAINE

ANORECTAL CREAM

NET WT 1 OZ (28.3 g)

- Relief from Burning, Itching, and Irritation
- Highest NonRx Lidocaine Strength Available
- 120 Day Money Back Guarantee

5% LIDOCAINE

ANORECTAL CREAM



Distributed by KKA & Associates, LLC, 10510 Marino Point Drive, Suite 603, Estero, FL 33913 hemrid.com

Questions? 1-888-935-9001

Other Information Store at controlled room temperature 68-77°F (20-25°C).

Directions • To use the finger caps: Roll one finger cap over finger. Gently squeeze cream onto finger cap. Smooth a layer of the cream over affected area. • Adults and children 12 years and older: apply externally to the affected area up to 6 times a day. • Children under 12 years of age: consult a doctor. • When applying, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.

Warnings • When using this product, if swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If swallowed, ask a health professional before use.

Storage and ask a doctor if • rectal bleeding occurs. • condition worsens or does not improve within 7 days. • allergic reaction occurs to ingredients in this product. • symptoms persist within a few days.

For external use only. • When using this product • avoid contact with eyes • do not exceed recommended dosage unless directed by a doctor.

Uses Helps relieve the pain, itching, and burning associated with hemorrhoids and other anorectal disorders.

Active Ingredient Lidocaine 5% w/w

Purpose Local anesthetic

Drug Facts

5% LIDOCAINE
ANORECTAL CREAM

Manufactured for
Hem-Rid
Hemorrhoid Pain Relief

HEMRID ANORECTAL CREAM

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82620-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 903K93S3TK)	
.ALPHA.-TOCOPHEROL CALCIUM SUCCINATE, DL- (UNII: H5A1374A6R)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82620-001-01	1 in 1 CARTON	04/04/2022	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	04/04/2022	

Labeler - KKA & Associates LLC (050979549)

Revised: 12/2025

KKA & Associates LLC