

**DAYTIME COLD AND FLU MAXIMUM STRENGTH- acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl capsule, liquid filled Walgreens**

-----  
**625T WALGREENS 0363-0109 DAYTIME SEVERE COLD & FLU 24 ct**

***Drug Facts***

***Active ingredients (in each softgel)***

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/Fever reducer

Cough suppressant

Expectorant

Nasal decongestant

***Uses***

temporarily relieves common cold/flu symptoms:

- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- minor aches & pains
- headache
- fever
- sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product **t**

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**When using this product, do not use more than directed.**

### **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed
- do not exceed 8 softgels per 24 hours

---

adults & children 12 years & over  
children 4 to under 12 years

2 softgels with water every 4 hours  
ask a doctor

children under 4 years

do not use

- When using other Nighttime or Daytime products, carefully read each label to ensure correct dosing.

### Other information

- do not exceed 25°C

**Inactive ingredients** FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

### Questions or Comments?

Call 1-877-290-4008

## PRINCIPAL DISPLAY PANEL

**Drug Facts**

**Active ingredients (in each softgel)**

Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan Hbr 10 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Varnish Omit Area

**Drug Facts (continued)**

**Uses** temporarily relieves common cold/flu symptoms:

- nasal congestion    ■ sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- minor aches & pains    ■ headache    ■ fever
- sore throat    ■ reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ Skin reddening

- Blisters    ■ Rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease    ■ heart disease    ■ high blood pressure
- thyroid disease    ■ diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)

**Drug Facts (continued)**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- do not exceed 8 softgels per 24 hours

adults & children 12 years & over	2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

■ When using other Nighttime or Daytime products, carefully read each label to ensure correct dosing.

**Other information** ■ do not exceed 25°C

**Inactive ingredients**  
FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

**Questions or Comments?**  
Call 1-877-290-4008

**THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER-EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.**

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

<sup>††</sup>This product is not manufactured or distributed by the Procter & Gamble Company, owner of the registered trademarks Vicks<sup>®</sup> and DayQuil<sup>®</sup>.

625T 0422

NDC 0363-0109-24

**Walgreens**

Compare to the active ingredients in Vicks<sup>®</sup> DayQuil<sup>®</sup> Severe Cold & Flu<sup>††</sup>

**DAYTIME**

# Severe Cold & Flu

**ACETAMINOPHEN 325 mg / PAIN RELIEVER / FEVER REDUCER**  
**DEXTROMETHORPHAN HBr 10 mg / COUGH SUPPRESSANT**  
**GUAIFENESIN 200 mg / EXPECTORANT**  
**PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT**

**Maximum Strength**

- Relieves headache, fever, sore throat, minor aches & pains, cough, chest congestion, thins & loosens mucus, nasal congestion & sinus pressure

24

SOFTGELS

ACTUAL SIZE

Lot #: \_\_\_\_\_

Exp. Date: \_\_\_\_\_

Print/Varnish Omit Area

Varnish Omit Area

## DAYTIME COLD AND FLU MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0109
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL (OBLONG)	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	73
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0109-24	2 in 1 CARTON	06/23/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M012	06/23/2022	
--------------------	------	------------	--

**Labeler** - Walgreens (008965063)

**Registrant** - TIME CAP LABORATORIES INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(0363-0109)

Revised: 1/2023

Walgreens