

**SARCOLACTICUM ACIDUM- lactic acid, l- pellet
Boiron**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

SARCOLACTICUM ACIDUM 3C MD

Active ingredient (in each pellet)**

Sarcolacticum acidum 3C HPUS (0.44 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Sarcolacticum acidum 3C HPUS (0.44 mg).....Relieves minor pain and stiffness from muscular overexertion

Uses*

temporarily relieves symptoms from muscular overexertion such as:

- minor pain ■ soreness ■ stiffness ■ muscle fatigue

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Adults and children 12 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Children under 12 years of age: Ask a doctor.

lactose, sucrose

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

do not use if glued carton end flaps are open or if pellet dispenser seal is broken

contains 0.25 g of sugar per dose

retain carton for full drug facts

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

SPORTS PAIN RELIEF*

Muscle Pain ■ Stiffness

Soreness ■ Muscle Fatigue*

3 TUBES

APPROX. 80 PELLETS EACH

TOTAL 240 PELLETS

1 TUBE

APPROX. 80 PELLETS

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Sarcolacticum acidum

3c

Relieves pain and stiffness from muscular overexertion*

BOIRON®

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-4474-41

Do not use if pellet dispenser seal is broken

	LOT	EXP
	3 06964	4 47441

Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

Sarcolacticum acidum 3c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?



Sarcolacticum acidum

3c

NDC 0220-4474-41



Relieves pain and stiffness from muscular
overexertion*



Lot:

Exp:

3 06964 47441 4

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Sarcolacticum acidum 3c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



SARCOLACTICUM ACIDUM

lactic acid, l- pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-4474
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	3 [hp_C] in 3 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-4474-41	3 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	04/07/2022	
2	NDC:0220-4474-43	3 in 1 CARTON	02/01/2026	
2	NDC:0220-4474-41	3 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/07/2022	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-4474)

Revised: 4/2026

Boiron