

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHANTILLY 130-F- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 VAINILLA 140-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AVENA 170-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 MIEL 200-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AZUCAR BLANCA 110-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 TOFFEE 240-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 ALMENDRA 230-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 NUEZ 180-F- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CARAMELO 210-F- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 DULCE DE LECHE 260-N- octinoxate, zinc oxide emulsion
BEL STAR S A

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20

Drug Facts

Active Ingredients

Octinoxate 4.00%

Zinc Oxide 2.40%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:

water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycaprylylsilane.

Company Information

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

Made in Colombia.

www.cyzone.com

AZUCAR BLANCA 110-C

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede enrojecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes Inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilyloxyethyl dimethylhexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, hd/trimethylcl hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysiloxane-11, sodium chloride, phenoxethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isosaisarate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chloptenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurth-12, benzyl alcohol, Inrealol, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : AZÚCAR BLANCA 110-C

CYZONE¹¹

STUDIO LOOK



BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g



CHANTILLY 130-F



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilylsilicate, hdhtrimethyl hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: CHANTILLY
130-F

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts (continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, inabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

VAINILLA 140-C

cyzone[®]

STUDIO LOOK

BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.25 oz. | 30g



Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

- Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede enrojecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ **Use un protector solar resistente al agua** si usted nada o suda. ■ Niños menores a 6 meses de edad. Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, n-dimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : VAINILLA 140-C



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilyloxyoctyltrimethylhexylsiloxane crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethylsilylate.

CYZONE[®]

Studio LOOK



TONE: VAINILLA
140-C

BASE DE ALTA COBERTURA
Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30g

Drug Facts
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vinyl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

AVENA 170-N



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilylsilicate, hdhtrimethyl hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: AVENA
170-N

BASE DE ALTA COBERTURA
Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

NUEZ 180-F

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero no previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede enrojecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, pag-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hydroxymethyl hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium Hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linakol, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : NUEZ 180-F

cyzone[®]

STUDIO LOOK

BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g





La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilyloxyoctyltrimethylhexylsiloxane crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethylsilylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: NUEZ
180-F

BASE DE ALTA COBERTURA
Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts
(continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

MIEL 200-C

CYZONE[®]

STUDIOLOOK

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4,00 %	Protector solar
ZINC OXIDE 2,40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ Cuando use este producto mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor si sucede enrojecimiento.** ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilylsilicate, di(trimethyl) hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysiloxane-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/11 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrances, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.



BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : MIEL 200-C



CARAMELO 210-F

cyzone[®]

STUDIO LOOK

BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ Alerta de Cáncer en la piel / envejecimiento de la piel: Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ Cuando use este producto mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede envejecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, inditrimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl dimethyl, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.



PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : CARAMELO 210-F



ALMENDRA 230-N



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilylsilicate, hdhtrimethyl hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: ALMENDRA 230-N

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30g

Drug Facts (continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vinyl dimethicone copolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

TOFFEE 240-C

cyzone[®]

Studio LOOK

La **base** Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses

- Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hydroxymethyl hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silate.



CONTENIDO DEL PRODUCTO

TONE: TOFFEE
240-C

BASE DE ALTA COBERTURA
Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz | 30 g

Drug Facts
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hexafluorophosphate, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorophenesisin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linoleol, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

DULCE DE LECHE 260-N



CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHANTILLY 130-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-024
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
PHENOXYETHANOL (UNII: HIE492Z33T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-024-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 VAINILLA 140-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	

FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-025-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	08/18/2024

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AVENA 170-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-026
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-026-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA

DURACION FPS 20 MIEL 200-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-028
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	

PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-028-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	08/21/2025

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AZUCAR BLANCA 110-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-023-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	10/01/2025

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 TOFFEE 240-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-031-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 ALMENDRA 230-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-030
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

DIMETHICONE (UNII: 92RU3N3Y1O)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-030-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 NUEZ 180-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	

FERROSFERRIC OXIDE (UNII: XM0M87F357)

GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-027-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	08/17/2025

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CAMELO 210-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-029
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-029-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	12/04/2024

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 DULCE DE LECHE 260-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-032-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

Labeler - BEL STAR S A (880160197)

Revised: 12/2024

BEL STAR S A