FOSTER AND THRIVE CHILDRENS ALLERGY RELIEF- cetirizine hcl solution Strategic Sourcing Services LLC

McKesson Children's Allergy Relief Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- · alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20°-25°C (68°-77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial bubble gum flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

Package/Label Principal Display Panel

COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT

Foster & Thrive[™]

Children's Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL ANTIHISTAMINE

Indoor & Outdoor Allergies

24 hour relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose


Dye-Free | Sugar Free

2 Yrs & Older

BUBBLE GUM FLAVOR

DOSING CUP INCLUDED

4 FL OZ (120 mL)





Children's

Allergy

Cetirizine Hydrochloride Oral Solution, 1 mg/mL ANTIHISTAMINE

COMPARE TO CHILDREN'S, ZYRTEC® ACTIVE INGREDIENT



COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT*

Foster & Thrive™

Children's

Cetirizine Hydrochloride Oral Solution, 1 mg/mL

ANTIHISTAMINE Indoor & Outdoor Allergies

24 hour relief of:

Runny Nose
 Itchy, Watery Eyes - Itchy Throat or Nose

Dye-Free | Sugar-Free

2 Yrs & Older

BUBBLE GUM FLAVOR DOSING CUP INCLUDED

4 FLOZ (120 mL)



Children's

Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL ANTIHISTAMINE

Drug	Facts

Purpose Active ingredient (in each 5 mL) Cetirizine HCl 5 mg....

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose seezing

- itchy, watery eyes
 itching of the nose or throat

Warnings

Varianty S Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
 avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

us product occurs, seak inedical neily right away. If pregnant or breast-feeding; not recommended If it presst-feeding; not recommended If it pregnant: ask a health professional before use. Keep out of reach of children. In case of overdos get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- use only with enclosed dosing cup
 find right dose on chart below
- mL=

I mL = milliliter		
adults and children 6 years and over	5 mL or 10 depending symptoms	

10 mL once daily ng upon severity of ns; do not take more than 10 mL in 24 hours. 5 mL once daily; do not take more than 5 mL in 24 hours.

adults 65 years and over 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. children 2 to under

children under ask a doctor 2 years of age consumers with liver or kidney disease ask a doctor

- Other information

 store between 20° to 25°C (68° to 77°F)

 do not use if carton is opened, or if printed neckband is broken or missing

 see bottom panel for lot number and expiration date

Inactive ingredients
anhydrous citric acid, artificial bubble gum flavor,
propylene glycol, purified water, sodium benzoate
sorbitol solution, sucralose

Questions or comments? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., distributor of Children's Zyrtec®.

Do not use if carton is opened, or if printed neckband is broken or missing

Dosing cup should be washed and left to air dry after each use.

©2023 McKesson Corporation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141

Money Back Guarantee www.fosterandthrive.com

REV. 04/23

Foster & Thrive

NDC 70677-1042-1

Children's

Relief

Cetirizine Hydrochloride Oral Solution 1 mg/mL ANTIHISTAMINE

Indoor & Outdoor Allergies

24 hour relief of:

• Sneezing

• Runny Nose

• Itchy, Watery Eyes • Itchy Throat or Nose

Dye-Free | Sugar-Free

2 Yrs & Older **BUBBLE GUM FLAVOR** DOSING CUP INCLUDED

4 FLOZ (120 mL)







18926 KM C1

FOSTER AND THRIVE CHILDRENS ALLERGY RELIEF

cetirizine hcl solution

Product Information

HUMAN OTC DRUG **Product Type ORAL Route of Administration**

Item Code (Source)

NDC:70677-1042

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZ INE HYDROCHLORIDE	5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

Product Characteristics			
Color	YELLOW (Clear to light yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70677- 1042-1	1 in 1 CARTON	09/20/2023		
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	09/20/2023	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 9/2023 Strategic Sourcing Services LLC