

**ACT TOTAL CARE ANTICAVITY FLUORIDE FRESH MINT- sodium fluoride rinse
Chattem, Inc.**

Act Total Care Anticavity Fluoride Rinse Fresh Mint

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.009% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- contains FD&C yellow no. 5 (tartrazine) as a color additive
- do not use if safety seal is broken or missing

Inactive ingredients

water, sorbitol, poloxamer 407, propylene glycol, menthol, methyl salicylate, sodium phosphate, disodium phosphate, potassium sorbate, polysorbate 20, sodium saccharin, flavor, cetylpyridinium chloride, calcium disodium EDTA, sodium benzoate, blue 1, yellow 5

Learn more at [www. ACTFLUORIDE.com](http://www.ACTFLUORIDE.com)

PRINCIPAL DISPLAY PANEL

#1 DENTIST RECOMMENDED
FLUORIDE BRAND
ACT
Anticavity
Fluoride Mouthwash
alcohol free
FRESH MINT
33.8 fl oz (1 L)

FOR **STRONGER**
HEALTHIER TEETH



#1 DENTIST RECOMMENDED
BRAND FOR STRENGTHENING ENAMEL*

ACT®



TOTAL CARE

ANTICAVITY FLUORIDE MOUTHWASH

Helps

- **PREVENT** Cavities & Tooth Decay
- **REPAIRS** Weakened Enamel
- **KILLS** Bad Breath Germs



FRESH MINT

ZERO ALCOHOL

Sodium Fluoride 0.02%
33.8 fl oz (1 L)

IMPORTANT: Read directions
for proper use.
895314





TRIPLE ACTION FORMULA
ANTICAVITY FLUORIDE MOUTHWASH
Fresh Mint | Alcohol Free

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.02% (0.009% w/v fluoride ion)	Anticavity

Use ■ aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters into cap (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- contains FD&C yellow no. 5 (tartrazine) as a color additive
- do not use if safety seal is broken or missing

Inactive ingredients

water, sorbitol, poloxamer 407, propylene glycol, menthol, methyl salicylate, sodium phosphate, disodium phosphate, potassium sorbate, polysorbate 20, sodium saccharin, flavor, cetylpyridinium chloride, calcium disodium EDTA, sodium benzoate, blue 1, yellow 5

†among mouth rinses. Bottle configuration is a trademark of Chatterm, Inc. 309-042

Learn more at www.actoralcare.com

Distributed by: Chatterm, Inc., P.O. Box 2219, Chattanooga, TN 37409 USA ©2023
U.S. Patent D591,159

Certified



397186

ACT TOTAL CARE ANTICAVITY FLUORIDE FRESH MINT

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0943
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	0.09 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)
MENTHOL (UNII: L7T10EIP3A)
METHYL SALICYLATE (UNII: LAV5U5022Y)
POLOXAMER 407 (UNII: TUF2IWW3M2)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM PHOSPHATE (UNII: SE337SVY37)
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)
SORBITOL (UNII: 506T60A25R)
WATER (UNII: 059QF0KOOR)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

Product Characteristics

Color	green	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0943-3	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/01/2012	

Labeler - Chattem, Inc. (003336013)