

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CANELA 280-F- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AZUCAR MORENO 300-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 PANELA 320-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CACAO 350-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AVELLANA 270-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHOCOTRUFAS 430-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 BOMBON 400-N- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHOCOCHIP 330-C- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 BROWNIE 380-F- octinoxate, zinc oxide emulsion
CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 ESPRESSO 450-C- octinoxate, zinc oxide emulsion
BEL STAR S A

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20

Drug Facts

Active Ingredients

Octinoxate 4.00%

Zinc Oxide 2.40%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:

water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycaprylylsilane.

Company Information

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

Made in Colombia.

www.cyzone.com

AVELLANA 270-C



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilyloxyoctyltrimethylhexylsiloxane crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethylsilylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: AVELLANA
270-C

BASE DE ALTA COBERTURA
Y LARGA DURACION FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts
(continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

CANELA 280-F



AZUCAR MORENO 300-N



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%	Sunscreen
Zinc Oxide 2.40%	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsequioxane, trimethylsilylsilicate, hdhtrimethyl hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE[®]

Studio LOOK



TONE: AZÚCAR MORENO 300-N

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30g

Drug Facts (continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

CHOCOCHIP 330-C



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilylsilicate, hdhtrimethyl hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
TONE: CHOCCHIP 330-C

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts (continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

PANELA 320-C

cyzone[®]

STUDIOLOOK

BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.25 oz. | 30g



Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero no previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar en piel dañada o lastimada.** ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor si sucede enrojecimiento.** ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isodecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdiltrimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linolol, hexyl cinnamal, Imonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : PANELA 320-C



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts	
Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsilyloxyoctyltrimethylhexylsiloxane crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethylsilylate.

CYZONE[®]

Studio LOOK



CONTENIDO DEL PRODUCTO
 TONE: PANELA
 320-C

BASE DE ALTA COBERTURA
 Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30 g

Drug Facts
(continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

CACAO 350-N

CYZONE[®]

Studio LOOK

La **base** Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses

- Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsequioxane, trimethylsilyloxyoctadecyltrimethylhexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.



CONTENIDO DEL PRODUCTO
TONE: CACAO
350-N

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt: 1.05 oz. 130g

Drug Facts (continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl ppp/ppg-10/1 dimethicone, polyglyceryl-4 sebacate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, inabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

- Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede enrojecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hd/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysiloxane-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalcol, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. www.cyzone.com

TONE : CACAO 350-N

cyzone[®]

STUDIOLOOK

BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g

BROWNIE 380-F

CYZONE[®]

Studio LOOK

La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts	
Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen
Uses	
■ Helps prevent sunburn.	
Warnings ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.	
Other information ■ Protect the product in this container from excessive heat and direct sun.	
Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsequioxane, trimethylsilylsilicate, hd/rimethyl haxylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate.	



CONTENIDO DEL PRODUCTO

BASE DE ALTA COBERTURA Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30g

■ TONE: BROWNIE 380-F

Drug Facts (continued)	
polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl pvp/ppg-10/1 dimethicone, polyglyceryl-4 sebacate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, inabiol, hexyl cinnamal, limonene. May contain titanium dioxide, iron oxides, triethoxycarbonylsilane.	
<p>PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.</p> <p>www.cyzone.com</p>	

BOMBON 400-N

Información del medicamento

Ingredientes activos	Propósito
OCTINOXATE 4.00 %	Protector solar
ZINC OXIDE 2.40 %	Protector solar

Uso

■ Ayuda a prevenir quemaduras solares.

Advertencias ■ **Alerta de Cáncer en la piel / envejecimiento de la piel:** Pasar tiempo bajo el sol incrementa el riesgo de cáncer y envejecimiento prematuro de la piel. Este producto ha demostrado que únicamente ayuda a prevenir las quemaduras solares pero **no** previene el cáncer a la piel ni el envejecimiento prematuro de la misma. ■ **Sólo para uso externo.** ■ **No usar** en piel dañada o lastimada. ■ **Cuando use este producto** mantener alejado de los ojos. Enjuagar con agua para eliminar. ■ **Detenga su uso y consulte al doctor** si sucede enrojecimiento. ■ **Mantener fuera del alcance de los niños.** Si es ingerido obtener ayuda médica o contactar al centro de Control de Envenenamiento inmediatamente.

Instrucciones ■ Aplicar generosamente y uniformemente 15 minutos antes de la exposición al sol. ■ Reaplicar por lo menos cada dos horas. ■ Use un protector solar resistente al agua si usted nada o suda. ■ Niños menores a 6 meses de edad: Consulte al médico.

Otra información ■ Proteja el producto del calor excesivo y del sol directo.

Ingredientes inactivos: Water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hydrodimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate, polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalol, hexyl cinnamal, limonene. **Puede Contener:** Titanium Dioxide, Iron Oxides, Triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
Made in Colombia.

www.cyzone.com

TONE : BOMBÓN 400-N

CYZONE[®]

STUDIOLOOK



BASE DE ALTA COBERTURA Y
LARGA DURACION FPS 20

Net Wt. 1.05 oz. | 30g



CHOCOTRUFÁ 430-N



La base Studio Look de Cyzone te ofrece alta cobertura y larga duración con acabado mate natural, emparejando el tono de tu piel al instante. Contiene protección solar FPS 20 y UVA e ingredientes de origen natural que hidratan tu piel.

Drug Facts

Active Ingredients	Purpose
Ocinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

Uses

■ Helps prevent sunburn.

Warnings ■ Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsequioxane, trimethylsilyloxyoctyltrimethylhexylsiloxane crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethylsilylate.

CYZONE[®]

Studio LOOK



TONE:
CHOCOTRUFÁ
430-N

BASE DE ALTA COBERTURA
Y LARGA DURACIÓN FPS 20

Net Wt. 1.05 oz. 30g

Drug Facts
(continued)

polypropylsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/n-vl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 acetate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laurath-12, benzyl alcohol, linabiol, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycarbonylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

ESPRESSO 450-C



CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CANELA 280-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-034
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	

HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
GLYCERIN (UNII: PDC6A3C0OX)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE (UNII: 92RU3N3Y1O)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-034-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AZUCAR MORENO 300-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-035
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

--	--

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-035-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

--	--

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 PANELA 320-C

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-036
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients		
	Ingredient Name	Strength
	HEXYL LAURATE (UNII: 4CG9F9W01Q)	
	BENZYL ALCOHOL (UNII: LKG8494WBH)	
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
	DIMETHICONE (UNII: 92RU3N3Y1O)	
	POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-036-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA

DURACION FPS 20 CACAO 350-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-138
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	

TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-138-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 AVELLANA 270-C
octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-033
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-033-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHOCOTRUFAS 430-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-141
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-141-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 BOMBON 400-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-240
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

DIMETHICONE (UNII: 92RU3N3Y1O)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-240-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 CHOCOCHIP 330-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	

CHLORPHENESIN (UNII: I670DAL4SZ)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-037-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 BROWNIE 380-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0KO0R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
LAURETH-12 (UNII: OAH19558U1)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-139-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

CYZONE STUDIO LOOK BASE DE ALTA COBERTURA Y LARGA DURACION FPS 20 ESPRESSO 450-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-242
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
LAURETH-12 (UNII: OAH19558U1)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLSILSESQUIOXANE, HYDROGEN TERMINATED (UNII: 2PDG9JR76G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-242-01	1 in 1 BOX	04/13/2022	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2022	

Labeler - BEL STAR S A (880160197)

Revised: 2/2025

BEL STAR S A