

**CYANOCOBALAMIN 3000 MCG- cyanocobalamin injection**  
**Neogen Corporation - Nandino**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Cyanocobalamin 3000 mcg**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**Indications:**

For use in managing Vitamin B12 deficiencies associated with cobalt deficiency, inadequate intake, or intestinal malabsorption in cattle, horses, sheep, swine, dogs and cats.

**DOSAGE AND ADMINISTRATION**

Inject subcutaneously or intramuscularly. Dosage may be repeated at weekly intervals if necessary. May be injected intravenously at the discretion of the veterinarian.

- Cattle and Horses.....0.4 to 0.7 mL
- Swine and Sheep.....0.2 mL
- Dogs.....0.1 to 0.2 mL
- Cats.....0.1 mL

**COMPOSITION**

**Each mL of sterile aqueous solution contains:**

- Cyanocobalamin (B<sub>12</sub>)..... 3000 mcg
- Banazol Alcohol (preservative)..... 1.0% v/v
- Sodium Citrate .....0.008% w/v
- Ammonium Sulfate..... 0.1% w/v
- Citric Acid..... 0.01% w/v
- Sodium Citrate..... 0.008% w/v

**Store at temperatures between 15° to 30°C (59° - 86°F).**

**Avoid exposure to light.**

**FOR ANIMAL USE ONLY**  
 Each mL of sterile aqueous solution contains:  
 Cyanocobalamin (B12) ..... 3000 mcg  
 Benzyl Alcohol (preservative) ..... 1.0% w/v  
 Sodium Chloride ..... 0.22% w/v  
 Ammonium Sulfate ..... 0.1% w/v  
 Citric Acid ..... 0.01% w/v  
 Sodium Citrate ..... 0.008% w/v

**Dosage and Administration:**  
 Inject subcutaneously or intramuscularly. Dosage may be repeated at weekly intervals if necessary. May be injected intravenously at the discretion of the veterinarian.

Cattle and Horses ..... 0.4 to 0.7 mL  
 Swine and Sheep ..... 0.2 mL  
 Dogs ..... 0.1 to 0.2 mL  
 Cats ..... 0.1 mL




7 26087 09087 0

**NDC: 69061-9087-5**

# Cyanocobalamin 3000 mcg

STERILE SOLUTION

**CAUTION:** Federal law restricts this drug to use by or on the order of a licensed veterinarian.



**Net Contents: 100 mL**

**KEEP OUT OF REACH OF CHILDREN**  
**Indications:**  
 For use in managing Vitamin B12 deficiencies associated with cobalt deficiency, inadequate intake, or intestinal malabsorption in cattle, horses, sheep, swine, dogs and cats.

**Store at temperatures between 15°C and 30°C (59°F - 86°F).**  
**Avoid exposure to light.**

Item No. 09067 Iss. 06-10  
 Made In U.S.A. V-0426-04

Manufactured by Spartepek Laboratories, Lenexa, KS 66215  
 for Neogen® Corporation, Lexington, KY 40511 • 858-254-1221

LOT NO.: EXP. DATE: L570-0510

**FOR ANIMAL USE ONLY**  
 Each mL of sterile aqueous solution contains:  
 Cyanocobalamin (B12) ..... 3000 mcg  
 Benzyl Alcohol (preservative) ..... 1.0% w/v  
 Sodium Chloride ..... 0.22% w/v  
 Ammonium Sulfate ..... 0.1% w/v  
 Citric Acid ..... 0.01% w/v  
 Sodium Citrate ..... 0.008% w/v

**Dosage and Administration:**  
 Inject subcutaneously or intramuscularly. Dosage may be repeated at weekly intervals if necessary. May be injected intravenously at the discretion of the veterinarian.

Cattle and Horses ..... 0.4 to 0.7 mL  
 Swine and Sheep ..... 0.2 mL  
 Dogs ..... 0.1 to 0.2 mL  
 Cats ..... 0.1 mL



7 26087 09087 0

**NDC: 69061-9087-5**

# Cyanocobalamin 3000 mcg

STERILE SOLUTION

**CAUTION:** Federal law restricts this drug to use by or on the order of a licensed veterinarian.



**Net Contents: 100 mL**

**KEEP OUT OF REACH OF CHILDREN**  
**Indications:**  
 For use in managing Vitamin B12 deficiencies associated with cobalt deficiency, inadequate intake, or intestinal malabsorption in cattle, horses, sheep, swine, dogs and cats.

**Store at temperatures between 15°C and 30°C (59°F - 86°F).**  
**Avoid exposure to light.**

Item No. 09067 Iss. 06-10  
 Made In U.S.A. V-0426-04

Manufactured by Spartepek Laboratories, Lenexa, KS 66215  
 for Neogen® Corporation, Lexington, KY 40511 • 858-254-1221

LOT NO.: EXP. DATE: L570-0510

## CYANOCOBALAMIN 3000 MCG

cyanocobalamin injection

### Product Information

**Product Type**

PRESCRIPTION ANIMAL DRUG

**Item Code (Source)**

NDC:59051-9087

**Route of Administration**

INTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	3000 ug in 1 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59051-9087-5	100 mL in 1 VIAL		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/11/2010	

**Labeler** - Neogen Corporation - Nandino (042125879)

Revised: 12/2023

Neogen Corporation - Nandino