

**AMCALCILYTE FORTE- amcalcilyte solution**  
**Vedco, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**AMCALCILYTE FORTE**

**Oral Solution**

**Calcium and Electrolytes Fortified with Dextrose and Crystalline Amino Acids**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS**

For use as a supplemental nutritive source of electrolytes, dextrose and amino acids in cattle.

**DOSAGE AND ADMINISTRATION**

Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

**Store at controlled room temperature between 15° and 30°C (59°-86°F)**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

**COMPOSITION**

Each 1000 mL of aqueous solution contains:

Dextrose • H <sub>2</sub> O .....	275.0 g
Calcium Hypophosphite .....	36.5 g
Potassium Chloride .....	15.0 g
Sodium Chloride .....	2.0 g
Potassium Phosphate, monobasic .....	0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Metionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative)0.01%

**INDICATIONS:** For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

**DOSAGE AND ADMINISTRATION:** Administer orally as a drench or by use of a stomach tube. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

Store at controlled room temperature between 15° and 30°C (59°-86°F).

A-0426-07  
VINV-AMCA-LYTE

Rev. 02-17

TAKE TIME  OBSERVE LABEL DIRECTIONS



Distributed By  
**VEDCO, INC.**  
St. Joseph, MO 64507

NDC 50989-031-17



**FOR ANIMAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN**

**COMPOSITION:** Each 1000 mL of aqueous solution contains:

Dextrose • H2O .....	275.0 g
Calcium Hypophosphite .....	36.5 g
Potassium Chloride .....	15.0 g
Sodium Chloride .....	2.0 g
Potassium Phosphate, monobasic .....	0.5 g
L-Glutamic Acid .....	560.0 mg
L-Arginine Hydrochloride .....	450.0 mg
L-Proline .....	400.0 mg
L-Lysine Hydrochloride .....	240.0 mg
L-Leucine .....	160.0 mg
L-Phenylalanine .....	110.0 mg
L-Valine .....	110.0 mg
L-Threonine .....	100.0 mg
L-Isoleucine .....	70.0 mg
L-Histidine Hydrochloride .....	40.0 mg
L-Methionine .....	40.0 mg
L-Tyrosine .....	24.0 mg

Methylparaben (preservative) 0.09%  
Propylparaben (preservative) 0.01%

Lot No.                      Exp. Date

**INDICATIONS:** For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

**DOSAGE AND ADMINISTRATION:** Administer orally as a drench or by use of a stomach tube. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

Store at controlled room temperature between 15° and 30°C (59°-86°F).

A-0426-07  
VINV-AMCA-LYTE

Rev. 02-17

TAKE TIME  OBSERVE LABEL DIRECTIONS



Distributed By  
**VEDCO, INC.**  
St. Joseph, MO 64507

NDC 50989-031-17



**FOR ANIMAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN**

**COMPOSITION:** Each 1000 mL of aqueous solution contains:

Dextrose • H2O .....	275.0 g
Calcium Hypophosphite .....	36.5 g
Potassium Chloride .....	15.0 g
Sodium Chloride .....	2.0 g
Potassium Phosphate, monobasic .....	0.5 g
L-Glutamic Acid .....	560.0 mg
L-Arginine Hydrochloride .....	450.0 mg
L-Proline .....	400.0 mg
L-Lysine Hydrochloride .....	240.0 mg
L-Leucine .....	160.0 mg
L-Phenylalanine .....	110.0 mg
L-Valine .....	110.0 mg
L-Threonine .....	100.0 mg
L-Isoleucine .....	70.0 mg
L-Histidine Hydrochloride .....	40.0 mg
L-Methionine .....	40.0 mg
L-Tyrosine .....	24.0 mg

Methylparaben (preservative) 0.09%  
Propylparaben (preservative) 0.01%

Lot No.                      Exp. Date

## AMCALCILYTE FORTE

amcalcilyte solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50989-031
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

<b>CALCIUM HYPOPHOSPHITE</b> (UNII: CUI83R2732) (PHOSPHATE ION - UNII:NK08V8K8HR)	PHOSPHORUS	36.5 g in 1000 mL
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SLOG7R0OK)	DEXTROSE MONOHYDRATE	275 g in 1000 mL
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152, CHLORIDE ION - UNII:Q32ZN48698)	POTASSIUM CHLORIDE	275 g in 1000 mL
<b>POTASSIUM PHOSPHATE, MONOBASIC</b> (UNII: 4J9FJ0HL51) (PHOSPHATE ION - UNII:NK08V8K8HR, POTASSIUM CATION - UNII:295O53K152)	POTASSIUM PHOSPHATE, MONOBASIC	2 g in 1000 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	0.5 g in 1000 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-031-17	1000 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/15/1998	

**Labeler** - Vedco, Inc. (021634266)

Revised: 6/2017

Vedco, Inc.