

CHILDRENS ALLERGY- loratadine solution
CVS Pharmacy

Children's Allergy

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **each teaspoonful contains:** sodium 5 mg

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- store between 20° and 25°C (68° and 77°F)
- see bottom panel for lot number and expiration date

Inactive ingredients

bubble gum flavor, butylated hydroxyanisole, glycerin, maltitol solution, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sucralose powder

Questions?

Call **1-866-923-4914**

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

**CVS
Health™**

Compare to the active
ingredient in Children's Claritin®†

**Indoor & Outdoor
Allergies**

NDC 69842-535-08

**Children's
Allergy
24
HOUR**

**LORATADINE
ORAL SOLUTION USP**

5 mg/5 mL

Antihistamine

Allergy

Indoor & Outdoor Allergies

Non-Drowsy*

24 hour relief of:

**Sneezing; Runny nose; Itchy,
watery eyes; Itchy throat or nose**

Sugar free

2 Years & Older

*When taken as directed.
See Drug Facts Panel.

**DYE
FREE**

Bubble Gum Flavor

Dosing Cup Enclosed

4 FL OZ (120 mL)

CVS
Health.

Indoor & Outdoor
Allergies

Children's
Allergy



LORATADINE
ORAL SOLUTION USP
5 mg/5 mL
Antihistamine
Allergy
Indoor & Outdoor Allergies

CVS
Health.

Compare to the active
ingredient in Children's Claritin®†

Indoor & Outdoor
Allergies

NDC 69842-535-08

Children's
Allergy



LORATADINE
ORAL SOLUTION USP
5 mg/5 mL
Antihistamine
Allergy
Indoor & Outdoor Allergies
Non-Drowsy*

24 hour relief of:

Sneezing; Runny nose; Itchy,
watery eyes; Itchy throat or nose
Sugar free

2 Years & Older

*When taken as directed.
See Drug Facts Panel.

**DYE
FREE**



Bubble Gum Flavor

Children's
Allergy



LORATADINE
ORAL SOLUTION USP
5 mg/5 mL
Antihistamine
Allergy

Non-Drowsy*

**Dosing Cup
Enclosed**



Dosing cup should be
washed and left to air
dry after each use.

†This product is not manufactured or
distributed by Bayer HealthCare LLC.

*When taken as directed.
See Drug Facts Panel.

Distributed by: **CVS Pharmacy, Inc.**
One CVS Drive, Woonsocket, RI 02895
© 2017 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Made in Israel V-33189

CVS Quality
Money Back Guarantee

#282490






Bubble Gum Flavor

Dosing Cup Enclosed

4 FL OZ (120 mL)



02L
21157-0917-2

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient Purpose
(in each 5 mL teaspoonful)

Loratadine 5 mg.....Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Drug Facts (continued)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers	ask a doctor

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

with liver or kidney disease

Other information

- each teaspoonful contains:
sodium 5 mg
- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- store between 20° and 25°C (68° and 77°F)
- see bottom panel for lot number and expiration date

Inactive ingredients

bubble gum flavor, butylated hydroxyanisole, glycerin, maltitol solution, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sucralose powder

Questions?

Call **1-866-923-4914**

CHILDRENS ALLERGY

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-535
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL		
Inactive Ingredients				
Ingredient Name		Strength		
butylated hydroxyanisole (UNII: REK4960K2U)				
glycerin (UNII: PDC6A3C0OX)				
sorbitol (UNII: 506T60A25R)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PHOSPHORIC ACID (UNII: E4GA8884NN)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
water (UNII: 059QF0KO0R)				
sodium benzoate (UNII: OJ245FE5EU)				
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)				
Product Characteristics				
Color	YELLOW (colorless to slightly yellow)	Score		
Shape		Size		
Flavor	BUBBLE GUM	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-535-08	1 in 1 CARTON	12/12/2016	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA201865	12/12/2016		

Labeler - CVS Pharmacy (062312574)

Revised: 10/2017

CVS Pharmacy