

SENNA SYRUP- sennosides liquid
Rising Pharma Holdings, Inc.

Senna Syrup

Active ingredient

(in each 5 mL teaspoonful)

Sennosides - 8.8 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6 to 12 hours

Warnings

Do not use laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a change in bowel habits that lasts over two weeks.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

- shake well before using
- Do not exceed recommended dose

Age	Starting Dose	Maximum Dose
adults and children 12 years and older	2 to 3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoonfuls in the morning and 3 teaspoonfuls at bedtime
Under 12 years of age	ask a doctor	ask a doctor

Other information

- store at room temperature 15° to 25° C (59° to 77° F)

TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken, or missing.

Inactive ingredients: artificial and natural chocolate flavor, methylparaben, propylene

glycol, propylparaben, purified water, sucrose.

Questions or comments?

Call 1-844-474-7464



Rising[®] HEALTH NDC 57237-301-24
Compare to the active ingredient in Senokot[®] syrup[®]

Senna Syrup

Natural Vegetable Laxative

For Gentle, Relief of Constipation

- Chocolate Flavor
- Alcohol & Dye Free
- Allergen Free

8 fl oz (237 mL)

Drug Facts		Drug Facts (Continued)								
<p>Active Ingredient (In each 5 mL teaspoonful) Sennosides 8.8 mgLaxative</p> <p>Purpose Laxative</p> <p>Uses ■ relieves occasional constipation (irregularity) ■ generally causes bowel movement in 6 to 12 hours</p> <p>Warnings Do not use laxative products for longer than 1 week unless directed by a doctor.</p> <p>Ask a doctor before use if you have ■ stomach pain, nausea or vomiting ■ noticed a change in bowel habits that lasts over two weeks.</p> <p>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These may indicate a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.</p>	<p>Directions ■ shake well before using ■ do not exceed recommended dose</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Age</th> <th>Starting Dose</th> <th>Maximum Dose</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and older</td> <td>2 to 3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor</td> <td>3 teaspoonfuls in the morning and 3 teaspoonfuls at bedtime</td> </tr> <tr> <td>Under 12 years of age</td> <td>ask a doctor</td> <td>ask a doctor</td> </tr> </tbody> </table> <p>Other Information ■ store at room temperature 15° to 25° C (59° to 77°F)</p> <p>TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken, or missing.</p> <p>Inactive Ingredients: artificial and natural chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water, sucrose</p> <p>Questions or comments? Call 1-844-474-7464</p>	Age	Starting Dose	Maximum Dose	adults and children 12 years and older	2 to 3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoonfuls in the morning and 3 teaspoonfuls at bedtime	Under 12 years of age	ask a doctor	ask a doctor
Age	Starting Dose	Maximum Dose								
adults and children 12 years and older	2 to 3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoonfuls in the morning and 3 teaspoonfuls at bedtime								
Under 12 years of age	ask a doctor	ask a doctor								

*This product is not manufactured or distributed by the owner of the registered trademark Senokot[®]

Issued: 09/22

SPOT UV

Lot/Exp Date



N 3 57237 1 30124 1

SENNA SYRUP			
sennosides liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57237-301
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.8 mg in 5 mL
Inactive Ingredients			
	Ingredient Name	Strength	
	METHYLPARABEN (UNII: A2I8C7HI9T)		
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
	PROPYLPARABEN (UNII: Z8IX2SC1OH)		
	WATER (UNII: 059QF0KO0R)		
	SUCROSE (UNII: C151H8M554)		
Product Characteristics			
Color	brown (Brown to dark brown)	Score	
Shape		Size	

Flavor	CHOCOLATE		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57237-301-24	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/27/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007.60	09/27/2022		

Labeler - Rising Pharma Holdings, Inc. (116880195)

Establishment			
Name	Address	ID/FEI	Business Operations
Invahealth Inc.		116840615	analysis(57237-301) , label(57237-301) , manufacture(57237-301) , pack(57237-301)

Revised: 10/2024

Rising Pharma Holdings, Inc.