

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - PORCELAIN- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - NUDE- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - TAN- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - GOLDEN- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - BUFF- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - IVORY- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - BEIGE- zinc
oxide liquid**

**PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - RICH- zinc
oxide liquid**

N.V Perricone LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.



BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macerals 18, LTD London, W1T 3JN UK. 657574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area

000000-000000



PPO



75%





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Dimiscostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macerals 18, LTD London, W1T 3JN UK. G57574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.


KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyoxethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexylolane Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macarthur18k LTD London, W1T 3JN UK 657574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS


Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Neuropeptides, Daisy Flower Extract, Bisabolol
e 30 mL / 1 fl oz

Expiration & Lot Code area





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Diiscostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macerals 18, LTD London, W1T 3JN UK. 657574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area

000000-000000



75%





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyoxethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(Stearyl) Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macerals 18, LTD London, W1T 3JN UK. 657574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area

000000-000000



PPO



75%





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Diiscostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macarthur18k LTD London, W1T 3JN UK 637574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS


Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Neuropeptides, Daisy Flower Extract, Bisabolol
e 30 mL / 1 fl oz

Expiration & Lot Code area





BEIGE

(Light-Medium/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tris(stearyl-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos., macarthur18k LTD London, W1T 3JN UK 657574

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.


KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area





BUFF

(Light/Warm)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanolin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexylolactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Trioleanth-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94115. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos. macys.com/146 LTP London WTT TLN US 65875

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area

0 000000000000 0





NUDE

(Light/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.
- For Sunscreen Use:
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanolin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexylolactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Trioleate-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cosmetics UK LTD London, W1T 3LN UK 651172

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.



GOLDEN

(Medium/Warm)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyllactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Tioctateareth-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Disostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos. mecatronics UK LTD London, W1T 3LN UK 651175

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy
Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.



RICH

(Deep/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.
- For Sunscreen Use:
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexylactone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Triestereth-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Disostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information
• Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cosmetics UK LTD London, W1T 3LN UK. 651177

1 888 823 7837
perriconemd.com



Perricone MD

**NO MAKEUP
Foundation
Serum**

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.



PORCELAIN

(Fair/Cool)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (*see Directions*), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexylidone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Trioleareth-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distostearate, Polyglyceryl-6 Polynicotinate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cos. Inc. Perricone MD Cos. Inc. 651170

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Untling Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

Expiration & Lot Code area



TAN

(Medium-Deep/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.
- For Sunscreen Use:**
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyladone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Trioleate-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Disostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cosmeceuticals UK LTD London, W1T 3LN UK 651176

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol

e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.



IVORY

(Fair-Light/Neutral)

Buildable, semi-matte coverage that visibly reduces dark spots & uneven skin tone over time

Drug Facts

Active Ingredient Purpose
Zinc Oxide (8.26%).....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (*see Directions*), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Apply evenly with fingertips, sponge or brush and blend in circular motions. Reapply as necessary to build desired coverage.
- For Sunscreen Use:**
 - Apply liberally 15 minutes before sun exposure.
 - Use a water resistant sunscreen if swimming or sweating.
 - Reapply at least every 2 hours.
 - Not for use on children.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Butyloctyl Salicylate, Triheptanoin, Acrylates Copolymer, Dimethicone, C13-16 Isoparaffin, Alcohol Denat., Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Isododecane, Silica, Glycerin, Bellis Perennis (Daisy) Flower Extract, HDI/Trimethylol Hexyladone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Quaternium-90 Bentonite, Sodium Chloride, Acetyl Tetrapeptide-9, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Xanthan Gum, Bisabolol, Tocopherol, Disodium EDTA, Mannitol, Disodium Phosphate, Potassium Phosphate, Triclosan-4 Phosphate, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Distostearate, Polyglyceryl-6 Polyricinoleate, Caprylyl Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Carbonate, Sorbitan Laurate, Triethoxycaprylsilane, Octyldodecanol, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Hexylene Glycol, Dipropylene Glycol, Sodium Citrate, Potassium Chloride, Phenoxyethanol, Potassium Sorbate, Phenethyl Alcohol. May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information
Protect the product in this container from excessive heat and direct sun.

Questions? 1-888-823-7837

Dist. By: NV Perricone LLC, San Francisco CA 94111. Made in USA of foreign and domestic components. Dist. By: Perricone MD Cosmetics UK LTD London, W1T 3LN UK 651171

1 888 823 7837
perriconemd.com



Perricone MD

NO MAKEUP Foundation Serum

Broad Spectrum SPF 20

Neuropeptides, Daisy Flower Extract, Bisabolol
e 30 mL / 1 fl oz

A skin-improving serum foundation that creates a semi-matte finish with buildable coverage. This lightweight, skin-softening formula visibly improves dark spots & uneven skin tone for visibly smoother, more uniform skin over time.

KEY INGREDIENTS

Neuropeptides: Uniting Surface Cells To Fight Wrinkles Powerful, protein-like building blocks offer the ultimate visible antidote to wrinkles, sagging, dullness & discoloration.

Daisy Flower Extract: Naturally Evens Skin Tone Used medicinally in ancient Egypt, daisy flower extract is a natural ingredient sourced from the head of the daisy flower that visibly reduces uneven skin tone by addressing the look of hyperpigmentation at its source.

Bisabolol: Skin Brightening Antioxidant One of the main compounds found in chamomile extract, bisabolol brightens skin by promoting its natural healing process.

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - PORCELAIN

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-729
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g
---	------------	-----------------

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: ROZB2556P8)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BELLIS PERENNIS (UNII: 2HU33I03UY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TRICETARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)	

OCTYLDODECANOL (UNII: 461N1O614Y)	
LEVOMENOL (UNII: 24WE03BX2T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)	

Product Characteristics

Color	white (Porcelain)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-729-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - NUDE

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-720
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	

SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BELLIS PERENNIS (UNII: 2HU33I03UY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8TOX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
LEVOMENOL (UNII: 24WE03BX2T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	

POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)

Product Characteristics

Color	brown (Nude)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-720-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - TAN

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-725
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BELLIS PERENNIS (UNII: 2HU33I03UY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
LEVOMENOL (UNII: 24WE03BX2T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)	

Product Characteristics

Color	brown (Tan)	Score	
Shape		Size	
Flavor		Imprint Code	

Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-725-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/13/2022		

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - GOLDEN

zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-724
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g	
Inactive Ingredients			
Ingredient Name	Strength		
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
POTASSIUM CHLORIDE (UNII: 660YQ98I10)			
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
TOCOPHEROL (UNII: R0ZB2556P8)			
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)			
FERROUS OXIDE (UNII: G7036X8B5H)			
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)			
PROPYLENE CARBONATE (UNII: 8D08K3S51E)			
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)			
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)			
MANNITOL (UNII: 3OWL53L36A)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)			

PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
ISODODECANE (UNII: A8289P68Y2)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ETHYL GLYCOLATE (UNII: C306E91WFK)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
TRHEPTANOIN (UNII: 2P6O7CFW5K)
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
DIMETHICONE (UNII: 92RU3N3Y1O)
ALCOHOL (UNII: 3K9958V90M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
BELLIS PERENNIS (UNII: 2HU33I03UY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POTASSIUM SORBATE (UNII: 1VPU26JZ4)
TRICETARETH-4 PHOSPHATE (UNII: 69534Y66NO)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
ARGAN OIL (UNII: 4V59G5UW9X)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
XANTHAN GUM (UNII: TTV12P4NEE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)
OCTYLDODECANOL (UNII: 461N1O614Y)
LEVOMENOL (UNII: 24WE03BX2T)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
DIPROPYLENE GLYCOL (UNII: E107L85C40)

Product Characteristics

Color	brown (Golden)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:45634-724-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - BUFF

zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-712
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients	
Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (50000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	

DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
DIMETHICONE (UNII: 92RU3N3Y1O)
ALCOHOL (UNII: 3K9958V90M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
BELLIS PERENNIS (UNII: 2HU33I03UY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
ARGAN OIL (UNII: 4V59G5UW9X)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
XANTHAN GUM (UNII: TTV12P4NEE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)
OCTYLDODECANOL (UNII: 461N1O614Y)
LEVOMENOL (UNII: 24WE03BX2T)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)

Product Characteristics

Color	brown (Buff)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-712-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - IVORY

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-721
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VM08OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

BELLIS PERENNIS (UNII: 2HU33I03UY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
ARGAN OIL (UNII: 4V59G5UW9X)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
XANTHAN GUM (UNII: TTV12P4NEE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)
OCTYLDODECANOL (UNII: 461N1O614Y)
LEVOMENOL (UNII: 24WE03BX2T)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)
ETHYL GLYCOLATE (UNII: C306E91WFK)

Product Characteristics

Color	white (Ivory)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-721-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - BEIGE
zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-723
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (50000 MW) (UNII: 3K8D4YRM4R)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BELLIS PERENNIS (UNII: 2HU33I03UY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)	

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
ARGAN OIL (UNII: 4V59G5UW9X)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
XANTHAN GUM (UNII: TTV12P4NEE)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)
OCTYLDODECANOL (UNII: 461N1O614Y)
LEVOMENOL (UNII: 24WE03BX2T)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)

Product Characteristics

Color	brown (Beige)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-723-31	54 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

PERRICONE MD NO MAKE UP FOUNDATION SERUM SPF 20 - RICH

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45634-726
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.478 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
LEVOMENOL (UNII: 24WE03BX2T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
POTASSIUM PHOSPHATE, DIBASIC (UNII: C171S98N1Z)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ACRYLIC ACID/2-ETHYLHEXYL ACRYLATE/STYRENE COPOLYMER (500000 MW) (UNII: 3K8D4YRM4R)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
MANNITOL (UNII: 3OWL53L36A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ACETYL TETRAPEPTIDE-9 (UNII: VMO8OOD3V0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYL GLYCOLATE (UNII: C306E91WFK)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BELLIS PERENNIS (UNII: 2HU33I03UY)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TRICETEARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ARGAN OIL (UNII: 4V59G5UW9X)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	

Product Characteristics

Color	brown (Rich)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-726-31	54 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/13/2022	

Labeler - N.V Perricone LLC (054414243)