

NADINOLA SKIN FADE FOR OILY SKIN- hydroquinone, octisalate cream
J. Strickland & Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nadinola Skin Fade Cream for Oily Skin

Active Ingredients:

Hydroquinone, 2%, Octisalate, 3%

Purpose

Skin Lightener

Sunscreen

Uses:

Gradually fades areas of skin discoloration such as

- age spots
- freckles
- liver spots
- dark areas that can occur while using oral contraceptives.

Warnings:

For External Use Only.

Do not use

- on inflamed or broken skin
- to prevent sunburn
- if product is tan or brown

When using this product

- mild irritation may occur
- avoid contact with eyes. If contact occurs, Rinse With water.
- avoid unnecessary sun exposure and use a sunscreen or protective clothing

Stop use and ask a doctor if

- a gradual blue black darkening of the skin occurs
- irritation is severe
- no improvement is seen after 3 months

If pregnant or breast-feeding

consult a health professional before use

Keep out of reach of children

Directions:


- If skin is sensitive, test on a small area inside elbow overnight before use.

- Adults and children 12 years and older, apply as a thin layer to affected area twice daily, or as directed by a doctor.
- If going outside, use a sunscreen or wear protective clothing.
- Children under 12 years of age, ask a doctor before use.

Inactive Ingredients:

water, glyceryl stearate, isopropyl myristate, PEG-8, cetyl alcohol, PEG-100 stearate, fragrance, citric acid, methylparaben, propylparaben, sodium bisulfite.

Package Labeling



NADINOLA SKIN FADE FOR OILY SKIN			
hydroquinone, octisalate cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:12022-013
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)		HYDROQUINONE	20 mg in 1 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)		OCTISALATE	30 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)			
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
CETYL ALCOHOL (UNII: 936JST6JCN)			
PEG-100 STEARATE (UNII: YD01N1999R)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
SODIUM BISULFITE (UNII: TZX5469Z6I)			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12022-013-00	1 in 1 CARTON	06/01/1983	
1		64 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part358 A	06/01/1983	

Labeler - J. Strickland & Co. (007023112)

Registrant - J. Strickland & Co. (007023112)

Establishment

Name	Address	ID/FEI	Business Operations
J. Strickland & Co.		007023112	manufacture(12022-013) , pack(12022-013) , label(12022-013)

Revised: 1/2018

J. Strickland & Co.