

**(S)UNDERCOVER SPF 50- zinc oxide lotion**  
**TUBBY TODD**

-----  
**Tubby Todd - (S)UNDERCOVER SPF-50 (73088-106)**

**ACTIVE INGREDIENTS**

Zinc Oxide 12%

**PURPOSE**

SUNSCREEN

**USES**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- Apply generously 15 minutes before sun exposure and as needed.
- Reapply
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10am-2pm
  - wear long-sleeved shirts, pants, hats, and sunglasses.

## **OTHER INFORMATION**

- PROTECT THE PRODUCT IN THIS CONTAINER FROM EXCESSIVE HEAT AND DIRECT SUN.

## **INACTIVE INGREDIENT**

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Orza Sativa (Rice) Bran Extract, Phenylpropanol, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

## **QUESTIONS**

(619) 894-6560



## (S)UNDERCOVER SPF 50

zinc oxide lotion

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:73088-106 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION       | 12 g in 100 mL |

### Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|                 |          |

|   |
|---|
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)   |
| <b>HYDROLYZED JOJOBA ESTERS</b> (UNII: UDR641JW8W)  |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)  |
| <b>TOCOPHEROL</b> (UNII: ROZB2556P8)  |
| <b>WATER</b> (UNII: 059QF0KO0R)   |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)  |
| <b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)   |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)   |
| <b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)  |
| <b>HELIANTHUS ANNUUS WHOLE</b> (UNII: 17S2Z7T6KR)   |
| <b>HYDROGENATED JOJOBA OIL/JOJOBA OIL, RANDOMIZED (IODINE VALUE 40-44)</b> (UNII: AS2SZ9757N) |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)   |
| <b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)  |
| <b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)                                |
| <b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)           |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |
| <b>ROSMARINUS OFFICINALIS WHOLE</b> (UNII: EA3289138M)  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)   |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)   |
| <b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)                                     |
| <b>NYLON-12</b> (UNII: 446U8J075B)  |
| <b>RICE BRAN</b> (UNII: R60QEP13IC)   |
| <b>BISABOLOL</b> (UNII: 24WE03BX2T)   |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)   |
| <b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)   |
| <b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)                                     |
| <b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)   |
| <b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)  |
| <b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)  |

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:73088-106-12 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | 04/14/2022           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 04/14/2022           |                    |

**Labeler** - TUBBY TODD (052545299)