

# **STOOL SOFTENER LAXATIVE PLUS STIMULANT- docusate sodium and sennosides tablet**

**Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

-----  
**Drug Facts**

## **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

## **Purpose**

Stool softener

Stimulant laxative

## **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

## **Warnings**

### **Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

## Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

## Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

## Questions or comments?

Call **1-888-309-9030**

## Principal Display Panel

**Compare to the active ingredients of Colace® 2-IN-1\***

**Stool Softener Plus Stimulant Laxative**

Docusate Sodium 50 mg

Sennosides 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

TABLETS

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS**

**BROKEN OR MISSING.**

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

**Product Label**

**DG health**


Compare to the active ingredients of Colace® 2-IN-1\*

## Stool Softener + Stimulant Laxative

Docosate sodium, 50 mg  
Sennosides, 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable



**100 Tablets**

Actual Tablet Size

Drug Facts

**Active ingredients (in each tablet)**  
 Docosate sodium 50 mg.....Stool softener  
 Sennosides 8.6 mg.....Stimulant laxative

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours


**Warnings**  
**Do not use**  
 ■ laxative products for longer than 1 week unless directed by a doctor  
 ■ if you are presently taking mineral oil, unless told to do so by a doctor

Drug Facts (continued under label)

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

DISTRIBUTED BY OLD EAST MAIN CO.  
 100 MISSION RIDGE  
 GOODLETTSVILLE, TN 37072

**100% Satisfaction Guaranteed!**  
(888) 309-9030



**A0635**

PLD-G677A 3 5922628604 6  
 Lot No.: LB007972 Exp. Date:

Drug Facts (continued)

**Ask a doctor before use if you have**  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 21 mg  
 ■ each tablet contains: sodium 5 mg VERY LOW SODIUM  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**  
 Call 1-888-309-9030

**DOLLAR GENERAL HEALTH Stool Softener Laxative**

**STOOL SOFTENER LAXATIVE PLUS STIMULANT**

docosate sodium and sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-978
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-978-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/30/2020	

**Labeler** - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)